

ROUND MOUNTAIN PROJECT - PRECINCT B - EPBC ACT APPROVAL: RESIDENTIAL DEVELOPMENT LOT RP45728, NEW BEITH, QLD (EPBC 2019/8398) Vegetation Clearing and Management Plan

DWG NO.	DRAWING TITLE	ISSUE	DATE
10941 E 01 P-B	COVER SHEET	H	28/08/2026
10941 E 02 P-B	VEGETATION CLEARING NOTES	H	28/08/2026
10941 E 03 P-B	EPBC APPROVAL CONDITIONS COMMITMENTS	H	28/08/2026
10941 E 04 P-B	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (I)	H	28/08/2026
10941 E 05 P-B	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (II)	H	28/08/2026
10941 E 06 P-B	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (III)	H	28/08/2026
10941 E 07 P-B	EPBC & NESS OVERLAYS	H	28/08/2026
10941 E 08 P-B	EPBC FAUNA FENCING AND WILDLIFE SOLUTIONS STRATEGY	H	28/08/2026
10941 E 09 P-B	CONTEXT SHEET	H	28/08/2026
10941 E 10-36 P-B	DETAIL SHEETS	H	28/08/2026
10941 E 37 P-B	VEGETATION CLEARING DIRECTION	H	28/08/2026
10941 E 38-40 P-B	WEED MANAGEMENT NOTES	H	28/08/2026
10941 E A01 P-B	ATTACHMENT 1: PRECINCT B VCMP TREE SCHEDULE	H	28/08/2026

ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Process and Management Notes*

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland Government

INTRODUCTION

The Environmental Management Division of the Saunders Havill Group (SHG) was engaged by Frasers Property New Beith Pty Ltd to prepare a Vegetation Clearing and Management Plan (VC&MP) for Precinct B stage of works of the Round Mountain Project. The vegetation clearing will encompass the delivery of Precinct B residential lots, external services infrastructure and the Project’s entry road.

This VC&MP is a requirement of the Economic Development Queensland (EDQ) endorsed Natural Environment Site Strategy (NESS) for the New Beith project. The purpose of this VC&MP is to manage the vegetation removal process and the protection of fauna species within the clearing area. The clearing works will follow general EDQ principles for vegetation clearing documented on this sheet and the *Fauna Management Plan* document. Furthermore, all Federal Environmental Protection & Biodiversity Conservation Act (EPBC) approval conditions must be followed as outlined on *Sheet 3 to 6*. The plan is required to be approved prior to clearing works commencing.

This VC&MP has been produced by overlaying the following site datasets to determine impacts and disturbance on existing vegetation in the interface zone between development and Open-space areas:

- GPS accurate tree data including specimen details & features and site inspection of existing vegetation (SHG, 2024/25). All trees over 100mm DSH were recorded within 20m of the earthworks interface with habitat trees (trees over 300mm DSH and/or with hollows) recorded through balance areas.
- Precinct B Layout (URBIS, 2025)
- Engineering design (Colliers, 2025)

The Queensland Code of Practice for the Welfare of Wild Animals Affected by Land Clearing and Other Habitat Impacts and Wildlife/Spotter/Catches (Draft) and the Queensland Koala Sensitive Design Guideline were considered and applied to this document where relevant.

PROJECT MANAGEMENT

Vegetation clearing and management processes are an integral part of the construction and operational works phases. The site supervisor is responsible for all onsite works including overseeing vegetation clearing, health and safety of fauna and adhering to both EPBC conditions, EDQ’s guidelines and Australian Standards - Protection of Trees on Development Sites AS4970-2009 and Pruning of Amenity Trees AS4373-1996.

The site arborist's responsibilities include prior to the commencement of any earthworks on the site, undertake all appropriate arboricultural measures to ensure the survival and long-term health of existing trees to be retained. These measures may include soil decompaction, soil aeration, fertilising, mulching, watering, root or crown reduction and hazard reduction or as otherwise determined by the arborist. The site arborist is also required to direct and supervise all works within TPZs of trees to be retained and perform arboricultural care requirements where necessary.

SITE CONTACTS

Site and consulting contacts for queries relating to vegetation clearing include:

Client Contact: Frasers Property New Beith Pty Ltd Belinda Ryan	Environmental Contact: Saunders Havill Group Dr Andrew Davies
Site Contractor: <i>To be advised</i>	Site Arborist: <i>To be advised</i>
Site Fauna spotter-catcher: <i>To be advised</i> (Refer to <i>Fauna Management Plan</i> document for responsibilities)	Site Bushfire Consultant: Rob Jannsen

CLEARING PHASES AND PROCESS

PHASE 1 - Tree Protection Fencing/Flagging to be installed

Tree protection fauna friendly fencing to be installed prior to the commencement of any clearing works on the site (refer top left diagram). Tree protection fencing to be located at or beyond 12 x diameter at breast height (DBH) (AS4970-2009 Protection of trees on development sites)—unless approved by the appointed arborist.

PHASE 2 - Pre-start Meeting

Fencing/Flagging shall be in place prior to the pre-start meeting for inspection and sign off by the Environmental Coordinator.

PHASE 3 - Fauna Inspections and Management

Undertake necessary fauna management requirements prior to clearing works - as a minimum, this should include the specifications listed in the *Fauna Management Plan* document and acknowledge specific EPBC/EDQ approval requirements.

PHASE 4 - Undertake Bulk Clearing

Undertake wholesale removal of vegetation once approved for removal by a qualified fauna spotter. Clearing will occur in the direction outlined in *Sheet 37* of this VC&MP and managed by the appointed fauna spotter to allow all fauna unimpeded movement north and west towards adjoining remaining bushland. Sequential clearing will occur on the site adhering to the limitations of clearing no more than 4 ha set out in *Section 2, Part 3* of the *Nature Conservation (Koala) Conservation Plan 2017*.

Once clearing is finalized, and prior to construction, the fencing will be changed to fauna exclusion style fencing (refer bottom right diagram) immediately surrounding construction areas.

Monitoring and Reporting:

Tree protection fencing is to be inspected daily prior to clearing works and recorded by the Site Supervisor. Any failures in the fencing are to be repaired prior to clearing or construction if adjacent to works or within 24 hours if elsewhere on site. The location of stockpiling and site access localities are to be inspected daily and recorded by the Site Supervisor. All works undertaken by the Arborist during clearing and proposed ongoing post-works on retained vegetation are to be reported in an Arborist report for submission to the Environmental Coordinator at the completion of each Stage of clearing. The commitments and outcomes guided by this VC&MP are to be reviewed and reported within Annual Compliance Reports and Independent Audits as per EPBC approval conditions.

Vegetation clearing techniques:

- By utilising the most appropriate machinery and equipment during vegetation clearing, the probability of injury or death of wildlife during clearing can be significantly reduced or eliminated while still maintaining an efficient vegetation removal process.
- Bulldozers will be used to clear vegetation that has been thoroughly inspected by a fauna spotter-catcher and is found to contain no fauna or potential habitat. When a large tree is suspected of containing fauna or potential habitat, other methods of clearing should be used, when safe to do so. These methods include (a) a vertical tree grab attachment on an excavator (30 tonne) can be used to pull entire trees in size up to 30-40 cm diameter at a height measured at 1.3 metres above ground level and lay them down in a steady controlled fashion, allowing inspection by a fauna spotter-catcher (b) where trees are too large for a vertical tree grab, an elevated work platform or cherry picker, where practical, may be used in conjunction with a chainsaw operator and fauna spotter-catcher to carefully remove a hollow section from the habitat tree and gently lower the section for inspection by the fauna spotter-catcher.

NOTE: Dogs are not permitted onsite at any time during construction. Constructionworks including vegetation clearing must occur between the hours of 6.30am and 6.30pm.

ACCESS AND STOCKPILING


Tree and mulch stockpiling locations are to be designated in an easily accessible area outside of TPZs. Indicative stockpiling locations have been allocated near existing access tracks, allowing for material to be easily delivered and stored. These locations are subject to minor change according to construction staging and movement of fill.

Cleared vegetation free of weeds is to be reused on or off the project site. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and should be professionally mounted on nearby or adjacent suitable trees (see Fauna Management Plan (FMP) for further hollow salvaging details.


MAINTENANCE

After tree clearing works on site, an analysis of the vegetation's health and growth should be undertaken by the project arborist to determine specific maintenance needs. Follow-up maintenance works should be carried out on retained vegetation where required during Precinct B’s construction and maintenance periods.

Tree Protection Fencing - Fauna Friendly



Post Clearing Tree Protection Fence - Fauna Exclusion



AMENDMENTS					
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED	
H	28/08/2026	EDQ RFI	TC	AD	



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *EPBC Conditions of Approval Commitments*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government

DECLARATION OF ACCURACY

In making this declaration, I am aware that section 491 of the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) makes it an offence in certain circumstances to knowingly provide false or misleading information or documents to specified persons who are known to be performing a duty or carrying out a function under the EPBC Act or the *Environment Protection and Biodiversity Conservation Regulations 2000* (Cth). The offence is punishable on conviction by imprisonment or a fine, or both.

Signed	
Full name	Andrew Davies
Position	Manager Environmental Division / Associate Partner
Organisation	Saunders Havill Pty Ltd
Date	28 August 2026

EPBC PROTECTED MATTERS

This VC&MP outlines measures to avoid, minimise and manage impacts to matters of national environmental significance and is required to address to address Condition 19 of EPBC Approval 2019/8398 (Residential Development, Lot 4 RP45728, New Beith, Queensland). The protected matters are 'listed threatened species and communities (section 18 and 18A)' including:

- Koala (*Phascolarctos cinereus*) – combined populations of Queensland, New South Wales and the Australian Capital Territory
- Grey-headed Flying-fox (*Pteropus poliocephalus*)
- Greater Glider (*Petauroides volans volans*)
- Swift Parrot (*Lathamus discolor*)
- Regent Honeyeater (*Anthochaera phrygia*)

This VC&MP provides the framework for managing the clearing of vegetation in Precinct B and ensure compliance with the EPBC conditions of approval.

CONDITIONS OF APPROVAL

The following commitments are required under Conditions 8 and 9 of EPBC Approval 2019/8398, and have been addressed by this VC&MP in the following locations:

Preliminary Documentation Commitments	Location in VC&MP
Clearly show all trees to be removed and retained	All trees to be removed and retained are clearly shown on Sheets 10-36.
Include details of all civil works likely to impact on existing vegetation	All civil works have been imported to Sheets 10-36.
Temporary and permanent exclusion and protection fencing tor riparian corridors and parklands	Temporary fauna friendly and exclusion fencing is outlined on Sheet 2 EPBC. This will allow fauna to escape during clearing and then exclude them from the construction site once cleared. The endorsed permanent fauna fencing and wildlife solutions are management is depicted on Sheet 8. These will ensure fauna within the specified corridor and conservation areas are protected and safe passage is facilitated. Tree protection fencing during clearing is depicted on Sheets 10-36. This will allow for retained trees to be protected during the clearing process.
Roles and responsibilities for site contractors, developer and the consultant group	Roles and responsibilities for site contractors, the developer and consultant group are set out on Sheet 2.

Stockpiling and site access locations	Stockpiling and site access locations are depicted on Sheet 37 to ensure that stockpiles are appropriately located and site access is safely facilitated.
Links to weed management and revegetation proposals	Refer to accompanying Rehabilitation Management Plan and Sheets 38 to 40.
The stock piling and reuse of cleared vegetation	Stockpiling and reuse is specifically outlined on Sheet 2 where the mulching and reuse of felled trees and salvage of hollows and habitat values is specified. Further details relevant to the EPBC assessment are outlined on Sheets 3-6 and stockpiling locations and site access are depicted on Sheet 37.
Specific details on the removal of previously identified potential fauna habitat trees	Habitat trees identified under the EPBC assessment as potentially suitable habitat for Greater Glider, Swift Parrot and Regent Honeyeater are identified on Sheets 10-36.
Where trees are shown to be retained occur within disturbance zones they should be accompanied by necessary arborist specifications incorporated into the VC&MP.	Arborist specifications under the relevant Australian Standard are outlined on Sheet 2 and with Arborist managed trees depicted on Sheet 10-36. The Arborist will manage any retained trees that may be impacted by works and will report on all management undertaken.
The VC&MP will designate trees to be protected for the on-going life of the proposal which may require both immediate remedial works and long term monitoring for the potential of future works	Trees to be protected and managed by the Arborist are depicted on Sheets 10-36. The arborist will designate management requirements including for retained trees in post-works reporting.

ENVIRONMENTAL MANAGEMENT ROLES AND RESPONSIBILITIES

It is critical for all parties to understand their responsibilities as part of the vegetation clearing 'team'.

Party	Description
Proponent	Ensure all consultants, contractors, sub-contractors or others utilizing the area are aware of the VC&MP. Appoint appropriate consultants and contractors to undertake works as prescribed on the drawings and conditioned by the Assessment Manager. Cover costs of all resources to ensure works are completed as per approved plans.
Consultants	Brief proponent on their requirements in implementing works as per the V&CMP. Attend pre-start meeting prior to clearing works commencing. Undertake monitoring and reporting to the Assessment Manager as per this plan. Be available to respond to technical queries to the approved documentation when on-site conditions require changes. Liaise with the Assessment Manager throughout all stages of approval, initial works and maintenance of works.
Assessment Manager	Provide technical expertise via commentary on the approval of documentation. Attend pre-start meeting prior to clearing works commencing. Reduce and release securities held against works at the completion of successful milestone inspections. Be available to respond to technical queries to the approved documentation when on-site conditions require changes. Accept and review maintenance reports as dictated (if required in this plan).
Contractor	Ensuring all clearing works are implemented in accordance with the VC&MP. Attend pre-start meeting prior to clearing works commencing.

	Hold relevant licenses in applicable vegetation clearing and fauna spotter/catcher permits, any required insurances for scope of works and an understanding of required Laws, Act, Policies and Guidelines. Recommend changes to the documentation when specific experience or on-site conditions require so.
--	--

PLANNED AVOIDANCE AND MITIGATION MEASURES FOR POTENTIAL INDIRECT IMPACTS

Under the VC&MP, planned avoidance and mitigation measures are outlined in association with the indirect impacts to the disturbance footprint and vegetation. Potential indirect impacts associated with the Precinct A and the associated mitigation controls include are as below:

Potential Indirect Impacts	Associated Mitigation Controls	Location in VC&MP
Light and noise disturbance	Construction of the project may result in increased noise and light disturbance. These impacts may disturb fauna or movement behaviours. Standard mitigation measures will restrict potential impacts to the site and impacts to fauna.	Sheet 6
Contamination, weeds and pathogens	Increased vehicle movement during the construction phase has the potential to increase the spread of weeds in the area, particularly during the vegetation clearing phase. With the implementation of standard mitigation measures, such as separating the introduced vegetation stockpiling, the project is likely to result in a negligible impact to ecological values due to the potential introduction/spread of weeds.	Sheets 6
Vehicle Movement	During construction, a large number of vehicles will be required on the subject site potentially causing fauna strike or loss of vegetation and important fauna habitat. With implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to ecological values due to vehicular movements.	Sheets 5 and 6
Waste Disposal	Inappropriate disposal of non-hazardous wastes can attract vermin and other wildlife to site as well as allowing contaminants to enter the site. With implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to ecological values due to waste.	Refer to Construction Environmental Management Plan
Earthworks, Dust and sediment	Construction activities, in particular earthworks, have the potential to generate excessive dust emissions and sediment runoff. Excessive dust can coat vegetation resulting in a reduced quality of habitat for fauna. While sediment runoff can deposit large amounts of earth over retained habitat. Further, excessive dust and sediment runoff can flow into stormwater runoff and therefore into waterbodies and can degrade overall water quality.	Sheets 6
Stockpiling	Stockpiling of construction and landscaping materials and other site debris can be washed into drainage lines and waterbodies during high rain events. Stockpiling of vegetation containing weeds must be separated from vegetation to be reused as mulch to prevent further weed transmission. With implementation of standard mitigation measures, the project is not likely to result in negative impacts from stockpiling with the placement of stockpiles away from watercourses and drains.	Sheets 5, 6 and 37



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (I)*

Trigger Table

Trigger	Implication	Management
V&MP not utilised	Heightened risk to retained vegetation during clearing.	This VC&MP is to form part of the pre-clearance environmental package to be reviewed at the prestart and located on site at all times during clearing. Ensure that the VC&MP is part of the package and utilised as required.
Arborist not utilised	Heightened risk to retained vegetation during clearing.	No clearing to commence unless an Arborist has been appointed as mandated.
Sequential Clearing not undertaken	Heightened risk to retained vegetation during clearing.	Sequential clearing is outlined in the VC&MP and mandated. To be utilised at all times.
Temporary Fencing not utilised or fails	Heightened risk to retained vegetation during clearing.	Temporary fencing is mandated as specified on the VC&MP. Daily fence checks to be implemented.
Site inductions not completed	Site personnel unaware of vegetation management procedures	This VC&MP is to form part of the pre-clearance environmental package to be reviewed at the prestart and located on site at all times during clearing. Ensure that the VC&MP is part of the package and reviewed as required.
Stockpiling not undertaken appropriately	Unmanaged stockpiles can risk fauna and habitat values are not salvaged	Stockpiling and habitat salvage is outlined in the VC&MP and mandated. To be utilised at all times.
Trees designated for retention are cleared	Trees that should be retained have been cleared	Arborist to review and report corrections to Environmental Coordinator to update the VC&MP accordingly.

ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES

The following risks relating to achieving the environmental outcomes and risk management strategies and/or mitigation measures that will be applied to address identified risks are:

- Construction Impacts and Risks
 - Loss of habitat
 - Fragmentation of habitat
 - Disturbance to retained and surrounding habitat
- Operational Impacts and Risks
 - Creation of barriers to dispersal/ Fragmentation of Habitat
 - Disturbance to retained and surrounding habitat

Impact avoidance, mitigation, repair measures, and the timing of those measures, consistent with the measures and timing proposed in the Preliminary Documentation are as follows:

Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Loss of habitat	Impacts have been avoided and minimised through the development design, incorporating open space and conservation areas within areas identified as providing greater environmental values (i.e. Round Mountain, Flagstone Creek and biodiversity corridors within the GFPDA Development Scheme).	Ecological surveys and habitat assessments conducted across the referral area led to the precise spatial analysis of vegetation and habitat qualities.	59.7 ha of vegetation, comprising of Round Mountain, Greater Flagstone Creek and a central corridor connecting these areas, will be retained and rehabilitated as habitat and biodiversity corridors.	At each Stage of development	The field survey applied has accurately mapped environmental values and features.	Mitigation measures (vegetation management) effectively applied.	<u>Loss of habitat</u>

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056
Date: 11 September 2026



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (II)*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056
Date: 11 September 2026


Queensland
Government

Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Risk of injury or mortality to MNES from vegetation clearing and construction	Vegetation will be cleared sequentially. Clearing will be conducted so that fauna are flushed into safe, vegetated areas and it will avoid pushing fauna into fragmented areas.	The sequential clearing of vegetation will allow for the gradual loss of vegetation, giving fauna time to naturally disperse away from the disturbance. The use of fauna exclusion fencing around construction areas will ensure fauna do not disperse into unsafe, hostile areas, again minimising the risk of injury or death. Each of these measures will ensure that the risk of injury or death to MNES as a result of construction are avoided and mitigated. The aim of these procedures is to support zero injuries or death to MNES as a result of construction.	Sequential Clearing	At all times during clearing	Sequential clearing not undertaken and fragmentation induced	Clearing completed as per sequential clearing	Sequential clearing is mandated and guided by VC&MPS, pre-clearance checklists and pre-starts <u>No residual impact</u>
	Temporary fauna friendly fencing will allow fauna to safely disperse into vegetated areas away from construction,		Temporary fauna fencing	At all times during clearing	Temporary fencing not applied and Koala are injured or killed	Temporary fencing utilised at all times during the clearing process	Temporary fauna fencing is mandated and guided by FMPs and pre-clearance checklists and pre-starts <u>No residual impact</u>
	Temporary fauna exclusion fencing will then be erected to prevent fauna dispersing into construction areas.		Restricted construction hours	At all times during construction	Works outside of hours	Works area completed within mandated hours	<u>No residual impact</u>
	Restricted construction hours (i.e. daylight 6am -6pm)			At all times during construction	Companion and security dogs within the referral area	Construction completed without dogs within the referral area	Dog controls are mandated and guided by the FMPs. <u>No residual impact</u>
	Prohibition of companion /security animals (e.g. dogs).		Dog prohibitions	At all times during construction	Speeds are exceeded resulting in fauna strike	Construction completed without vehicle strike	Speed limits are mandated and guided by the FMPs. <u>No residual impact</u>
	Restricted vehicle speeds (e.g. max 40km) within construction areas.		Low vehicle speeds	At all times during construction	Induction avoided	Construction completed without inductions being breached	Inductions are mandatory. <u>No residual impact</u>
	In addition to this, all construction personnel shall attend environmental training as part of the referral area induction process prior to entering the work site. As part of this training all personnel will be instructed on their obligations in regard to vehicle movement and construction speed limits.		Site inductions				
Fragmentation of habitat	Vegetation clearing has the risk of fragmenting habitat areas during the construction phase. To avoid this impact, vegetation will be undertaken sequentially to allow fauna to disperse from construction areas.	Habitat isolation and fragmentation is a primary concern due to its impacts on fauna. The listed fauna are able to disperse through a variety of environs, including bushland and cleared areas. The direction of clearing of vegetation in accordance with the VC&MPs will ensure that clearing does not create fragmented habitat islands that could trap fauna. Rather, procedures will be in place to ensure clearing flushes fauna away from construction areas into the vegetation retention zone and/or surrounding habitat areas that are connected to the wider landscape.	Fauna not fragmented from adjoining habitat during clearing	Fauna are not fragmented from habitat during clearing. Sequential clearing is undertaken at all times during clearing.	Fauna are fragmented by clearing	Clearing completed without fauna being fragmented	Sequential clearing is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>
	Clearing procedures that avoid the fragmentation of vegetation will be adopted within the FMPs and informed by the Fauna Spotter Cather reports.		Temporary fauna fencing	At all times during construction	Temporary fences are not applied	Temporary fencing utilised at all times during construction	Temporary fauna fencing is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts. <u>No residual impact</u>
	Clearing will be undertaken in a way that flushes fauna into the vegetation retention and rehabilitation zone and/or connected areas of habitat and will avoid flushing fauna into fragmented or hostile areas.		Stockpiling of cleared vegetation ensures safe fauna movement	At all times during clearing	Stockpiling creates a barrier to fauna	Stockpiling is undertaken as guided by VC&MP and FMP	Safe stockpiling is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>
			Safe fauna dispersal locations during construction	At all times during construction	Fauna strike occurs	No fauna strikes during construction	Fauna go slow and fencing measures are applied as per the VC&MPs, FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>
			Low vehicle speeds	At all times during construction	Speed limits are breached resulting in fauna strike	No speed limit breaches during construction	Speed limits are mandated and guided by FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>

ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (III)*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056
Date: 11 September 2026



Queensland
Government

Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Disturbance to retained and surrounding habitat	The VC&MP will include controls to avoid, minimise and mitigate risk of disturbance to retained and surrounding habitat critical to the survival of the listed species during construction, specifically: <u>Light and noise disturbance</u> Construction of the project will result in increased noise and light disturbance. These impacts may disturb fauna and disrupt foraging, reproduction or movement behaviours. Restricted construction hours (e.g. 6am-6pm) will limit disruption from light and noise impacts, as well as allow a 12 hour period for fauna to disperse and forage. <u>Earthworks – dust and sediment generation</u> Construction activities have the potential to generate dust emissions. Dust emissions during construction will be temporary. The main sources of dust will be generated via: - earthworks, including construction of the embankments, and moving, dumping and shaping material; and - wheel/wind generated dust from exposed surfaces, ie. the haul roads created for the construction phase; - vegetation and soil clearing of the land. - Rain/water generated sediment runoff from exposed surfaces Excessive deposition of dust on leaves of plants can suppress the growth and photosynthesis, resulting in reduced habitat quality for fauna. High levels of airborne dust can irritate the respiratory systems of fauna and potentially result in ingestion of dust-coated seeds and other foods. Excessive deposition of dust on open water bodies may also degrade water quality and overall habitat quality for fauna. Sediment runoff during rain events can deposit large amounts of sediment into adjacent vegetation areas and waterways causing significant degraded water and habitat quality. With the implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to any MNES utilising the local area due to the generation of dust and sediment. <u>Contamination, weeds and pathogens</u> Construction activities increase the risk of weeds, pathogens and contamination into the referral area. To manage these impacts, a Weed and Pathogen Management Plan will be prepared to identify potential weed species, and include appropriate controls for weed and pathogen management, disposal and monitoring. Weeds will be actively managed within the construction footprint and disposed of appropriately. No companion animals (e.g. dogs) will be allowed within construction areas. <u>Vehicle disturbance</u> Reduced vehicle speeds will be implemented throughout the construction area to minimise vehicle disturbances. Further, proposed construction roads will be subject to design treatments to ensure safe fauna crossing opportunities are maintained to vegetated areas and impose low vehicle speeds within construction areas. <u>Barriers to dispersal</u> Vegetation will be cleared sequentially. Clearing will be conducted so that fauna are flushed into safe, vegetated areas and it will avoid pushing fauna into fragmented areas. Temporary fauna friendly fencing will allow fauna to safely disperse into vegetated areas while clearing. Temporary fauna exclusion fencing will then be erected to prevent fauna dispersing into construction areas. <u>Contractor management</u> All construction personnel shall attend environmental training as part of the referral area induction process prior to entering the work site. As part of this training, all personnel will be instructed on their obligations in regard to vegetation clearing protocols and to protect native fauna. Additional controls for listed species will be presented in a toolbox talk.	Construction management and clearing controls are considered to be able to effectively avoid, minimise and mitigate risk of disturbance to listed species activities during construction, and allow for adaptive management where required. Limiting hours of construction and clearing to daylight hours, allows a 12 hour period for safe dispersal. With appropriate monitoring, pre, during and post construction by the Fauna Spotter Catcher, no residual impacts area expected to occur.	Minimise light and noise disturbance	At all times during construction	Light and noise impacts on fauna	Light and noise disturbance is limited to daylight hours	Light and noise restrictions mandate works between 6am and 6pm in the SBMP. No residual impact
	The risk of dust emissions and sediment runoff		At all times during construction	Dust and sediment impacts on retained vegetation and fauna	Erosion and sediment control plan ESC plans implemented for all vegetation clearing phases	ESC plans will mitigate the risk of dust and sediment impacts No residual impact	
	The risk of contamination and exacerbating weeds and pathogens is minimised		At all times during construction	Contamination, weed and pathogen incursion	Contamination and weed and pathogen incursions do not occur	The VC&MP will mitigate the risk of contamination and weed and pathogen incursion No residual impact	
	Vehicle disturbance minimised- reduce number of access tracks and/or haul roads		At all times during construction	Fauna disturbance, Injury or mortality from vehicles	Fauna disturbance, Injury or mortality from vehicles is mitigated	The VC&MP will mitigate the risk of vehicle disturbance No residual impact	
	Barriers to dispersal are not created		At all times during construction	Vegetation clearing and stockpiling creates a barrier to fauna	Vegetation clearing and stockpiling is undertaken as guided by VC&MP and FMP	The VC&MP will mitigate the risk of dispersal barriers No residual impact	
	Temporary fauna fencing		At all times during construction	Temporary fences are not applied	Temporary fencing utilised at all times during construction	The VC&MP will guide temporary fencing No residual impact	
	Inductions and training		At all times during construction	Inductions avoided	All inductions are completed and records maintained	Site Inductions are mandatory No residual impact	
	Adaptive management		At all times during construction	Adaptive management not applied	Adaptive management utilised if required	The VC&MP will include adaptive management strategies to avoid recurrence of adverse incidents should they occur No residual impact	

ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - EPBC and EDQ Overlays



LEGEND

- Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

EPBC Approval Conservation Area

NESS Low Order Remnant

Primary Site Fauna Corridor

Unconnected Supporting Habitat Area
- PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056


Date: 11 September 2026
-
- Saunders Havill**
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com
- DISCLAIMER**
DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.
- SCALE (A3)
1:9,750
- References:
AS4970-2009 Protection of trees on development sites

0 50 100 200 300
m
- | AMENDMENTS | | DESCRIPTION
EDQ RFI | DRAWN
TC | CHECKED
AD |
|------------|------------|------------------------|-------------|---------------|
| ISSUE | DATE | | | |
| H | 28/08/2026 | | | |
- CLIENT
FRASERS PROPERTY NEW
BEITH PTY LTD
- PROJECT
PRECINCT B,
ROUND MOUNTAIN PROJECT,
NEW BEITH
- DRAWING TITLE
VEGETATION CLEARING AND
MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941E 07 P-B VCMP H
-

ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *DCCEEW Endorsed Fauna Fencing and Wildlife Solutions Strategy*



LEGEND

- Project boundary

Master Plan

Development area

Open space

Conservation area

Fauna Friendly Crossing Solution

Fauna Exclusion Directional Fence

Fauna Protection Measures
(Safety Signage, Fencing, Open
Space Buffers and Topographical
Boundaries to be Utilised According
to Adjacent Fauna Risk Factors)


PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026



Vegetation Clearing and Management Plan - *Context Detail Sheet*



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Detail Sheet 10*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056
Date: 11 September 2026


Queensland
Government



- Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks
- Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Habitat tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove in development area

Habitat tree to remove in development area
- Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application
- Habitat tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works
- EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove
- Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter
- Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design
- Trunk-sewer tunnel-bore section (no impact)

EPBC Conservation area

Bridge VCFMP clearing extent

AMENDMENTS				DRAWN TC	CHECKED AD
ISSUE H	DATE	DESCRIPTION	EDQ RFI		
	28/08/2026				



ROUND MOUNTAIN PROJECT - PRECINCT B


Vegetation Clearing and Management Plan - *Detail Sheet 11*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove in development area

Habitat tree to remove in development area

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application

Habitat tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works

EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design

Trunk-sewer tunnel-bore section (no impact)

EPBC Conservation area

Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B


Vegetation Clearing and Management Plan - *Detail Sheet 12*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Habitat tree to remove in development area

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works

EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design

Trunk-sewer tunnel-bore section (no impact)

EPBC Conservation area

Bridge VCFMP clearing extent

ROUND MOUNTAIN PROJECT - PRECINCT B


Vegetation Clearing and Management Plan - *Detail Sheet 13*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Habitat tree to remove in development area

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application

Habitat tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works

EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design

Trunk-sewer tunnel-bore section (no impact)

EPBC Conservation area

Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B


Vegetation Clearing and Management Plan - Detail Sheet 14

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree retention subject to CPTED design measures in parks

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove in development area

Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application

Habitat tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works

EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design

Trunk-sewer tunnel-bore section (no impact)

EPBC Conservation area

Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B


Vegetation Clearing and Management Plan - Detail Sheet 15

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-worksTree to remove in development areaHabitat tree to remove in development areaTree to remove within Precinct B Temporary Asset Protection ZoneHabitat tree to remove within Precinct B Temporary Asset Protection ZoneTree removal subject to bridge VCFMP applicationHabitat tree removal subject to bridge VCFMP applicationTree to remove for stormwater basin and outlet worksHabitat tree to remove for stormwater basin and outlet worksEPBC identified habitat treeProject boundaryPrecinct B vegetation clearing areaPrecinct B Temporary Asset Protection Zone - All Trees to removeTemporary access track for sewer works to be rehabilitatedTree protection fencingTree protection fencing (BMP)Proposed lotsTop and toe of batterProposed contoursProposed retaining wallsProposed road and pathsProposed line-markingsProposed stormwater designProposed sewer designProposed water designTrunk-sewer tunnel-bore section (no impact)EPBC Conservation areaBridge VCFMP clearing extent

ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Detail Sheet 16*

Trees 328 - 330, 335, 784, 1501-1503, 1750-1752, 2822 to be retained and protected during construction in accordance with AS 4970 Protection of Trees on Development Sites

AMENDED IN RED

By: Jocelyn Bowyer


Date: 11 September 2026



PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026



ROUND MOUNTAIN PROJECT - PRECINCT B


Vegetation Clearing and Management Plan - *Detail Sheet 17*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove in development area

Habitat tree to remove in development area

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works

EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design

Trunk-sewer tunnel-bore section (no impact)

EPBC Conservation area

Bridge VCFMP clearing extent

ROUND MOUNTAIN PROJECT - PRECINCT B


Vegetation Clearing and Management Plan - Detail Sheet 18

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Habitat tree to remove in development area

Habitat tree to remove in development area

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works

EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design

Trunk-sewer tunnel-bore section (no impact)


EPBC Conservation area

Bridge VCFMP clearing extent

Vegetation Clearing and Management Plan - *Detail Sheet 19*



Date: 11 September 2026



ROUND MOUNTAIN PROJECT - PRECINCT B


Vegetation Clearing and Management Plan - *Detail Sheet 20*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove in development area

Habitat tree to remove in development area

Habitat tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works

EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design

Trunk-sewer tunnel-bore section (no impact)

EPBC Conservation area

Bridge VCFMP clearing extent

Saunders
Havill

BOWENHILLS | SPRINGFIELD


1300 123 744 | sh@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE


SCALE (A3)
1:450

References:
AS4970-2025 Protection of trees on development sites



AMENDMENTS		DESCRIPTION EDQ RFI	DRAWN TC	CHECKED AD
ISSUE	DATE			
H	28/08/2026			

CLIENT
FRASERS PROPERTY NEW
BEITH PTY LTD

PROJECT
PRECINCT B,
ROUND MOUNTAIN PROJECT,
NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND
MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941E 20 P-B VMP H



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Detail Sheet 21*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056
Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove in development area

Habitat tree to remove in development area

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works

EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design

Trunk-sewer tunnel-bore section (no impact)

EPBC Conservation area

Bridge VCFMP clearing extent

ROUND MOUNTAIN PROJECT - PRECINCT B


Vegetation Clearing and Management Plan - *Detail Sheet 22*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove in development area

Habitat tree to remove in development area

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works

EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design

Trunk-sewer tunnel-bore section (no impact)

EPBC Conservation area

Bridge VCFMP clearing extent

Saunders
Havill

BOWENHILLS | SPRINGFIELD
1300 123 744 | shavill@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE

N

SCALE (A3)
1:450

References:
AS4970-2025 Protection of trees on development sites

0

5

10

15

m

AMENDMENTS		DESCRIPTION EDQ RFI	DRAWN TC	CHECKED AD
ISSUE H	DATE			
1	28/08/2026			

CLIENT
FRASERS PROPERTY NEW
BEITH PTY LTD

PROJECT
PRECINCT B,
ROUND MOUNTAIN PROJECT,
NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND
MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941E 22 P-B VMP H



ROUND MOUNTAIN PROJECT - PRECINCT B


Vegetation Clearing and Management Plan - Detail Sheet 23

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove in development area

Habitat tree to remove in development area

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application

Habitat tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works

EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design

Trunk-sewer tunnel-bore section (no impact)

EPBC Conservation area

Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Detail Sheet 24*


AMENDED IN RED

By: Jocelyn Bowyer
Date: 11 September 2026



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056
Date: 11 September 2026



- Tree plot (incl. survey data w/ TPZ)

 - Tree to retain in this application - subject to future works
 - Habitat tree to retain in this application - subject to future works
 - Tree retention subject to CPTED design measures in parks
- Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Habitat tree to remove in development area

Habitat tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove within development area

Habitat tree to remove in development area
- Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application
- Habitat tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works
- EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove
- Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter
- Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design
- Trunk-sewer tunnel-bore section (no impact)

EPBC Conservation area

Bridge VCFMP clearing extent




ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Detail Sheet 25*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056
Date: 11 September 2026


Queensland
Government



AMENDMENTS				DRAWN TC	CHECKED AD
ISSUE H	DATE	DESCRIPTION	EDQ RFI		
	28/08/2026				




ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Detail Sheet 26*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056
Date: 11 September 2026


Queensland
Government



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Detail Sheet 27*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056
Date: 11 September 2026


Queensland
Government



- Tree plot (incl. survey data w/ TPZ)

 - Tree to retain in this application - subject to future works
 - Habitat tree to retain in this application - subject to future works
 - Tree retention subject to CPTED design measures in parks
- Habitat tree retention subject to CPTED design measures in parks

 - Tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

 - Tree to remove in development area
 - Habitat tree to remove in development area
- Tree to remove within Precinct B Temporary Asset Protection Zone

 - Habitat tree to remove within Precinct B Temporary Asset Protection Zone
 - Tree removal subject to bridge VCFMP application
- Habitat tree removal subject to bridge VCFMP application

 - Tree to remove for stormwater basin and outlet works
 - Habitat tree to remove for stormwater basin and outlet works
- EPBC identified habitat tree

 - Project boundary
 - Precinct B vegetation clearing area
 - Precinct B Temporary Asset Protection Zone - All Trees to remove
- Temporary access track for sewer works to be rehabilitated

 - Tree protection fencing
 - Tree protection fencing (BMP)
 - Proposed lots
 - Top and toe of batter
- Proposed contours

 - Proposed retaining walls
 - Proposed road and paths
 - Proposed line-markings
 - Proposed stormwater design
 - Proposed sewer design
 - Proposed water design
- Trunk-sewer tunnel-bore section (no impact)

 - EPBC Conservation area
 - Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Detail Sheet 28*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove in development area

Habitat tree to remove in development area

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application

Habitat tree removal subject to bridge VCFMP application

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works

EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design

Trunk-sewer tunnel-bore section (no impact)

EPBC Conservation area

Bridge VCFMP clearing extent

ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Detail Sheet 29*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056
Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove in development area

Habitat tree to remove in development area

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-worksTree to remove within Precinct B Temporary Asset Protection ZoneHabitat tree to remove within Precinct B Temporary Asset Protection ZoneTree removal subject to bridge VCFMP applicationEPBC identified habitat treeProject boundaryPrecinct B vegetation clearing areaPrecinct B Temporary Asset Protection Zone - All Trees to removeTemporary access track for sewer works to be rehabilitatedTree protection fencingTree protection fencing (BMP)Proposed lotsTop and toe of batterProposed contoursProposed retaining wallsProposed road and pathsProposed line-markingsProposed stormwater designProposed sewer designProposed water designTrunk-sewer tunnel-bore section (no impact)EPBC Conservation areaBridge VCFMP clearing extent

Saunders
Havill

BOWENHILLS | SPRINGFIELD
1300 123 744 | shavill@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE


SCALE (A3)
1:450

References:
AS4970-2025 Protection of trees on development sites



AMENDMENTS		DESCRIPTION EDQ RFI	DRAWN TC	CHECKED AD
ISSUE H	DATE			
1	28/08/2026			

CLIENT
FRASERS PROPERTY NEW
BEITH PTY LTD

PROJECT
PRECINCT B,
ROUND MOUNTAIN PROJECT,
NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND
MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941E 29 P-B VMP H



ROUND MOUNTAIN PROJECT - PRECINCT B


Vegetation Clearing and Management Plan - *Detail Sheet 30*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove in development area

Habitat tree to remove in development area

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works

EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design


Trunk-sewer tunnel-bore section (no impact)

EPBC Conservation area

Bridge VCFMP clearing extent

Vegetation Clearing and Management Plan - *Detail Sheet 31*


Date: 11 September 2026



Vegetation Clearing and Management Plan - *Detail Sheet 32*



Date: 11 September 2026



- | Legend | |
|--|--|
| <ul style="list-style-type: none"> Tree plot (incl. survey data w/ TPZ) Tree to retain in this application - subject to future works Habitat tree to retain in this application - subject to future works Tree retention subject to CPTED design measures in parks | <ul style="list-style-type: none"> Habitat tree retention subject to CPTED design measures in parks Tree retention to be determined by Arborist during clearing works and reported as part of post-works Tree to remove in development area Habitat tree to remove in development area |
| <ul style="list-style-type: none"> Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works Tree to remove within Precinct B Temporary Asset Protection Zone Habitat tree to remove within Precinct B Temporary Asset Protection Zone Tree removal subject to bridge VCFMP application | <ul style="list-style-type: none"> Habitat tree removal subject to bridge VCFMP application Tree to remove for stormwater basin and outlet works Habitat tree to remove for stormwater basin and outlet works |
| <ul style="list-style-type: none"> EPBC identified habitat tree Project boundary Precinct B vegetation clearing area Precinct B Temporary Asset Protection Zone - All Trees to remove | <ul style="list-style-type: none"> Temporary access track for sewer works to be rehabilitated Tree protection fencing Tree protection fencing (BMP) Proposed lots Top and toe of batter |
| <ul style="list-style-type: none"> Proposed contours Proposed retaining walls Proposed road and paths Proposed line-markings Proposed stormwater design Proposed sewer design Proposed water design | <ul style="list-style-type: none"> Trunk-sewer tunnel-bore section (no impact) EPBC Conservation area Bridge VCFMP clearing extent |

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE



References:

AS4970-2025 Protection of trees on development sites



AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
H	28/08/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW
BEITH PTY LTD

PROJECT
PRECINCT B,
ROUND MOUNTAIN PROJECT,
NEW BEITH


VEGETATION CLEARING AND
MANAGEMENT PLAN - EPBC 2019/8398

10941 E 32 P-B VMP H



Vegetation Clearing and Management Plan - *Detail Sheet 33*

Date: 11 September 2026



ROUND MOUNTAIN PROJECT - PRECINCT B


Vegetation Clearing and Management Plan - Detail Sheet 34

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove in development area

Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application

Habitat tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works

EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design

Trunk-sewer tunnel-bore section (no impact)

EPBC Conservation area

Bridge VCFMP clearing extent

ROUND MOUNTAIN PROJECT - PRECINCT B


Vegetation Clearing and Management Plan - Detail Sheet 35

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



- Tree plot (incl. survey data w/ TPZ)

 - Tree to retain in this application - subject to future works
 - Habitat tree to retain in this application - subject to future works
 - Tree retention subject to CPTED design measures in parks
- Habitat tree retention subject to CPTED design measures in parks

 - Tree retention to be determined by Arborist during clearing works and reported as part of post-works
 - Tree retention to be determined by Arborist during clearing works and reported as part of post-works
 - Tree retention subject to CPTED design measures in parks
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

 - Tree to remove in development area
 - Habitat tree to remove in development area
- Tree to remove within Precinct B Temporary Asset Protection Zone

 - Habitat tree to remove within Precinct B Temporary Asset Protection Zone
 - Tree removal subject to bridge VCFMP application
- Habitat tree removal subject to bridge VCFMP application

 - Tree to remove for stormwater basin and outlet works
 - Habitat tree to remove for stormwater basin and outlet works
- EPBC identified habitat tree

 - Project boundary
 - Precinct B vegetation clearing area
 - Precinct B Temporary Asset Protection Zone - All Trees to remove
- Temporary access track for sewer works to be rehabilitated

 - Tree protection fencing
 - Tree protection fencing (BMP)
 - Proposed lots
 - Top and toe of batter
- Proposed contours

 - Proposed retaining walls
 - Proposed road and paths
 - Proposed line-markings
 - Proposed stormwater design
 - Proposed sewer design
 - Proposed water design
- Trunk-sewer tunnel-bore section (no impact)

 - EPBC Conservation area
 - Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B


Vegetation Clearing and Management Plan - Detail Sheet 36

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056

Date: 11 September 2026


Queensland
Government



AMENDED IN RED

By: Jocelyn Bowyer
Date: 11 September 2026



Tree plot (incl. survey data w/ TPZ)

Tree to retain in this application - subject to future works

Habitat tree to retain in this application - subject to future works

Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Habitat tree to remove in development area

Habitat tree to remove in development area

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Tree removal subject to bridge VCFMP application

Tree to remove within Precinct B Temporary Asset Protection Zone

Habitat tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

Habitat tree to remove for stormwater basin and outlet works

EPBC identified habitat tree

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Temporary access track for sewer works to be rehabilitated

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design

Trunk-sewer tunnel-bore section (no impact)


EPBC Conservation area

Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - Context Detail Sheet



LEGEND

 Project boundary

 Flagstone Creek

 Precinct B vegetation clearing area

 Precinct B Temporary Asset Protection Zone - All Trees to remove

 Precinct B existing tracks (access to site)

 Vegetation clearing direction

 Asset protection clearing direction

 Tree protection fencing

 Tree protection fencing (BMP)

 Indicative vegetation clearing stockpiles

AMENDMENTS		DESCRIPTION EDQ RFI	DRAWN TC	CHECKED AD
ISSUE	DATE			
H	28/08/2026			



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - Weed Management Notes (i)

Weed management to follow these general guidelines. All weed management works on site must be undertaken in accordance with the *Queensland Biosecurity Act 2014*.

Queensland Herbarium Invasive Naturalised Plants In South East Queensland								
Rk	Family	Scientific and common names	Sr	R	S	LFS	Non-Chemical Control	Chemical Control
1	Mimosaceae	Acacia boliviana (Bolivian wattle)	1	1	4	T/O	Mechanical or chain removal.	Herbicides must be applied by appropriately qualified / supervised persons in accordance with the Agricultural Chemicals and Distribution Control Act 1966 at rates identified on registered product labels, or on an Australian Pesticides and Veterinary Medicines Authority (APVMA) issued off-label permit where applicable. Refer to South East Queensland Ecological Restoration Framework for additional guidance.
2	Mimosaceae	Acacia farnesiana (mimosa bush)	6	15	3	T/A	Mechanical removal of small plants.	
3	Mimosaceae	Acacia nilotica subsp. indica (prickly acacia)	3	3	4.4	T/A	Mechanical or chain removal.	
4	Cactaceae	Acanthocereus tetragonus (sword pear)	1	1	3	S/O	Biological controls available: cactoblastis cactorum successful. Mechanical control difficult. Fire can be used.	
5	Polygonaceae	Acetosa sagittata (rambling dock)	4	18	4	V/U	Tubers: Dig up, bag and remove.	
6	Agavaceae	Agave americana (century plant)	4	9	4	S/OA	Dig out by hand or machine	
7	Agavaceae	Agave sisalana (sisal)	2	4	4	S/OA	Dig out by hand or machine	
8	Agavaceae	Agave vivipara var. vivipara (sisal)	2	3	4	S/OA	Dig out by hand or machine	
9	Asteraceae	Ageratina adenophora (crofton weed)	6	38	5	H/O	Hand pull and hang to dry.	
10	Asteraceae	Ageratina riparia (mistflower)	5	38	5	H/O	Hand pull and hang to dry.	
11	Asteraceae	Ageratum houstonianum (blue billygoat weed)	8	81	4	H/UO	N/A	
12	Simaroubaceae	Allanthus altissima (tree of heaven)	1	3	4	T/O	Seedlings: Hand pull	
13	Amaranthaceae	Alternanthera philoxeroides (alligator weed)	1	3	5	Ha/U	Physical removal of plant should not be attempted	
14	Poaceae	Andropogon virginicus (whisky grass)	6	14	4	H/A	Hand pull or dig out small infestations.	
15	Basellaceae	Anredera cordifolia (madeira vine)	8	16	5	V/O	Small Vines & Tubers: Hand pull. Bag and dispose.	
16	Asclepiadaceae	Araujia sericifera (mothvine)	9	38	4	V/O	Seedlings & Vines: Hand pull. Bag and remove fruit.	
17	Aristolochiaceae	Aristolochia elegans (Dutchman's pipe)	8	30	4	V/O	Stems: Hand pull; Fruit: Bag and remove.	
18	Poaceae	Arundo donax (giant reed)	1	4	4	H/O	Physical removal of small infestations.	
19	Asclepiadaceae	Asclepias curassavica (red cotton bush)	9	43	3	S/O	Hand pull; Slash	
20	Asparagaceae	Asparagus aethiopicus cv. Sprengeri (asparagus ground fern)	5	35	5	H/O	Dig out unwanted plants and dispose of at the appropriate council landfill. Remove the entire crown of underground stem of plant to prevent regrowth	
21	Asparagaceae	Asparagus africanus (ornamental asparagus, asparagus fern)	7	26	5	V/O	Dig out roots and dispose of at local council landfill site. Remove entire crown and underground stem to prevent regrowth	
22	Asparagaceae	Asparagus plumosus (asparagus fern)	4	8	4	V/O	Rhizomes: crown and hang to dry.	
23	Poaceae	Axonopus compressus (broad leaved carpet grass)	5	23	4	H/AO	Cut stems from roos.	
24	Asteraceae	Baccharis halimifolia (groundsel bush)	10	168	5	S/O	Seedlings: Hand pull	
25	Asteraceae	Bidens pilosa (cobbler's pegs)	10	110	4	H/U	Hand pull or cultivation.	
26	Poaceae	Brachiaria decumbens (signal grass)	4	14	4	H/A	Grazing	
27	Poaceae	Brachiaria mutica (para grass)	6	18	4	Ha/A	Grazing	

Rk	Family	Scientific and common names	Sr	R	S	LFS	Non-Chemical Control	Chemical Control
28	Crassulaceae	Bryophyllum daigremontianum x B. delagoense (hybrid mother-of millions)	6	15	5	H/O	Hand pull and dispose	Herbicides must be applied by appropriately qualified / supervised persons in accordance with the Agricultural Chemicals and Distribution Control Act 1966 at rates identified on registered product labels, or on an Australian Pesticides and Veterinary Medicines Authority (APVMA) issued off-label permit where applicable. Refer to South East Queensland Ecological Restoration Framework for additional guidance.
29	Crassulaceae	Bryophyllum delagoense (mother of millions)	8	38	5	H/O	Hand pull and dispose	
30	Crassulaceae	Bryophyllum pinnatum (resurrection plant)	6	17	4	H/O	Hand pull and dispose	
31	Buddlejaceae	Buddleja madagascariensis (buddleja)	5	6	3	S,V/O	N/A	
32	Cabombaceae	Cabomba caroliniana (cabomba, fanwort)	4	12	5	Ha/F	Mechanical removal of small infestations	
33	Caesalpiniaceae	Caesalpinia decapetala (thorny polinciana)	4	20	4	S,V/O	Seed-heads: Bag and remove.	
34	Brassicaceae	Cakile edentula (American sea rocket)	4	24	4	H/U	Manually grub and destroy.	
35	Commelinaceae	Callisia fragrans (purple succulent)	3	9	4	H/O	N/A	
36	Cannaceae	Canna indica (canna lily)	3	9	3	H/O	Dig out entire plant	
37	Sapindaceae	Cardiospermum grandiflorum (balloon vine)	7	31	4	V/O	Seedlings & Small Vines: Hand Pull	
38	Apocynaceae	Cascabela thevetia (syn. Thevetia peruviana) (yellow oleander)	5	9	3	ST/O	Hand pull small infestations. Slashing can be used but should be followed up by herbicide application.	
39	Apocynaceae	Catharanthus roseus (pink periwinkle)	5	22	4	S/O	Hand pull	
40	Ulmaceae	Celtis sinensis (Chinese celtis)	8	19	5	T/O	Remove when small. Hand pull or dig out small seedlings. Combine dozing, burning and controlled grazing for large infestations	
41	Poaceae	Cenchrus ciliaris (buffel grass)	4	15	4	H/A	Hand or mechanical removal of young plants	
42	Poaceae	Cenchrus echinatus (Mossman river grass)	8	43	3	H/A	Hand or mechanical removal of young plants	
43	Solanaceae	Cestrum parqui (green cestrum)	6	36	4	S/O	Seedlings: Hand pull	
44	Caesalpiniaceae	Chamaecrista rotundifolia (round-leaf cassia)	6	14	3	ST/A	Seedlings: Hand pull	
45	Poaceae	Chloris gayana (Rhodes grass)	9	55	4	H/A	Hand pulling and removal and digging of larger clumps	
46	Asteraceae	Chrysanthemoides monilifera subsp. rotundata (bitou bush)	3	23	5	S/OA	N/A	
47	Lauraceae	Cinnamomum camphora (camphor laurel)	7	25	5	T/O	Seedlings: Hand pull	
48	Rubiaceae	Coffea arabica (coffee)	3	7	3	ST/A	Saplings: Hand pull	
49	Arecaceae	Colocasia esculenta (taro)	3	4	3	H/AO	Hand pull.	
50	Commelinaceae	Commelina benghalensis (hairy wandering jew)	4	7	4	H/O	Collect and Bag	
51	Asteraceae	Conyza bonariensis (flax-leaf fleabane)	7	38	3	H/U	Hand or mechanical removal of small infestations	
54	Poaceae	Cortaderia selloana (pampas grass)	2	1	4	H/O	Small Plants: dig out by hand or machine	
55	Asclepiadaceae	Cryptostegia grandiflora (rubber vine)	6	19	4	V/O	Scattered or medium-density infestations: Where possible, repeated slashing close to ground level is recommended.	
56	Poaceae	Cynodon dactylon (couch, Bahama grass introduced cultivars)	10	45	4	H/OA	Hand pull small infestations, removing all roots or smother with mulch.	

Rk	Family	Scientific and common names	Sr	R	S	LFS	Non-Chemical Control	Chemical Control
57	Cyperaceae	Cyperus brevifolius (Mullumbimby couch)	8	53	3	H/O	Each has to be dug out with a spade and the entire plant turned over, exposing the root system while making sure all aerial parts of the plant are completely covered.	Herbicides must be applied by appropriately qualified / supervised persons in accordance with the Agricultural Chemicals and Distribution Control Act 1966 at rates identified on registered product labels, or on an Australian Pesticides and Veterinary Medicines Authority (APVMA) issued off-label permit where applicable. Refer to South East Queensland Ecological Restoration Framework for additional guidance.
58	Cyperaceae	Cyperus involocratus (African sedge)	6	15	4	Ha/OF	Each has to be dug out with a spade and the entire plant turned over, exposing the root system while making sure all aerial parts of the plant are completely covered.	
59	Fabaceae	Desmodium intortum (greenleaf desmodium)	4	11	3	H/A	Hand pull or crown and dispose	
60	Fabaceae	Desmodium uncinatum (silverleaf desmodium)	5	14	4	H/A	Hand pull or crown and dispose	
61	Poaceae	Digitaria didactyla (Queensland blue couch)	9	70	4	H/A	Hand pull or cultivation	
62	Poaceae	Digitaria eriantha (pangola grass)	5	20	3	H/A	Hand pull or cultivation	
63	Verbenaceae	Duranta erecta (duranta)	6	14	4	ST/O	Shrubs: CS&P (1:1.5)	
64	Poaceae	Echinochloa colona (awnless barnyard grass)	9	44	3	H/A	Hand or mechanical removal of small infestations	
65	Poaceae	Echinochloa crus-galli (barnyard grass)	6	34	4	H/A	Hand pull or dig out small infestations.	
66	Hydrocharitaceae	Egeria densa (egeria waterweed)	2	7	4	Ha/F	Hand pulling, cutting and digging with machines effective	
67	Pontederiaceae	Eichhornia crassipes (water hyacinth)	4	8	5	Ha/OF	Mechanical removal of small infestations	
68	Poaceae	Eleusine indica (crowsfoot grass)	8	55	4	H/A	Pull and chip. Replant with native couch.	
69	Poaceae	Eragrostis curvula (African lovegrass)	7	29	4	H/U	Chipped out before they flower. When chipping out the plant ensure that the tussock crowns are removed, as this will prevent regrowth. If in seed, the stems must be cut and bagged first.	
70	Rosaceae	Eriobotrya japonica (loquat)	3	5	3	T/O	Seedlings: Hand pull	
71	Fabaceae	Erythrina crista-galli (cockspur coral tree)	2	4	4	T/O	N/A	
72	Myrtaceae	Eugenia uniflora (Brazilian cherry)	4	19	4	ST/O	N/A	
73	Euphorbiaceae	Euphorbia cyathophora (painted spuge)	8	20	3	H/O	Hand pull	
74	Euphorbiaceae	Euphorbia heterophylla (milk weed)	5	12	3	H/O?	Hand pull	
75	Agavaceae	Furcraea foetida (Cuban hemp)	3	4	4.3	S/OA	Dig out by hand or machine	
76	Agavaceae	Furcraea selloa (hemp)	1	2	4	S/OA	Dig out by hand or machine	
77	Caesalpiniaceae	Gleditsia triacanthos (honey locust)	7	12	4	T/O	For the control of dense infestations on grazing land, burning followed by spot spraying is an economical control method.	
78	Colchicaceae	Gloriosa superba (glory lily)	3	26	4	V/O	N/A	
79	Asclepiadaceae	Gomphocarpus physocarpus (balloon cotton bush)	10	132	4	S/OU	Slash in winter and burn cuttings. Wanderer Butterfly can also be used as biological control.	

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL



Approval no: DEV-2026-FLA-5056

Date: 11 September 2026



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - Weed Management Notes (ii)

Weed management to follow these general guidelines. All weed management works on site must be undertaken in accordance with the *Queensland Biosecurity Act 2014*.

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056
Date: 11 September 2026


Queensland
Government

Queensland Herbarium Invasive Naturalised Plants In South East Queensland									
Rk	Family	Scientific and common names	Sr	R	S	LFS	Non-Chemical Control	Chemical Control	
80	Asteraceae	Gymnocoronis spilanthoides (Senegal tea)	3	4	5	Ha/F	Place plant material in a sealed plastic bag, leave in sunlight to rot then burn or dispose of at a council-approved land fill tip		
81	Cactaceae	Harrisia martinii (harrisia cactus)	2	4	4	S/O	The use of the biological mealy-bug agent is recommended		
82	Zingiberaceae	Hedychium coronarium (wild ginger)	2	2	4	H/O	Small Plants: Hand pull and dispose		
83	Zingiberaceae	Hedychium gardnerianum (ginger lily)	1	3	4	H/O	Small Plants: Hand pull and dispose		
84	Malpighiaceae	Hiptage benghalensis (hiptage)	3	5	4	S,V/O	Hand pull small infestations.		
85	Acanthaceae	Hygrophila costata (Glush weed)	3	7	5	Ha/F	Hand pull smal infestations. Can be controlled by planting competitive native species.		
86	Poaceae	Hymenachne amplexicaulis cv. Olive (hymenachne)	1	1	4	Ha/A	A combined approach of different control methods including mechanical, chemical and biological with land management practices is most effective	Herbicides must be applied by appropriately qualified / supervised persons in accordance with the Agricultural Chemicals and Distribution Control Act 1966 at rates identified on registered product labels, or on an Australian Pesticides and Veterinary Medicines Authority (APVMA) issued off-label permit where applicable. Refer to South East Queensland Ecological Restoration Framework for additional guidance.	
87	Acanthaceae	Hypoestes phyllostachya (polka-dot plant)	3	5	4	H/O	Hand pull or crown and dispose		
88	Balsaminaceae	Impatiens walleriana (balsam)	2	6	4	H/O	N/A		
89	Convolvulaceae	Ipomoea cairica (mile-a-minute)	7	56	4	V/O	Vines & Runners: hand pull, roll up and hand up to dry.		
90	Convolvulaceae	Ipomoea indica (blue morning glory)	5	24	4	V/O	Vines and Runners: hand pull, roll up and hang to dry.		
91	Bignoniaceae	Jacaranda mimosifolia (jacaranda)	4	12	3	T/O	Seedlings: Hand pull		
92	Euphorbiaceae	Jatropha gossypifolia (cotton-leaf physic nut, bellyache bush)	1	1	4	S/O	Hand pull		
93	Juncaceae	Juncus articulatus (jointed rush)	1	2	4	Ha/FO	Hand pull.		
94	Acanthaceae	Justicia betonica (squirreltail)	2	4	4	S/O	Hand pull smal infestations. Can be controlled by planting competitive native species.		
95	Sapindaceae	Koelreuteria elegans (Chinese rain tree)	1	1	3.6	T/O	Seedlings: Hand pull		
96	Verbenaceae	Lantana camara var. camara (lantana)	10	455	5	S/O	Seedlings: Hand pull		
97	Verbenaceae	Lantana montevidensis (creeping lantana)	8	62	5	S/O	Fire and/or mechanical control		
98	Mimosaceae	Leucaena leucocephala (leucaena)	6	14	4	ST/A	Small plants: Hand pull or mechanical removal		
99	Oleaceae	Ligustrum lucidum (tree privet)	5	9	5	T/O	Seedlings: Hand pull		
100	Oleaceae	Ligustrum sinense (Chinese privet)	4	11	5	T/O	Seedlings: Hand pull		
101	Liliaceae	Lilium formosanum (Taiwan lily)	5	10	4	H/O	Hand pull or crown and dispose		
102	Caprifoliaceae	Lonicera japonica (Japanese honeysuckle)	3	6	4	V/O	Vines and Runners: hand pull, roll up and hang to dry.		
103	Solanaceae	Lycium ferocissimum (African boxthorn)	1	5	4.4	S/O	N/A		

Rk	Family	Scientific and common names	Sr	R	S	LFS	Non-Chemical Control	Chemical Control	
104	Bignoniaceae	Macfadyena unguis-cati (cat's claw creeper)	5	36	5	V/O	Tubers: crown or dig up, bag and remove.		
105	Fabaceae	Macroptilium atropurpureum (siratro)	8	39	4	V/A	N/A		
106	Fabaceae	Macrotyloma axillare (perennial horse gram)	4	12	3	V,H/A	N/A		
107	Poaceae	Melinis minutiflora (molasses grass)	5	17	5	H/A	Grazing or mowing		
108	Poaceae	Melinis repens (red Natal grass)	10	134	4	H/A	Grazing or mowing		
109	Mimosaceae	Mimosa pudica (common sensitive plant)	4	12	4	S/A	N/A		
110	Moraceae	Morus alba (white mulberry)	3	10	3	T/O	N/A		
111	Rutaceae	Murraya paniculata cv. Exotica (murraya)	6	26	4	S/O	Seedlings: Hand pull		
112	Haloragaceae	Myriophyllum aquaticum (parrot's feather)	3	15	4	Ha/F	N/A		
113	Brassicaceae	Nasturtium officinale (Qld use Rorippa nasturtium-aquaticum) (watercress)	7	19	4	Ha/FU	Manually grub and destroy.		
114	Fabaceae	Neonotonia wightii (glycine)	5	16	5	H/A	N/A	Herbicides must be applied by appropriately qualified / supervised persons in accordance with the Agricultural Chemicals and Distribution Control Act 1966 at rates identified on registered product labels, or on an Australian Pesticides and Veterinary Medicines Authority (APVMA) issued off-label permit where applicable. Refer to South East Queensland Ecological Restoration Framework for additional guidance.	
115	Nymphaeaceae	Nymphaea caerulea subsp. zanzibarensis (blue lotus)	4	17	4	Ha/OF	Hand pull small infestations.		
116	Nymphaeaceae	Nymphaea mexicana (yellow waterlily)	2	4	4	Ha/OF	Hand pull small infestations.		
117	Ochnaceae	Ochna serrulata (ochna)	7	33	5	S/O	N/A		
118	Onagraceae	Oenothera drummondii subsp. drummondii (beach evening primrose)	3	17	4	H/O	Hand pull		
119	Oleaceae	Olea europaea (olive)	2	6	4	T/A	Seedlings: Hand pull		
120	Cactaceae	Opuntia aurantiaca (tiger pear)	1	2	4	S/O	Biological controls available: cactoblastis cactorum successful. Mechanical control difficult. Fire can be used.		
121	Cactaceae	Opuntia imbricata (rope pear)	1	1	4	H/O	Biological controls available: cactoblastis cactorum successful. Mechanical control difficult. Fire can be used.		
122	Cactaceae	Opuntia monacantha (drooping tree pear, syn. O. vulgaris)	2	3	4	S/O	Biological controls available: cactoblastis cactorum successful. Mechanical control difficult. Fire can be used.		
123	Cactaceae	Opuntia stricta (common prickly pear)	7	67	4	S/O	Biological controls available: cactoblastis cactorum successful. Mechanical control difficult. Fire can be used.		
124	Cactaceae	Opuntia tomentosa (velvet tree pear)	8	46	4	S/O	Biological controls available: cactoblastis cactorum successful. Mechanical control difficult. Fire can be used.		
125	Poaceae	Panicum maximum (green panic and guinea grass)	8	78	5	H/A	Hand or mechanical removal of small infestations		

Rk	Family	Scientific and common names	Sr	R	S	LFS	Non-Chemical Control	Chemical Control	
126	Asteraceae	Parthenium hysterophorus (parthenium weed)	6	14	4	H/U	Hand pulling of small areas is not recommended		
127	Poaceae	Paspalum conjugatum (paspalum grass)	7	38	4	H/A	Cut below crown.		
128	Poaceae	Paspalum dilatatum (paspalum grass)	10	30	4	H/A	Hand pull or dig up		
129	Poaceae	Paspalum mandiocanum (broad leaf paspalum)	3	6	4	H/A	N/A		
130	Poaceae	Paspalum notatum (bahia grass)	4	10	4	H/A	Hand pull or dig up		
131	Passifloraceae	Passiflora edulis (passion fruit)	6	12	3	V/AO	Hand Pull		
132	Passifloraceae	Passiflora foetida (stinking passion flower)	7	50	4	V/O	Hand Pull		
133	Passifloraceae	Passiflora suberosa (cork passionflower)	8	166	4	V/O	N/A		
134	Passifloraceae	Passiflora subpeltata (white passion flower)	10	60	4	V/O	Stems: Hand pull		
135	Scrophulariaceae	Paulownia tomentosa (paulownia)	3	5	4	T/AO	Seedlings: Hand pull		
136	Poaceae	Pennisetum alopecuroides (swamp foxtail)	7	29	4	H/O	Hand Pull	Herbicides must be applied by appropriately qualified / supervised persons in accordance with the Agricultural Chemicals and Distribution Control Act 1966 at rates identified on registered product labels, or on an Australian Pesticides and Veterinary Medicines Authority (APVMA) issued off-label permit where applicable. Refer to South East Queensland Ecological Restoration Framework for additional guidance.	
137	Poaceae	Pennisetum clandestinum (kikuyu grass)	4	12	4	H/A	Hand Pull		
138	Poaceae	Pennisetum purpureum (elephant grass)	2	9	4	H/O	Grazing or mechanical removal		
139	Poaceae	Pennisetum setaceum (fountain grass)	3	11	3	H/O	Hand Pull		
140	Verbenaceae	Phyla canescens (lippia, Condamine couch)	3	4	4	Ha/O	A combined approach of different control methods including chemical and mechanical with land management practices is most effective		
141	Poaceae	Phyllostachys aurea (fishpole bamboo)	1	2	4	S/O	N/A		
142	Phytolaccaceae	Phytolacca octandra (inkweed)	10	50	3	H/O	Hand pull or crown		
143	Pinaceae	Pinus elliotii (slash pine)	4	22	4	T/A	Seedlings: Hand pull; Saplings and Trees: cut close to ground or ring-bark		
144	Araceae	Pistia stratiotes (water lettuce)	3	8	4	Ha/OF	Mechanical removal of small infestations		
145	Mimosaceae	Prosopis pallida (algaroba)	2	2	4	ST/O	When using mechanical control methods, it is important to remove the bud zone of the root system (about 30 cm below the ground surface). If this is not removed, re-shooting can occur.		
146	Rosaceae	Prunus munsoniana (wild goose plum)	7	31	4	ST/A	Seedlings: Hand pull		
147	Myrtaceae	Psidium guajava and P. guineense (yellow guava and West Indies guava)	4	7	4	ST/AO	N/A		
148	Fabaceae	Pueraria lobata (kudzu)	3	4	4	V,S/O	Slash; Diminish by shading site		
149	Bignoniaceae	Pyrostegia venusta (flame vine)	1	1	4	V/O	N/A		
150	Rosaceae	Rhaphiolepis indica (Indian hawthorn)	3	10	4	ST/O	Seedlings: Hand pull		



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - Weed Management Notes (iii)

Weed management to follow these general guidelines. All weed management works on site must be undertaken in accordance with the Queensland Biosecurity Act 2014.

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5056
Date: 11 September 2026


Queensland
Government

Queensland Herbarium Invasive Naturalised Plants In South East Queensland								
Rk	Family	Scientific and common names	Sr	R	S	LFS	Non-Chemical Control	Chemical Control
150	Rosaceae	Rhaphiolepis indica (Indian hawthorn)	3	10	4	ST/O	Seedlings: Hand pull	Herbicides must be applied by appropriately qualified / supervised persons in accordance with the Agricultural Chemicals and Distribution Control Act 1966 at rates identified on registered product labels, or on an Australian Pesticides and Veterinary Medicines Authority (APVMA) issued off-label permit where applicable. Refer to South East Queensland Ecological Restoration Framework for additional guidance
151	Euphorbiaceae	Ricinus communis (castor oil plant)	7	20	4	S/O	Seedlings: Hand pull	
152	Phytolaccaceae	Rivina humilis (baby pepper)	8	61	4	H/O	Hand pull and hang to dry.	
153	Rosaceae	Rubus bellobatus (kittatinny blackberry)	5	22	4	S/O	Slashing hinders growth, giving some control if plants are slashed before they seed	
154	Rosaceae	Rubus discolor (R. fruticosus complex, a blakberry)	4	10	4	S/OA	Slashing hinders growth, giving some control if plants are slashed before they seed	
155	Rosaceae	Rubus ellipticus (yellowberry)	4	26	4	S/O	Slashing hinders growth, giving some control if plants are slashed before they seed	
156	Acanthaceae	Ruellia malacosperma (ruellia)	5	16	4	H/O	N/A	
157	Ruppiaceae	Ruppia maritima (sea tassel)	2	8	4	Ha/F	Hand pull or dig up	
158	Alismataceae	Sagittaria graminea var. platyphylla (sagittaria arrowhead)	3	7	4	Ha/FO	Physical removal of small infestations.	
159	Lamiaceae	Salvia coccinea (red salvia)	9	46	4	H/O	remove small areas by hand or machine	
160	Salviniaceae	Salvinia molesta (salvinia)	8	57	5	Ha/F	Mechanical removal of small infestations; Salvinia weevil (Biological control)	
161	Caprifoliaceae	Sambucus canadensis (American elder)	3	7	3	ST/O	Vines and Runners: hand pull, roll up and hang to dry.	
162	Dracaenaceae	Sansevieria trifasciata (sansevieria)	2	7	3	H/O	Hand pull or dig up	
163	Anacardiaceae	Schinus terebinthifolius (broad-leaf pepper tree)	6	49	5	T/O	Seedlings: Hand pull	
164	Asteraceae	Senecio madagascariensis (fire weed)	6	28	4	H/U	Vines: Hand pull and remove; Runners: Roll up and hang to dry.	
165	Asteraceae	Senecio tamoides (Canary creeper)	3	8	4	V/O	Vines: Hand pull and remove; Runners: Roll up and hang to dry.	

Rk	Family	Scientific and common names	Sr	R	S	LFS	Non-Chemical Control	Chemical Control
166	Caesalpiniaceae	Senna pendula var. glabrata (Easter cassia)	7	33	4	ST/O	Seedlings: Hand pull	Herbicides must be applied by appropriately qualified / supervised persons in accordance with the Agricultural Chemicals and Distribution Control Act 1966 at rates identified on registered product labels, or on an Australian Pesticides and Veterinary Medicines Authority (APVMA) issued off-label permit where applicable. Refer to South East Queensland Ecological Restoration Framework for additional guidance
167	Caesalpiniaceae	Senna septemtrionalis (arsenic bush, was S. floribunda)	6	25	4	S/O	Seedlings: Hand pull	
168	Poaceae	Setaria palmifolia (palm leaf setaria)	5	13	3	H/O	Hand pull or dig up	
169	Poaceae	Setaria sphacelata (South African pigeon grass)	9	41	4	H/A	Hand pull or dig up	
170	Malvaceae	Sida rhombifolia (Paddy's lucerne)	9	69	4	S/U	Hand pull or dig out.	
171	Asteraceae	Sigesbeckia orientalis (Indian weed)	10	148	4	H/U	Hand pull or cultivation.	
172	Solanaceae	Solanum erianthum (a tobacco bush)	7	19	3	S/O	Hand pull	
173	Solanaceae	Solanum hispidum (giant devil's fig)	5	23	4	S/O	Hand pull	
174	Solanaceae	Solanum mauritianum (wild tobacco tree)	8	30	4	S/O	Seedlings: Hand pull	
175	Solanaceae	Solanum saforthianum (Brazilian nightshade)	8	78	4	V/O	Hand pull	
176	Solanaceae	Solanum torvum (devil's fig)	6	39	4	S/O	Seedlings: Hand pull	
177	Asteraceae	Solidago canadensis var. scabra (Canadian goldenrod)	7	15	4	H/O	Hand pull and hang to dry.	
178	Bignoniaceae	Spathodea campanulata (African tulip tree)	1	1	3	T/O	N/A	
179	Asteraceae	Sphagneticola trilobata (Singapore daisy)	6	34	5	H/O	Hand pull	
180	Poaceae	Sporobolus africanus (Parramatta grass)	8	48	5	H/U	Hand or mechanical removal of small infestations	
181	Poaceae	Sporobolus fertilis (giant Parramatta grass)	9	27	5	H/U	Hand or mechanical removal of small infestations	
182	Poaceae	Sporobolus pyramidalis and S. natalensis (giant rat's tail grasses)	8	72	5	H/U?	Hand or mechanical removal of small infestations	
183	Poaceae	Stenotaphrum secundatum (buffalo grass)	3	23	3	H/AO	Hand or mechanical removal of small infestations	
184	Fabaceae	Stylosanthes scabra (shrubby stylo)	4	4	4.3	H/A	N/A	

Rk	Family	Scientific and common names	Sr	R	S	LFS	Non-Chemical Control	Chemical Control
185	Arecaceae	Syagrus romanzoffiana (queen palm)	4	10	4	T/O	Seedlings: Hand pull or crown; Trees: cut below growing point	Herbicides must be applied by appropriately qualified / supervised persons in accordance with the Agricultural Chemicals and Distribution Control Act 1966 at rates identified on registered product labels, or on an Australian Pesticides and Veterinary Medicines Authority (APVMA) issued off-label permit where applicable. Refer to South East Queensland Ecological Restoration Framework for additional guidance
186	Asteraceae	Tagetes minuta (stinking roger)	8	32	3	H/U	Hand pull and hang to dry.	
187	Bignoniaceae	Tecoma capensis (Cape honeysuckle)	3	8	4	ST/O	N/A	
188	Bignoniaceae	Tecoma stans (yellow bells)	4	16	4	ST/O	N/A	
189	Poaceae	Themeda quadrivalvis (grader grass)	8	25	4	H/A	Hand pull or dig out small infestations.	
190	Acanthaceae	Thunbergia alata (black eyed susan)	5	22	4	H/O	N/A	
191	Acanthaceae	Thunbergia grandiflora (thunbergia, blue thunbergia)	2	3	5	V/O	N/A	
192	Acanthaceae	Thunbergia laurifolia (laurel clock vine)	1	1	4	V/O	N/A	
193	Fabaceae	Tipuana tipu (tipuana)	2	5	3	T/O	Seedlings: Hand pull	
194	Asteraceae	Tithonia diversifolia (Mexican sunflower)	5	11	4	H/O	N/A	
195	Commelinaceae	Tradescantia fluminensis (Qld use T. albiflora) (wandering jew)	5	9	4	H/O	N/A	
196	Commelinaceae	Tradescantia zebrina (zebrina)	3	12	4	H/O	N/A	
197	Tiliaceae	Triumfetta rhomboidea (Chinese burr)	7	44	4	H/U	Hand pull	
198	Asteraceae	Verbesina encelioides (crownbeard)	7	34	4	H/U	Vines: Hand pull and remove; Runners: Roll up and hang to dry.	
199	Iridaceae	Watsonia meriana var. bulbilifera (bulbil watsonia)	2	3	3	H/O	Dig up, bag and remove	
200	Asteraceae	Zinnia peruviana (wild zinnia)	6	33	3	H/O	Seedlings: Hand pull	

Weed Management - Herbicide Application

Herbicides must be applied by appropriately qualified/ supervised persons in accordance with the *Agricultural Chemicals and Distribution Control Act 1966* at rates as identified on registered product labels, or on an *Australian Pesticides and Veterinary Medicines Authority (APVMA)* issued off-label permit where applicable.

Explanatory notes.

Sub-region (Sr): Number of the ten sub-regions of the Southeast Queensland bioregion (Young and Dillewaard 1999) within which species recorded (Queensland Herbarium data).
Rec no. (R): Total number of records for species within study area, Queensland Herbarium CORVEG and HERBRECS data.
Scores (S): Based on panel data of invasiveness, 5 (highest) to 3 (moderate). ? indicate doubtful scores.

Life forms (LFS): T-tree (woody plant >5m), ST-small tree (2-5m), S-shrub (woody <2m), H-herb (grasses & forbes), Ha-aquatic herbs.
Source: A-agriculture, O-ornamental and landscaping, F-fish aquarium, U-unintentional introduction and/or contaminant.

Abbreviations: Control Methods

CS&P = cut scrape and paint

S&P = scrape and paint

C&P = cut and paint

F/I = frill or inject stem

Abbreviations: Herbicides

G = Glyphosate, eg. Roundup Biactive, Weedmaster Duo

MM = Metsulfuron methyl, eg, Brushhoff

F = Fluroxypyr, eg. Starane

Abbreviations: Herbicide Dilution Rates for High Concentration Applications

GU = Glyphosate undiluted

G1 = 1 part water to 1 part glyphosate

G1.5 = 1.5 parts water to 1 part glyphosate

G4 = 4 parts water to 1 part glyphosate

Abbreviations: Herbicide Spray Concentrations

G100 = 100mL glyphosate per 10L of water + surfactant, eg 20mL LI 700 per 10L

G200 = 200mL glyphosate per 10L of water + surfactant, eg 50mL LI 700 per 10L

G100 + MM = 100mL glyphosate + 1.5g metsulfuron methyl per 10L of water + wetting agent, eg. 2mL

Agral per 10L water

G200 + MM = 200mL glyphosate + 1.5g metsulfuron methyl per 10L of water + wetting agent, eg. 2mL

Agral per 10L water

MM = 1.5g metsulfuron methyl per 10L water + wetting agent, eg. 2mL Agral per 10L water

F100 = 100mL fluroxypyr per 10L water

F150 = 150mL fluroxypyr per 10L water

Other Abbreviations

= Locally non-indigenous native species

Ref. 1. Big Scrub Rainforest Landcare Group (2008), 'Common Weeds of Subtropical Rainforests of Eastern Australia: A practical manual on their identification and control'

Ref. 2. Department of Primary Industries and Fisheries (QLD), 'Weeds and pest animals and ants'.

Ref. 3. Holland et al. (1996), 'Suburban Weeds', DPI QLD.

Ref 4. Port Stephens Council (NSW), 'Weed Busters'.

Ref 5. Department of Primary Industries (NSW), 'Noxious and Environmental Weed Handbook, 3rd Edition'.

Ref 6. Department of Environment and Conservation, 'Florabase', (DEC- WA)

Ref 7. Vitelli, J.S. and Madigan, B.A. and Van Haaren, P.E. and Setter, S. and Logan, P. (2009) Control of the invasive liana, Hiptage benghalensis. Weed Biology and Management, 9 (1). pp. 54-62.

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:

South East Queensland Ecological Restoration Framework (2012)
AS4970-2009 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
H	28/08/2026	EDQ RFI	TF	AD

CLIENT

FRASERS PROPERTY NEW
BEITH PTY LTD

PROJECT

PRECINCT B,
ROUND MOUNTAIN PROJECT,
NEW BEITH

DRAWING TITLE

VEGETATION CLEARING AND
MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941E 40 P-B VCMP H





Attachment 1: Tree Schedule (Precinct B - VCMP H Extract) - 10941
Round Mountain Project Precinct B (Frasers Property New Beith Pty Ltd)
Date: 28/08/2026

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicomic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
21	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	8.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
22	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	8.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
23	<i>Acacia disparrima</i>	Hickory Wattle	250		250	79	10.0	6.0	3.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
24	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	8.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
25	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	8.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
26	Dead/Stag		550		550	173	17.0	6.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.
27	<i>Allocasuarina littoralis</i>	Black She-oak	200	180	269	85	9.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
28	<i>Allocasuarina littoralis</i>	Black She-oak	170		170	53	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
29	<i>Allocasuarina littoralis</i>	Black She-oak	150		150	47	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
30	<i>Allocasuarina littoralis</i>	Black She-oak	160		160	50	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
31	<i>Corymbia intermedia</i>	Pink Bloodwood	150		150	47	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
32	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
33	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	75	16.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
34	<i>Allocasuarina littoralis</i>	Black She-oak	180	100	206	65	8.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
35	<i>Corymbia intermedia</i>	Pink Bloodwood	390		390	123	17.0	8.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
54	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	12.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
55	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	16.0	6.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
56	<i>Alphitonia excelsa</i>	Soap Tree	310		310	97	12.0	8.0	3.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
57	Dead/Stag		440		440	138	18.0	6.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.
58	<i>Alphitonia excelsa</i>	Soap Tree	160		160	50	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
59	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	16.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
60	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	15.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
61	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	15.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
62	<i>Allocasuarina littoralis</i>	Black She-oak	160		160	50	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
63	<i>Allocasuarina littoralis</i>	Black She-oak	160	140	213	67	11.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
64	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	17.0	8.0	5.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
65	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	250		250	79	14.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
66	Dead/Stag		400		400	126	15.0	9.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
67	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	11.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
68	<i>Allocasuarina littoralis</i>	Black She-oak	160	100	189	59	8.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
69	<i>Petalostigma pubescens</i>	Quinine Bush	170		170	53	9.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
70	<i>Petalostigma pubescens</i>	Quinine Bush	180		180	57	10.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
71	<i>Allocasuarina littoralis</i>	Black She-oak	170		170	53	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
72	<i>Petalostigma pubescens</i>	Quinine Bush	240		240	75	8.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
73	<i>Eucalyptus tereticornis</i>	Forest Red Gum	720		720	226	22.0	8.0	8.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
74	<i>Alphitonia excelsa</i>	Soap Tree	160		160	50	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
75	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	22.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
76	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	27.0	12.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
77	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	8.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
78	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
79	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	12.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
80	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	17.0	2.0	4.6	Regular	-	Thinning	Die-back	Epicomic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
81	<i>Lophostemon suaveolens</i>	Swamp Box	270		270	85	12.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
82	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	8.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
83	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	10.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
84	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	14.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
85	<i>Lophostemon suaveolens</i>	Swamp Box	270		270	85	11.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
86	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	9.0	4.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
87	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
88	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	9.0	6.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
89	<i>Acacia disparrima</i>	Hickory Wattle	240		240	75	9.0	7.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.



Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
90	Dead/Stag		540		540	170	10.0	5.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.
91	Acacia disparrima	Hickory Wattle	260	160	305	96	12.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
92	Eucalyptus tereticornis	Forest Red Gum	250		250	79	13.0	3.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
93	Corymbia intermedia	Pink Bloodwood	180		180	57	12.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
94	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	85	18.0	7.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
95	Lophostemon suaveolens	Swamp Box	230		230	72	13.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
96	Eucalyptus tereticornis	Forest Red Gum	190		190	60	18.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
97	Eucalyptus tereticornis	Forest Red Gum	500		500	157	19.0	7.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
98	Lophostemon suaveolens	Swamp Box	140		140	44	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
99	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	12.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
100	Lophostemon suaveolens	Swamp Box	180		180	57	9.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
101	Eucalyptus tereticornis	Forest Red Gum	170		170	53	12.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
102	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	97	19.0	7.0	3.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
103	Lophostemon suaveolens	Swamp Box	190		190	60	12.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
104	Lophostemon suaveolens	Swamp Box	220		220	69	14.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
105	Lophostemon suaveolens	Swamp Box	160		160	50	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
106	Eucalyptus tereticornis	Forest Red Gum	270		270	85	12.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
107	Corymbia citriodora	Spotted Gum	160		160	50	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
108	Eucalyptus tereticornis	Forest Red Gum	200		200	63	14.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
109	Petalostigma pubescens	Quinine Bush	160	150	219	69	6.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
110	Petalostigma pubescens	Quinine Bush	200		200	63	8.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
111	Eucalyptus tereticornis	Forest Red Gum	190		190	60	9.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
112	Lophostemon suaveolens	Swamp Box	190		190	60	8.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
113	Alphitonia excelsa	Soap Tree	190		190	60	8.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
114	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	16.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
115	Eucalyptus tereticornis	Forest Red Gum	210		210	66	19.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
116	Lophostemon suaveolens	Swamp Box	180		180	57	8.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
117	Lophostemon suaveolens	Swamp Box	260		260	82	12.0	5.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
118	Eucalyptus tereticornis	Forest Red Gum	300		300	94	22.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
119	Corymbia intermedia	Pink Bloodwood	290		290	91	16.0	8.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
120	Eucalyptus crebra	Narrow-leaved Ironbark	470		470	148	22.0	9.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
121	Alphitonia excelsa	Soap Tree	280		280	88	14.0	7.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
122	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	19.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
123	Eucalyptus tereticornis	Forest Red Gum	270		270	85	17.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
124	Lophostemon suaveolens	Swamp Box	200		200	63	12.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
125	Corymbia intermedia	Pink Bloodwood	520		520	163	24.0	12.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
126	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
127	Corymbia intermedia	Pink Bloodwood	230		230	72	9.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
128	Acacia disparrima	Hickory Wattle	180	140	228	72	12.0	5.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
129	Acacia disparrima	Hickory Wattle	200		200	63	14.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
130	Acacia disparrima	Hickory Wattle	230		230	72	15.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
131	Acacia disparrima	Hickory Wattle	170		170	53	12.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
132	Allocasuarina littoralis	Black She-oak	170	150	227	71	13.0	5.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
133	Acacia leiocalyx	Early-flowering Black Wattle	260		260	82	10.0	4.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
134	Acacia disparrima	Hickory Wattle	180		180	57	12.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
135	Acacia leiocalyx	Early-flowering Black Wattle	200		200	63	12.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
136	Acacia leiocalyx	Early-flowering Black Wattle	210		210	66	12.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
137	Corymbia intermedia	Pink Bloodwood	330		330	104	17.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
138	Allocasuarina littoralis	Black She-oak	180		180	57	12.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
139	Dead/Stag		330		330	104	12.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
140	Alphitonia excelsa	Soap Tree	260		260	82	12.0	5.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
141	Allocasuarina littoralis	Black She-oak	200		200	63	9.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
142	Eucalyptus tereticornis	Forest Red Gum	200		200	63	14.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
143	Allocasuarina littoralis	Black She-oak	180		180	57	8.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
144	Lophostemon suaveolens	Swamp Box	190		190	60	8.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value										Approval no: DEV-2026-FLA-0050		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government						
145	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	14.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
146	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
147	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	9.0	4.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
148	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	12.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
149	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	8.0	3.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
150	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	15.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
151	<i>Melaleuca saligna</i>	Willow Bottlebrush	260		260	82	11.0	4.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
152	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	8.0	3.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
153	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	14.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
154	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	11.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
155	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	11.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
156	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	12.0	4.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
157	<i>Acacia disparima</i>	Hickory Wattle	210		210	66	11.0	4.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
158	<i>Lophostemon suaveolens</i>	Swamp Box	170		170	53	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
159	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	15.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
160	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	17.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
161	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	15.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
162	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	17.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
163	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	17.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
164	<i>Angophora leiocarpa</i>	Smooth-barked Apple	310		310	97	24.0	11.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
165	<i>Alphitonia excelsa</i>	Soap Tree	310		310	97	14.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
166	<i>Acacia disparima</i>	Hickory Wattle	180		180	57	12.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
167	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	16.0	6.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
168	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	17.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
169	<i>Alphitonia excelsa</i>	Soap Tree	280		280	88	14.0	7.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
170	<i>Allocasuarina littoralis</i>	Black She-oak	190		190	60	8.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
171	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	18.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
172	<i>Allocasuarina littoralis</i>	Black She-oak	240		240	75	12.0	7.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
173	<i>Alphitonia excelsa</i>	Soap Tree	260		260	82	12.0	7.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
174	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
175	<i>Corymbia intermedia</i>	Pink Bloodwood	150		150	47	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED							
222	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	14.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
223	<i>Allocasuarina littoralis</i>	Black She-oak	170		170	53	10.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
224	<i>Corymbia intermedia</i>	Pink Bloodwood	600		600	188	15.0	8.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
225	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	15.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
226	<i>Eucalyptus tereticornis</i>	Forest Red Gum	690		690	217	22.0	8.0	8.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
227	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	17.0	7.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
228	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	17.0	7.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
229	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	17.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
230	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	17.0	7.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)							
231	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94																													

Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Approval no. DEV-2026-FLA-0056		Additional Details	
										Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Date:	11 September 2026	Queensland Government	
246	Corymbia intermedia	Pink Bloodwood	350		350	110	16.0	7.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
247	Corymbia intermedia	Pink Bloodwood	310		310	97	17.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
248	Corymbia intermedia	Pink Bloodwood	280		280	88	15.0	7.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
249	Corymbia intermedia	Pink Bloodwood	580		580	182	23.0	9.0	7.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
250	Eucalyptus tereticornis	Forest Red Gum	650		650	204	24.0	9.0	7.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain/subject to CPTED		
251	Lophostemon suaveolens	Swamp Box	220		220	69	12.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain/subject to CPTED		
252	Lophostemon suaveolens	Swamp Box	200		200	63	12.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain/subject to CPTED		
253	Lophostemon suaveolens	Swamp Box	330		330	104	11.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain/subject to CPTED		
254	Eucalyptus tereticornis	Forest Red Gum	380		380	119	18.0	8.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain/subject to CPTED		
255	Acacia disparrima	Hickory Wattle	230		230	72	14.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
256	Corymbia intermedia	Pink Bloodwood	300		300	94	17.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
257	Corymbia intermedia	Pink Bloodwood	320		320	101	17.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
258	Allocasuarina littoralis	Black She-oak	250		250	79	12.0	5.0	3.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
259	Acacia disparrima	Hickory Wattle	200		200	63	14.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
260	Acacia disparrima	Hickory Wattle	200	200	283	89	13.0	7.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
261	Corymbia intermedia	Pink Bloodwood	390		390	123	18.0	6.0	4.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
262	Lophostemon suaveolens	Swamp Box	250		250	79	12.0	7.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
263	Corymbia intermedia	Pink Bloodwood	450		450	141	18.0	5.0	5.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
264	Corymbia intermedia	Pink Bloodwood	360		360	113	18.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
265	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	15.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
266	Eucalyptus tereticornis	Forest Red Gum	360		360	113	18.0	9.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain/subject to CPTED		
267	Eucalyptus tereticornis	Forest Red Gum	400		400	126	18.0	9.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain/subject to CPTED		
268	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	13.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
269	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	97	19.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
270	Corymbia tessellaris	Moreton Bay Ash	440		440	138	24.0	9.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
271	Eucalyptus tereticornis	Forest Red Gum	250		250	79	12.0	5.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
272	Eucalyptus tereticornis	Forest Red Gum	380		380	119	23.0	9.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
273	Acacia disparrima	Hickory Wattle	200		200	63	12.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
274	Corymbia intermedia	Pink Bloodwood	350		350	110	22.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
275	Eucalyptus tereticornis	Forest Red Gum	270		270	85	21.0	8.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
276	Corymbia intermedia	Pink Bloodwood	250		250	79	10.0	8.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
277	Corymbia intermedia	Pink Bloodwood	210		210	66	13.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
278	Corymbia intermedia	Pink Bloodwood	430		430	135	24.0	12.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
279	Eucalyptus tereticornis	Forest Red Gum	380		380	119	20.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove (development area)		
280	Petalostigma pubescens	Quinine Bush	200	200	283	89	13.0	7.0	3.4	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	-	Retain/subject to CPTED		
281	Acacia disparrima	Hickory Wattle	250		250	79	12.0	5.0	3.0	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	-	Retain/subject to CPTED		
282	Corymbia intermedia	Pink Bloodwood	440		440	138	22.0	9.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain/subject to CPTED		
283	Acacia disparrima	Hickory Wattle	270		270	85	10.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain/subject to CPTED		
284	Corymbia intermedia	Pink Bloodwood	390		390																											

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value										Approval no: DEV-2026-FLA-0050		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government						
301	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	19.0	5.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
302	<i>Angophora subvelutina</i>	Broad-leaved Apple	240		240	75	15.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
303	<i>Corymbia tessellaris</i>	Moreton Bay Ash	190		190	60	15.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
304	<i>Corymbia tessellaris</i>	Moreton Bay Ash	340		340	107	24.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
305	<i>Alphitonia excelsa</i>	Soap Tree	190		190	60	15.0	7.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
306	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	22.0	8.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
307	<i>Corymbia intermedia</i>	Pink Bloodwood	470		470	148	20.0	12.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
308	<i>Eucalyptus tereticornis</i>	Forest Red Gum	580		580	182	24.0	9.0	7.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
309	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	26.0	10.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
310	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
311	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
312	<i>Alphitonia excelsa</i>	Soap Tree	270		270	85	13.0	7.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
313	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	25.0	11.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
314	<i>Corymbia intermedia</i>	Pink Bloodwood	390		390	123	24.0	10.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
315	<i>Lophostemon suaveolens</i>	Swamp Box	320		320	101	17.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
316	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	23.0	9.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
317	<i>Lophostemon suaveolens</i>	Swamp Box	360		360	113	18.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
318	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	350		350	110	18.0	6.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
319	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	16.0	9.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)						
320	<i>Acacia disparrima</i>	Hickory Wattle	290		290	91	12.0	8.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)						
321	<i>Eucalyptus tereticornis</i>	Forest Red Gum	620		620	195	27.0	11.0	7.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
322	<i>Angophora subvelutina</i>	Broad-leaved Apple	350		350	110	16.0	7.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
323	<i>Petalostigma pubescens</i>	Quinine Bush	350		350	110	15.0	10.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)						
324	<i>Petalostigma pubescens</i>	Quinine Bush	360		360	113	15.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)						
325	<i>Petalostigma pubescens</i>	Quinine Bush	200		200	63	12.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)						
326	<i>Corymbia torelliana</i>	Cadaghi	260		260	82	12.0	6.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)						
327	<i>Allocasuarina littoralis</i>	Black She-oak	230		230	72	14.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)						
328	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	24.0	7.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
329	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	24.0	8.0	5.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
330	<i>Corymbia intermedia</i>	Pink Bloodwood	520		520	163	19.0	9.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
331	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	24.0	9.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
332	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	10.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)						
333	<i>Corymbia intermedia</i>	Pink Bloodwood	480		480	151	24.0	10.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)						
334	<i>Corymbia intermedia</i>	Pink Bloodwood	550		550	173	24.0	10.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)						
335	<i>Lophostemon suaveolens</i>	Swamp Box	450		450	141	22.0	11.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove (development area)						
338	<i>Melaleuca irbyana</i>	Swamp Tea Tree	170	160, 140	272	86	9.0	5.0	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
339	<i>Eucalyptus tereticornis</i>	Forest Red Gum	740		740	232	25.0	11.0	8.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
340	<i>Corymbia intermedia</i>	Pink Bloodwood	430		430	135	19.0	9.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
341	<i>Corymbia intermedia</i>	Pink Bloodwood	640		640	201	21.0	9.0	7.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
342	<i>Corymbia intermedia</i>	Pink Bloodwood	260																																

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								Approval no: DEV-2026-FLA-0050		Additional Details
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government			
358	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	20.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
359	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	18.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
360	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	15.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
361	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	75	18.0	6.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
362	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	16.0	7.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)			
363	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	18.0	8.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)			
364	<i>Eucalyptus tereticornis</i>	Forest Red Gum	590		590	185	25.0	9.0	7.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)			
365	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	88	16.0	5.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
366	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	15.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
367	<i>Angophora leiocarpa</i>	Smooth-barked Apple	270		270	85	16.0	7.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
368	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	12.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
369	<i>Corymbia tessellaris</i>	Moreton Bay Ash	280		280	88	15.0	5.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
370	<i>Acacia disparima</i>	Hickory Wattle	270	270	382	120	10.0	4.0	4.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
371	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	17.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
372	<i>Lophostemon suaveolens</i>	Swamp Box	280		280	88	14.0	7.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
373	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	23.0	8.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
374	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	18.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
375	<i>Corymbia intermedia</i>	Pink Bloodwood	490		490	154	24.0	9.0	5.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
376	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	410		410	129	24.0	8.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
377	<i>Petalostigma pubescens</i>	Quinine Bush	260		260	82	9.0	7.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
378	<i>Corymbia intermedia</i>	Pink Bloodwood	450		450	141	24.0	9.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
379	<i>Corymbia intermedia</i>	Pink Bloodwood	370		370	116	18.0	9.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
380	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	18.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
381	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	12.0	7.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
382	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	15.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
383	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	75	16.0	8.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
384	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	12.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
385	<i>Lophostemon suaveolens</i>	Swamp Box	310		310	97	12.0	9.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
386	<i>Angophora leiocarpa</i>	Smooth-barked Apple	200		200	63	14.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
387	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	18.0	7.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
388	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	24.0	9.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
389	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220		220	69	13.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
390	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	16.0	7.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
409	<i>Eucalyptus tereticornis</i>	Forest Red Gum	540	255	597	188	22.0	14.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
410	<i>Eucalyptus tereticornis</i>	Forest Red Gum	425		425	134	20.0	11.0	5.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
411	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	12.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
412	<i>Allocasuarina littoralis</i>	Black She-oak	205		205	64	13.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
413	<i>Eucalyptus tereticornis</i>	Forest Red Gum	475		475	149	20.0	15.0	5.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
414	<i>Acacia disparima</i>	Hickory Wattle	145	100	176	55	8.0	5.0	2.1	Regular	-	-	-	-	-																	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value										Approval no. DEV-2026-FLA-0950		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government						
449	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	295		295	93	17.0	14.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
450	<i>Petalostigma pubescens</i>	Quinine Bush	325		325	102	10.0	10.0	3.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
451	<i>Alphitonia excelsa</i>	Soap Tree	265		265	83	13.0	9.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
452	<i>Petalostigma pubescens</i>	Quinine Bush	315		315	99	12.0	8.0	3.8	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
453	<i>Petalostigma pubescens</i>	Quinine Bush	230	190	298	94	9.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
454	<i>Corymbia citriodora</i>	Spotted Gum	205		205	64	17.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
455	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	14.0	7.0	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
456	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	16.0	10.0	4.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
457	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	141	18.0	15.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
458	<i>Lophostemon suaveolens</i>	Swamp Box	190	180	262	82	10.0	8.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
459	<i>Allocasuarina littoralis</i>	Black She-oak	195		195	61	10.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
460	<i>Corymbia citriodora</i>	Spotted Gum	260		260	82	17.0	9.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
461	<i>Corymbia citriodora</i>	Spotted Gum	215		215	68	17.0	9.0	2.6	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.					
462	<i>Lophostemon suaveolens</i>	Swamp Box	215		215	68	14.0	8.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
463	<i>Lophostemon suaveolens</i>	Swamp Box	225		225	71	9.0	6.0	2.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.					
464	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	13.0	8.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
465	<i>Corymbia citriodora</i>	Spotted Gum	195		195	61	17.0	9.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
466	<i>Acacia disparima</i>	Hickory Wattle	180		180	57	8.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
467	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	20.0	14.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
468	<i>Lophostemon suaveolens</i>	Swamp Box	225		225	71	10.0	6.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
469	<i>Lophostemon suaveolens</i>	Swamp Box	245		245	77	8.0	6.0	2.9	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
470	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	20.0	14.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
471	<i>Lophostemon suaveolens</i>	Swamp Box	290		290	91	10.0	7.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
472	<i>Corymbia intermedia</i>	Pink Bloodwood	265		265	83	18.0	11.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
473	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	21.0	14.0	4.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
474	<i>Corymbia citriodora</i>	Spotted Gum	295		295	93	18.0	12.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
475	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	275		275	86	18.0	12.0	3.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
476	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	19.0	10.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
477	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	205		205	64	16.0	10.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove (development area)						
478	<i>Eucalyptus tereticornis</i>	Forest Red Gum	375		375	118	19.0	15.0	4.5	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
479	<i>Petalostigma pubescens</i>	Quinine Bush	200		200	63	10.0	6.0	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
480	<i>Acacia disparima</i>	Hickory Wattle	165	160	230	72	10.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
481	<i>Petalostigma pubescens</i>	Quinine Bush	200		200	63	10.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove (development area)						
482	<i>Petalostigma pubescens</i>	Quinine Bush	185		185	58	10.0	7.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
483	<i>Angophora leiocarpa</i>	Smooth-barked Apple	345		345	108	18.0	11.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
484	<i>Petalostigma pubescens</i>	Quinine Bush	195		195	61	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
485	<i>Petalostigma pubescens</i>	Quinine Bush	185		185	58	8.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
486	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60</																													

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value										Approval no: DEV-2026-FLA-0056		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Greenland Government						
504	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	10.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
505	<i>Allocasuarina littoralis</i>	Black She-oak	215		215	68	10.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
506	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	9.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED						
507	<i>Allocasuarina littoralis</i>	Black She-oak	180		180	57	9.0	6.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED						
508	<i>Allocasuarina littoralis</i>	Black She-oak	210		210	66	8.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
509	<i>Allocasuarina littoralis</i>	Black She-oak	185	130	226	71	9.0	7.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
510	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	9.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
511	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	205		205	64	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
512	<i>Alphitonia excelsa</i>	Soap Tree	145	130	195	61	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
513	<i>Allocasuarina littoralis</i>	Black She-oak	220		220	69	10.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
514	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	10.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
515	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	12.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
516	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	9.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
517	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	11.0	7.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
518	<i>Lophostemon suaveolens</i>	Swamp Box	235		235	74	10.0	6.0	2.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
519	<i>Eucalyptus tereticornis</i>	Forest Red Gum	540		540	170	20.0	16.0	6.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
520	<i>Acacia disparima</i>	Hickory Wattle	210		210	66	14.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Retain/subject to future app.						
521	<i>Acacia disparima</i>	Hickory Wattle	255		255	80	14.0	7.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
522	<i>Acacia disparima</i>	Hickory Wattle	220		220	69	14.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
523	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	17.0	13.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED						
524	<i>Alphitonia excelsa</i>	Soap Tree	200		200	63	12.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED						
525	<i>Alphitonia excelsa</i>	Soap Tree	240		240	75	13.0	8.0	2.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED						
526	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	18.0	12.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED						
527	<i>Lophostemon suaveolens</i>	Swamp Box	240	80	253	79	16.0	8.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED						
528	<i>Acacia disparima</i>	Hickory Wattle	220		220	69	14.0	9.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
529	<i>Corymbia intermedia</i>	Pink Bloodwood	225		225	71	16.0	9.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
530	<i>Allocasuarina littoralis</i>	Black She-oak	215	115	244	77	11.0	8.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
531	<i>Allocasuarina littoralis</i>	Black She-oak	235		235	74	11.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
532	<i>Corymbia intermedia</i>	Pink Bloodwood	345		345	108	20.0	15.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
533	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	22.0	15.0	5.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
534	<i>Allocasuarina littoralis</i>	Black She-oak	205		205	64	12.0	8.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
535	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	21.0	14.0	4.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
536	<i>Corymbia citriodora</i>	Spotted Gum	215	200, 90	307	96	14.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
537	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	180	140, 120	258	81	8.0	6.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED						
580	<i>Acacia disparima</i>	Hickory Wattle	255	160, 220	373	117	10.0	7.0	4.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
581	<i>Eucalyptus tereticornis</i>	Forest Red Gum	435		435	137	24.0	16.0	5.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Arborist - retention TBC						
582	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	22.0	11.0	4.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)						
583	<i>Acacia disparima</i>	Hickory Wattle	200																																

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
601	<i>Corymbia intermedia</i>	Pink Bloodwood	255		255	80	16.0	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
602	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	13.0	8.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
603	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	18.0	6.0	3.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
604	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	15.0	9.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
605	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	12.0	9.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
606	<i>Allocasuarina littoralis</i>	Black She-oak	215	135	254	80	9.0	5.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
607	<i>Acacia disparima</i>	Hickory Wattle	150	100	180	57	8.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
608	<i>Corymbia intermedia</i>	Pink Bloodwood	275		275	86	14.0	9.0	3.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
609	<i>Acacia disparima</i>	Hickory Wattle	150	130, 90	218	68	7.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
610	<i>Allocasuarina littoralis</i>	Black She-oak	180		180	57	9.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
611	<i>Allocasuarina littoralis</i>	Black She-oak	170	95	195	61	9.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
612	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	13.0	9.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
613	<i>Acacia disparima</i>	Hickory Wattle	170	155	230	72	10.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
614	<i>Eucalyptus tereticornis</i>	Forest Red Gum	435		435	137	22.0	17.0	5.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
615	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	17.0	11.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
616	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	235		235	74	20.0	14.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
617	<i>Corymbia intermedia</i>	Pink Bloodwood	245		245	77	18.0	12.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
618	<i>Corymbia intermedia</i>	Pink Bloodwood	225		225	71	19.0	9.0	2.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
619	<i>Corymbia intermedia</i>	Pink Bloodwood	275		275	86	15.0	10.0	3.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
620	<i>Eucalyptus tereticornis</i>	Forest Red Gum	475		475	149	22.0	17.0	5.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
621	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	13.0	9.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
622	<i>Acacia disparima</i>	Hickory Wattle	220		220	69	14.0	9.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
623	<i>Acacia disparima</i>	Hickory Wattle	245		245	77	15.0	10.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
624	<i>Corymbia intermedia</i>	Pink Bloodwood	480		480	151	17.0	13.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
625	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	16.0	10.0	3.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
626	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	17.0	9.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
627	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	88	22.0	12.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
628	<i>Eucalyptus tereticornis</i>	Forest Red Gum	295		295	93	14.0	9.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
629	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	21.0	14.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
630	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	185		185	58	12.0	7.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
631	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	19.0	14.0	3.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
632	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	23.0	17.0	4.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
633	<i>Corymbia intermedia</i>	Pink Bloodwood	345		345	108	20.0	13.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
634	<i>Corymbia intermedia</i>	Pink Bloodwood	325		325	102	22.0	14.0	3.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
635	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	335		335	105	25.0	16.0	4.0	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (development area)
636	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	22.0	11.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
637	<i>Corymbia intermedia</i>	Pink Bloodwood	360	290	462	145	17.0	14.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
638	<i>Corymbia intermedia</i>	Pink Bloodwood	435		435	137	18.0	15.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
639	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	21.0	14.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
640	<i>Eucalyptus tereticornis</i>	Forest Red Gum	295		295	93	21.0	13.0	3.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
641	<i>Eucalyptus tereticornis</i>	Forest Red Gum	435		435	137	21.0	14.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
642	<i>Lophostemon suaveolens</i>	Swamp Box	205		205	64	10.0	7.0	2.5	Regular	-	-	Die-back	-	-	Poor	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
643	<i>Corymbia intermedia</i>	Pink Bloodwood	365	120	384	121	20.0	13.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
644	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	20.0	13.0	3.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
645	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	15.0	10.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
646	<i>Lophostemon suaveolens</i>	Swamp Box	215		215	68	14.0	8.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
647	<i>Lophostemon suaveolens</i>	Swamp Box	255		255	80	15.0	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
648	<i>Alphitonia excelsa</i>	Soap Tree	355		355	112	15.0	11.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
649	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	24.0	16.0	4.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
650	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	20.0	15.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
651	<i>Corymbia intermedia</i>	Pink Bloodwood	315		315	99	17.0	11.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
652	<i>Acacia disparima</i>	Hickory Wattle	320		320	101	14.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
653	<i>Corymbia intermedia</i>	Pink Bloodwood	335		335	105	18.0	13.0	4.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
654	<i>Alphitonia excelsa</i>	Soap Tree	275		275	86	16.0	10.0	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
655	<i>Acacia disparima</i>	Hickory Wattle	220		220	69	13.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value										Approval no: DEV-2026-FLA-0056		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government						
656	<i>Corymbia intermedia</i>	Pink Bloodwood	235		235	74	17.0	11.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (development area)							
657	<i>Alphitonia excelsa</i>	Soap Tree	275		275	86	7.0	8.0	3.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
658	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	12.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
659	<i>Alphitonia excelsa</i>	Soap Tree	245		245	77	14.0	10.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
660	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	22.0	12.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
661	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	23.0	15.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
662	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	16.0	6.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
663	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	21.0	13.0	4.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)							
664	<i>Petalostigma pubescens</i>	Quinine Bush	285		285	90	9.0	5.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC							
665	<i>Eucalyptus tereticornis</i>	Forest Red Gum	385		385	121	26.0	17.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC							
666	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	11.0	8.0	2.6	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
667	<i>Petalostigma pubescens</i>	Quinine Bush	270		270	85	7.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)							
668	<i>Acacia disparrima</i>	Hickory Wattle	215		215	68	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
669	<i>Corymbia intermedia</i>	Pink Bloodwood	515		515	162	18.0	10.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)							
670	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	82	17.0	9.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
671	<i>Eucalyptus tereticornis</i>	Forest Red Gum	525		525	165	26.0	17.0	6.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
672	<i>Corymbia intermedia</i>	Pink Bloodwood	275		275	86	17.0	10.0	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
673	<i>Lophostemon suaveolens</i>	Swamp Box	195		195	61	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
674	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	11.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
675	<i>Lophostemon suaveolens</i>	Swamp Box	360		360	113	14.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
676	<i>Acacia disparrima</i>	Hickory Wattle	210		210	66	9.0	7.0	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
677	<i>Eucalyptus tereticornis</i>	Forest Red Gum	275		275	86	16.0	9.0	3.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
682	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	25.0	17.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
683	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	15.0	10.0	4.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Retain/subject to future app.							
684	<i>Eucalyptus tereticornis</i>	Forest Red Gum	375		375	118	18.0	11.0	4.5	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
685	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	145	21.0	14.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
686	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	14.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
687	<i>Corymbia intermedia</i>	Pink Bloodwood	370		370	116	16.0	9.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
688	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	16.0	8.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
689	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	75	15.0	8.0	2.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
690	<i>Acacia disparrima</i>	Hickory Wattle	180	90	201	63	8.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
691	<i>Eucalyptus tereticornis</i>	Forest Red Gum	385		385	121	16.0	10.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
692	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	19.0	14.0	5.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)							
693	<i>Eucalyptus tereticornis</i>	Forest Red Gum	265		265	83	18.0	13.0	3.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
694	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	14.0	10.0	4.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain/subject to future app.							
695	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	82	17.0	9.0	3.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
696	<i>Acacia disparrima</i>	Hickory Wattle	245	190	310	97	10.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
697	<i>Eucalyptus tereticornis</i>	Forest Red Gum	345		345	108	17.0	11.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
698	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	14.0	8.0	2.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
699	<i>Petalostigma pubescens</i>	Quinine Bush	155		155	49	7.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-</													

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value										Approval no. DEV-2026-FLA-000000			Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government							
715	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	17.0	14.0	4.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.							
716	<i>Alphitonia excelsa</i>	Soap Tree	355		355	112	14.0	9.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.							
717	<i>Alphitonia excelsa</i>	Soap Tree	200		200	63	9.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.							
718	<i>Eucalyptus tereticornis</i>	Forest Red Gum	395		395	124	17.0	12.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.							
719	<i>Lophostemon suaveolens</i>	Swamp Box	235		235	74	14.0	9.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
720	<i>Angophora leiocarpa</i>	Smooth-barked Apple	250		250	79	15.0	9.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
721	<i>Angophora leiocarpa</i>	Smooth-barked Apple	235		235	74	15.0	9.0	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
722	<i>Corymbia intermedia</i>	Pink Bloodwood	215		215	68	14.0	9.0	2.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
723	<i>Lophostemon suaveolens</i>	Swamp Box	205		205	64	13.0	8.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
724	<i>Lophostemon suaveolens</i>	Swamp Box	215		215	68	13.0	9.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
725	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	13.0	8.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
726	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	14.0	9.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
727	<i>Alphitonia excelsa</i>	Soap Tree	255		255	80	15.0	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.							
728	<i>Petalostigma pubescens</i>	Quinine Bush	200	120	233	73	8.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.							
729	<i>Eucalyptus tereticornis</i>	Forest Red Gum	315		315	99	17.0	13.0	3.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.							
730	<i>Corymbia intermedia</i>	Pink Bloodwood	210	190	283	89	14.0	9.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.							
731	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	16.0	8.0	3.7	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.							
732	<i>Acacia disparima</i>	Hickory Wattle	200		200	63	9.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.							
733	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	15.0	9.0	4.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.							
735	<i>Lophostemon suaveolens</i>	Swamp Box	330		330	104	14.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
736	<i>Alphitonia excelsa</i>	Soap Tree	240		240	75	10.0	7.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
737	<i>Petalostigma pubescens</i>	Quinine Bush	200		200	63	11.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
738	<i>Petalostigma pubescens</i>	Quinine Bush	200		200	63	11.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
739	<i>Angophora leiocarpa</i>	Smooth-barked Apple	310		310	97	15.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
740	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	17.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
741	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	12.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
742	<i>Acacia disparima</i>	Hickory Wattle	240		240	75	9.0	7.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
743	Dead/Stag		480		480	151	18.0	5.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
744	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	14.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
745	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	14.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
746	<i>Corymbia intermedia</i>	Pink Bloodwood	240	140	278	87	15.0	5.0	3.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
747	<i>Acacia disparima</i>	Hickory Wattle	230		230	72	12.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
748	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	17.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
749	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210		210	66	15.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
750	<i>Corymbia intermedia</i>	Pink Bloodwood	560		560	176	24.0	11.0	6.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
751	<i>Alphitonia excelsa</i>	Soap Tree	230		230	72	11.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
752	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	17.0	7.0	3.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED							
753	<i>Eucalyptus tereticornis</i>	Forest Red Gum</																																		

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								Approval no. DEV-2026-FLA-0050		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government				
771	Acacia disparrima	Hickory Wattle	250	200	320	101	14.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED				
772	Alphitonia excelsa	Soap Tree	250		250	79	16.0	7.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.				
773	Petalostigma pubescens	Quinine Bush	230		230	72	11.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.				
774	Petalostigma pubescens	Quinine Bush	250		250	79	12.0	8.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.				
775	Corymbia intermedia	Pink Bloodwood	340		340	107	17.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.				
776	Acacia disparrima	Hickory Wattle	320		320	101	14.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.				
777	Corymbia intermedia	Pink Bloodwood	470		470	148	18.0	8.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.				
778	Alphitonia excelsa	Soap Tree	220		220	69	11.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.				
779	Corymbia intermedia	Pink Bloodwood	320		320	101	20.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.				
780	Eucalyptus tereticornis	Forest Red Gum	350		350	110	23.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.				
781	Lophostemon suaveolens	Swamp Box	210		210	66	15.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.				
782	Eucalyptus tereticornis	Forest Red Gum	380		380	119	23.0	9.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.				
783	Corymbia intermedia	Pink Bloodwood	290		290	91	19.0	8.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.				
784	Petalostigma pubescens	Quinine Bush	240		240	75	12.0	8.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
802	Acacia disparima	Hickory Wattle	290		290	91	13.0	5.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
803	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	22.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
804	Eucalyptus tereticornis	Forest Red Gum	430		430	135	24.0	8.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
805	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	17.0	5.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
806	Corymbia intermedia	Pink Bloodwood	370		370	116	17.0	8.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
807	Lophostemon suaveolens	Swamp Box	370		370	116	17.0	8.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
810	Eucalyptus tereticornis	Forest Red Gum	340		340	107	18.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
811	Eucalyptus tereticornis	Forest Red Gum	380		380	119	22.0	8.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
812	Lophostemon suaveolens	Swamp Box	380		380	119	12.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
813	Lophostemon suaveolens	Swamp Box	250		250	79	14.0	8.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
814	Lophostemon suaveolens	Swamp Box	280		280	88	16.0	7.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
815	Lophostemon suaveolens	Swamp Box	180		180	57	12.0	6.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
822	Corymbia intermedia	Pink Bloodwood	260		260	82	15.0	6.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
823	Lophostemon suaveolens	Swamp Box	340		340	107	17.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
824	Lophostemon suaveolens	Swamp Box	290		290	91	14.0	6.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
825	Corymbia intermedia	Pink Bloodwood	250		250	79	15.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
831	Eucalyptus tereticornis	Forest Red Gum	450		450	141	23.0	8.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
832	Allocasuarina littoralis	Black She-oak	200		200	63	12.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
833	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	116	19.0	7.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
834	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	123	22.0	9.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
835	Eucalyptus tereticornis	Forest Red Gum	300		300	94	19.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
836	Acacia disparrima	Hickory Wattle	230		230	72	10.0	4.0	2.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
837	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	22.0	7.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.				
838	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	113	24.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.				
839	Dead/Stag		220		220	69	18.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
840	Angophora leiocarpa	Smooth-barked Apple	320		320	101	19.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
841	Alphitonia excelsa	Soap Tree	230		230	72	12.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)				
842	Corymbia intermedia	Pink Bloodwood	330		330	104	20.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical												

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value										Approval no: DEV-2026-FLA-0050		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government						
856	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	14.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED						
857	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	14.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
858	<i>Corymbia intermedia</i>	Pink Bloodwood	190		190	60	8.0	1.0	2.3	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
859	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	17.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
860	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	16.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
861	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	17.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
862	<i>Corymbia citriodora</i>	Spotted Gum	490		490	154	22.0	11.0	5.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
863	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	22.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
864	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	17.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
865	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	16.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
866	<i>Corymbia intermedia</i>	Pink Bloodwood	190		190	60	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
867	<i>Corymbia citriodora</i>	Spotted Gum	260		260	82	24.0	8.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
868	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	19.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
869	<i>Alphitonia excelsa</i>	Soap Tree	240		240	75	14.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
870	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	18.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
871	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	24.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
872	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	15.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
873	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	370		370	116	25.0	9.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
874	<i>Alphitonia excelsa</i>	Soap Tree	390		390	123	15.0	6.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
875	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	18.0	8.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
876	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	190		190	60	14.0	1.0	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
877	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	24.0	10.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
878	<i>Angophora leiocarpa</i>	Smooth-barked Apple	170		170	53	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
879	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	75	17.0	8.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
880	<i>Alphitonia excelsa</i>	Soap Tree	240		240	75	14.0	8.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove (development area)						
881	<i>Alphitonia excelsa</i>	Soap Tree	220		220	69	14.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
882	<i>Alphitonia excelsa</i>	Soap Tree	240		240	75	15.0	7.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
883	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	24.0	9.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
884	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	15.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
885	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	26.0	10.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
886	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	75	20.0	8.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
887	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	24.0	10.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
888	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	170		170	53	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
889	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	23.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
890	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	230		230	72	17.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)						
891	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	230		230	72	27.0	10.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
892	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	17.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
893	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	17.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
894	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	12.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.						
895	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	23.0	9.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-</															

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
911	<i>Corymbia intermedia</i>	Pink Bloodwood	410		410	129	16.0	8.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
912	<i>Petalostigma pubescens</i>	Quinine Bush	320		320	101	8.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
913	<i>Corymbia intermedia</i>	Pink Bloodwood	400		400	126	15.0	8.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
914	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	18.0	8.0	5.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
915	<i>Petalostigma pubescens</i>	Quinine Bush	230		230	72	6.0	2.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
916	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	14.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
917	<i>Angophora subvelutina</i>	Broad-leaved Apple	430		430	135	16.0	8.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
918	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	7.0	3.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
919	<i>Acacia disparrima</i>	Hickory Wattle	260		260	82	9.0	3.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
920	<i>Petalostigma pubescens</i>	Quinine Bush	270		270	85	7.0	3.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
921	<i>Petalostigma pubescens</i>	Quinine Bush	270		270	85	7.0	4.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
922	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	16.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
923	<i>Corymbia intermedia</i>	Pink Bloodwood	550		550	173	12.0	6.0	6.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
924	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	6.0	5.0	2.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
925	<i>Allocasuarina littoralis</i>	Black She-oak	210	140	252	79	7.0	3.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
926	<i>Allocasuarina littoralis</i>	Black She-oak	210		210	66	7.0	3.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
927	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	18.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
928	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	21.0	9.0	5.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
929	<i>Acacia disparrima</i>	Hickory Wattle	210		210	66	7.0	3.0	2.5	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
930	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	8.0	3.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
931	<i>Alphitonia excelsa</i>	Soap Tree	240		240	75	10.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
932	<i>Corymbia intermedia</i>	Pink Bloodwood	450		450	141	19.0	12.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
933	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	13.0	4.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
934	<i>Acacia disparrima</i>	Hickory Wattle	300		300	94	9.0	3.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
935	<i>Acacia disparrima</i>	Hickory Wattle	270		270	85	8.0	4.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
936	<i>Acacia disparrima</i>	Hickory Wattle	270		270	85	9.0	3.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
937	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	7.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
938	<i>Angophora subvelutina</i>	Broad-leaved Apple	480		480	151	15.0	11.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
939	<i>Eucalyptus tereticornis</i>	Forest Red Gum	670		670	210	25.0	14.0	8.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
940	<i>Petalostigma pubescens</i>	Quinine Bush	240		240	75	6.0	2.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
941	<i>Corymbia tessellaris</i>	Moreton Bay Ash	330		330	104	18.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
942	<i>Acacia disparrima</i>	Hickory Wattle	240	180	300	94	6.0	4.0	3.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
943	<i>Alphitonia excelsa</i>	Soap Tree	460		460	145	10.0	4.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
944	<i>Dead/Stag</i>		450		450	141	17.0	8.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
945	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	330		330	104	20.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
946	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	20.0	10.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
947	<i>Lophostemon suaveolens</i>	Swamp Box	320		320	101	10.0	4.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
948	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	10.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
949	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	9.0	3.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
950	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	8.0	3.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
951	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	280		280	88	14.0	3.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
984	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	6.0	3.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1009	<i>Dead/Stag</i>		270		270	85	11.0	3.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1010	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	13.0	4.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1011	<i>Acacia disparrima</i>	Hickory Wattle	290		290	91	9.0	3.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1012	<i>Alphitonia excelsa</i>	Soap Tree	260		260	82	8.0	3.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1013	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	24.0	13.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1014	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	18.0	10.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1015	<i>Eucalyptus tereticornis</i>	Forest Red Gum	510		510	160	25.0	16.0	6.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1016	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	18.0	13.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1017	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	24.0	13.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1018	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	13.0	4.0	3.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
1019	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220		220	69	14.0	3.0	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
1020	<i>Lophostemon suaveolens</i>	Swamp Box	280		280	88	11.0	3.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1021	<i>Corymbia intermedia</i>	Pink Bloodwood	470		470	148	21.0	13.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.

Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value										Approval no. DEV-2026-FLA-0050		Additional Details	
					Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Date:	11 September 2026	Queensland Government								
1022	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	9.0	3.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1023	<i>Acacia disparima</i>	Hickory Wattle	200		200	63	7.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.										
1024	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	16.0	8.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.										
1025	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	430		430	135	23.0	14.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.										
1026	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	20.0	12.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.										
1027	<i>Dead/Stag</i>		200		200	63	8.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.										
1028	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	9.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1029	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	16.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1030	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	17.0	8.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.										
1031	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	19.0	7.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.										
1032	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	10.0	4.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.										
1033	<i>Angophora leiocarpa</i>	Smooth-barked Apple	370		370	116	17.0	8.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.										
1034	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	18.0	11.0	4.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.										
1035	<i>Angophora leiocarpa</i>	Smooth-barked Apple	300		300	94	14.0	4.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.										
1036	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	13.0	4.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.										
1037	<i>Dead/Stag</i>		300		300	94	17.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED										
1038	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	17.0	9.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED										
1039	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	75	13.0	4.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED										
1040	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	12.0	4.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED										
1041	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	16.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED										
1042	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	14.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED										
1043	<i>Angophora leiocarpa</i>	Smooth-barked Apple	200		200	63	15.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED										
1044	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	12.0	2.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED										
1045	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	88	17.0	8.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED										
1046	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	12.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED										
1047	<i>Corymbia citriodora</i>	Spotted Gum	460		460	145	24.0	14.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1048	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	17.0	9.0	4.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1049	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	20.0	8.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1050	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	16.0	7.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1051	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	19.0	8.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1052	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	17.0	8.0	3.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1053	<i>Corymbia citriodora</i>	Spotted Gum	270		270	85	17.0	9.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1054	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	15.0	7.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1055	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	16.0	7.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1056	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	19.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1057	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	17.0	8.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1058	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	6.0	3.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)										
1059	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	8.0	3.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-																				

Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Specimen Details					Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Approval no. DEV-2026-FLA-0050		Additional Details	
					Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Greenland Government			
																														Date:	11 September 2026	
1077	Corymbia citriodora	Spotted Gum	520		520	163	27.0	17.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED				
1078	Corymbia citriodora	Spotted Gum	490		490	154	25.0	14.0	5.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)				
1079	Corymbia citriodora	Spotted Gum	300		300	94	16.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)				
1080	Corymbia citriodora	Spotted Gum	380		380	119	23.0	12.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)				
1081	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	18.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED				
1082	Corymbia citriodora	Spotted Gum	200		200	63	10.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED				
1083	Eucalyptus tereticornis	Forest Red Gum	210		210	66	10.0	4.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED				
1084	Eucalyptus tereticornis	Forest Red Gum	210		210	66	9.0	4.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED				
1085	Eucalyptus tereticornis	Forest Red Gum	270		270	85	12.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED				
1086	Corymbia intermedia	Pink Bloodwood	200		200	63	8.0	2.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1087	Corymbia citriodora	Spotted Gum	350		350	110	19.0	12.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED				
1091	Eucalyptus tereticornis	Forest Red Gum	640		640	201	18.0	8.0	7.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1096	Eucalyptus tereticornis	Forest Red Gum	580		580	182	16.0	8.0	7.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1097	Dead/Stag		510		510	160	17.0	8.0	6.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1098	Eucalyptus crebra	Narrow-leaved Ironbark	600		600	188	19.0	9.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1099	Dead/Stag		830		830	261	19.0	8.0	10.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1100	Petalostigma pubescens	Quinine Bush	600		600	188	15.0	7.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1101	Dead/Stag		330		330	104	16.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.				
1102	Eucalyptus crebra	Narrow-leaved Ironbark	560		560	176	19.0	9.0	6.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1103	Dead/Stag		560		560	176	16.0	6.0	6.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (development area)				
1104	Dead/Stag		620		620	195	16.0	6.0	7.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1109	Eucalyptus tereticornis	Forest Red Gum	410		410	129	16.0	7.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.				
1110	Eucalyptus tereticornis	Forest Red Gum	830		830	261	17.0	10.0	10.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1111	Dead/Stag		600		600	188	17.0	6.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	Small	-	-	-	Retain/subject to future app.				
1112	Eucalyptus tereticornis	Forest Red Gum	550		550	173	18.0	9.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1113	Eucalyptus tereticornis	Forest Red Gum	600		600	188	19.0	10.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1114	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	14.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain/subject to future app.				
1124	Angophora leiocarpa	Smooth-barked Apple	310		310	97	15.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.				
1125	Dead/Stag		400		400	126	15.0	6.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)				
1126	Eucalyptus crebra	Narrow-leaved Ironbark	600		600	188	17.0	7.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (development area)				
1127	Eucalyptus tereticornis	Forest Red Gum	880		880	276	19.0	9.0	10.6	One-sided	-	-	-	-	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)				
1128	Angophora leiocarpa	Smooth-barked Apple	640		640	201	16.0	8.0	7.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)				
1129	Angophora leiocarpa	Smooth-barked Apple	600		600	188	15.0	6.0	7.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)				
1130	Eucalyptus tereticornis	Forest Red Gum	840		840	264	17.0	9.0	10.1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)				
1131	Eucalyptus tereticornis	Forest Red Gum	950		950	298	19.0	9.0	11.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)				
1132	Eucalyptus tereticornis	Forest Red Gum	1045		1045	328	20.0	11.0	12.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)				
1133	Eucalyptus tereticornis	Forest Red Gum	600		600	188	18.0	6.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1134	Eucalyptus tereticornis	Forest Red Gum	820		820	258	19.0	10.0	9.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1135	Corymbia intermedia	Pink Bloodwood	750		750	236	15.0	8.0	9.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)				
1136	Eucalyptus tereticornis	Forest Red Gum	600		600	188	19.0	7.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1142	Corymbia intermedia	Pink Bloodwood	630		630	198	17.0	9.0	7.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.				
1147	Eucalyptus crebra	Narrow-leaved Ironbark	655		655	206	25.0	14.0	7.9	Regular	-																					

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1175	<i>Eucalyptus tereticornis</i>	Forest Red Gum	720		720	226	25.0	14.0	8.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1176	<i>Eucalyptus tereticornis</i>	Forest Red Gum	640		640	201	18.0	12.0	7.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1177	<i>Eucalyptus tereticornis</i>	Forest Red Gum	650		650	204	28.0	15.0	7.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1178	<i>Corymbia intermedia</i>	Pink Bloodwood	610		610	192	23.0	14.0	7.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1179	<i>Eucalyptus tereticornis</i>	Forest Red Gum	650		650	204	22.0	13.0	7.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1180	<i>Corymbia intermedia</i>	Pink Bloodwood	610		610	192	18.0	12.0	7.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1181	<i>Eucalyptus tereticornis</i>	Forest Red Gum	600		600	188	18.0	12.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1182	<i>Eucalyptus tereticornis</i>	Forest Red Gum	680		680	214	18.0	12.0	8.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1183	<i>Corymbia intermedia</i>	Pink Bloodwood	470		470	148	14.0	8.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1184	<i>Eucalyptus tereticornis</i>	Forest Red Gum	560		560	176	18.0	12.0	6.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1185	<i>Eucalyptus tereticornis</i>	Forest Red Gum	650		650	204	18.0	12.0	7.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1186	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	14.0	7.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1187	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	14.0	6.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1188	<i>Corymbia intermedia</i>	Pink Bloodwood	440		440	138	14.0	6.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1189	<i>Eucalyptus tereticornis</i>	Forest Red Gum	580		580	182	22.0	12.0	7.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1190	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	20.0	10.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1191	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	22.0	10.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1192	<i>Eucalyptus tereticornis</i>	Forest Red Gum	560		560	176	22.0	10.0	6.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1193	<i>Eucalyptus tereticornis</i>	Forest Red Gum	510		510	160	20.0	12.0	6.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1194	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	510		510	160	22.0	10.0	6.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1195	<i>Eucalyptus tereticornis</i>	Forest Red Gum	510		510	160	20.0	12.0	6.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1196	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	670		670	210	24.0	14.0	8.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (development area)
1197	<i>Eucalyptus tereticornis</i>	Forest Red Gum	510		510	160	20.0	10.0	6.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1198	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	20.0	10.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1199	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	22.0	10.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1200	<i>Eucalyptus tereticornis</i>	Forest Red Gum	550		550	173	24.0	12.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1201	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	18.0	8.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1202	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	490		490	154	22.0	8.0	5.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1203	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	460		460	145	20.0	8.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1204	<i>Corymbia intermedia</i>	Pink Bloodwood	450		450	141	20.0	8.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1205	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	18.0	12.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1206	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	18.0	10.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1207	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	920		920	289	20.0	12.0	11.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	-	-	-	Remove (development area)
1208	<i>Eucalyptus tereticornis</i>	Forest Red Gum	630		630	198	22.0	12.0	7.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1209	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	20.0	10.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1210	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	20.0	10.0	5.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1211	Dead/Stag		500		500	157	8.0	2.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.
1212	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	22.0	10.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1213	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	22.0	10.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1214	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	20.0	8.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1215	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	22.0	12.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1216	<i>Corymbia citriodora</i>	Spotted Gum	820		820	258	20.0	8.0	9.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1217	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	460		460	145	22.0	10.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1218	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	16.0	8.0	6.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1219	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	20.0	12.0	6.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1220	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	490		490	154	20.0	8.0	5.9	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1221	<i>Corymbia citriodora</i>	Spotted Gum	470		470	148	20.0	10.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1222	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	420		420	132	16.0	7.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1223	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	14.0	6.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1224	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	22.0	10.0	6.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1225	Dead/Stag		400		400	126	10.0	3.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.
1226	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	510		510	160	20.0	8.0	6.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1227	<i>Corymbia citriodora</i>	Spotted Gum	450		450	141	22.0	10.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1228	<i>Corymbia citriodora</i>	Spotted Gum	440		440	138	22.0	10.0	5.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1229	<i>Corymbia citriodora</i>	Spotted Gum	430		430	135	22.0	10.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								Approval no: DEV-2026-FLA-0098		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Greenland Government				
1230	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	148	22.0	10.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	Date: 11 September 2026				
1231	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	18.0	8.0	4.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1232	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	18.0	8.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1233	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	16.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1234	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	20.0	10.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1235	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1236	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	12.0	4.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1237	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	12.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1238	<i>Corymbia citriodora</i>	Spotted Gum	430		430	135	20.0	12.0	5.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1239	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	16.0	8.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1240	<i>Alphitonia excelsa</i>	Soap Tree	270		270	85	8.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1241	<i>Corymbia citriodora</i>	Spotted Gum	140		140	44	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1242	<i>Acacia dispartima</i>	Hickory Wattle	240		240	75	8.0	3.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1243	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	20.0	10.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1244	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	24.0	14.0	6.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1245	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	18.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1247	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	10.0	6.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1248	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	8.0	3.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.					
1249	<i>Dead/Stag</i>		390		390	123	14.0	4.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.					
1263	<i>Corymbia intermedia</i>	Pink Bloodwood	490		490	154	17.0	9.0	5.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)					
1264	<i>Eucalyptus tereticornis</i>	Forest Red Gum	620		620	195	19.0	11.0	7.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Remove (development area)					
1265	<i>Corymbia intermedia</i>	Pink Bloodwood	420		420	132	16.0	9.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)					
1266	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	16.0	7.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)					
1267	<i>Corymbia intermedia</i>	Pink Bloodwood	660		660	207	16.0	9.0	7.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)					
1268	<i>Eucalyptus tereticornis</i>	Forest Red Gum	700		700	220	16.0	7.0	8.4	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)					
1269	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	16.0	8.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)					
1270	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	15.0	7.0	5.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove (development area)					
1271	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	620		620	195	18.0	9.0	7.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)					
1272	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	17.0	5.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)					
1273	<i>Allocasuarina littoralis</i>	Black She-oak	440		440	138	14.0	7.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)					
1274	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	18.0	9.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)					
1275	<i>Lophostemon suaveolens</i>	Swamp Box	400		400	126	16.0	6.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)					
1276	<i>Eucalyptus tereticornis</i>	Forest Red Gum	550		550	173	17.0	7.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)					
1277	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	18.0	8.0	6.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)					
1278	<i>Eucalyptus tereticornis</i>	Forest Red Gum	700		700	220	18.0	8.0	8.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)					
1279	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	17.0	7.0	5.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)					
1280	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	141	16.0	8.0	5.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)					
1281	<i>Corymbia intermedia</i>	Pink Bloodwood	550		550	173	16.0	7.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)					
1282	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	360		360	113	16.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)					
1283	<																																

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1299	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	17.0	9.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1300	<i>Eucalyptus tereticornis</i>	Forest Red Gum	620		620	195	17.0	12.0	7.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1301	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	16.0	6.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1302	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	17.0	9.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1303	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	16.0	6.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1304	Dead/Stag		950		950	298	18.0	9.0	11.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1305	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	17.0	7.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1306	<i>Eucalyptus tereticornis</i>	Forest Red Gum	570		570	179	17.0	8.0	6.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1307	<i>Angophora leiocarpa</i>	Smooth-barked Apple	350		350	110	16.0	5.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1308	<i>Corymbia intermedia</i>	Pink Bloodwood	450		450	141	16.0	7.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1309	<i>Eucalyptus tereticornis</i>	Forest Red Gum	840		840	264	19.0	10.0	10.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1310	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	16.0	5.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1311	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	16.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1312	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	15.0	7.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (development area)
1313	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	18.0	6.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1314	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	16.0	7.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1315	<i>Corymbia intermedia</i>	Pink Bloodwood	350	330	481	151	17.0	9.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1316	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	16.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1317	Dead/Stag		310		310	97	17.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1318	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	16.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1319	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	16.0	6.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1320	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	17.0	6.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1321	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	16.0	5.0	5.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
1322	Dead/Stag		480		480	151	18.0	9.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1323	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	16.0	6.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1324	Dead/Stag		250		250	79	15.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1325	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	420		420	132	15.0	6.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	Remove (development area)
1326	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	15.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1327	<i>Corymbia intermedia</i>	Pink Bloodwood	560		560	176	16.0	7.0	6.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
1328	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	16.0	6.0	6.0	One-sided	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
1329	Dead/Stag		350		350	110	17.0	6.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (development area)
1330	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	18.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (development area)
1331	<i>Eucalyptus tereticornis</i>	Forest Red Gum	590		590	185	17.0	9.0	7.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1332	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	141	18.0	7.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1333	Dead/Stag		270		270	85	16.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1334	Dead/Stag		300		300	94	16.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1335	Dead/Stag		350		350	110	17.0	6.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1336	<i>Eucalyptus tereticornis</i>	Forest Red Gum	680		680	214	18.0	9.0	8.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1337	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	18.0	7.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1338	Dead/Stag		450		450	141	16.0	7.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (development area)
1339	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	540		540	170	19.0	9.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1340	Dead/Stag		540		540	170	18.0	8.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1341	Dead/Stag		950		950	298	18.0	9.0	11.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1342	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	15.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1343	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	16.0	5.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1344	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	15.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1345	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	18.0	9.0	3.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1346	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	17.0	5.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1347	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	16.0	5.0	4.2	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1348	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	19.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1349	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	17.0	8.0	3.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1350	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	17.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1351	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	15.0	4.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1352	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1353	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	10.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Approval no. DEV-2026-FLA-0950		Additional Details	
			Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government			
																														Date:	11 September 2026	
1354	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	19.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1355	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	18.0	7.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1356	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	14.0	2.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1357	<i>Dead/Stag</i>		240		240	75	16.0	6.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1358	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	14.0	4.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1359	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	16.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1360	<i>Corymbia citriodora</i>	Spotted Gum	220		220	69	17.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1431	<i>Dead/Stag</i>		530		530	167	19.0	6.0	6.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1432	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	18.0	7.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1433	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	22.0	9.0	4.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1434	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	14.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1435	<i>Eucalyptus tereticornis</i>	Forest Red Gum	140		140	44	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1436	<i>Acacia disparima</i>	Hickory Wattle	220		220	69	11.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1437	<i>Corymbia citriodora</i>	Spotted Gum	190		190	60	9.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1438	<i>Alphitonia excelsa</i>	Soap Tree	140		140	44	8.0	7.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1439	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	160		160	50	12.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1440	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	170		170	53	12.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
1441	<i>Eucalyptus tereticornis</i>	Forest Red Gum	550		550	173	18.0	8.0	6.6	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1442	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	60	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
1443	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	17.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
1444	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	16.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
1445	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	140		140	44	9.0	7.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
1446	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210		210	66	14.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
1447	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	16.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
1448	<i>Corymbia citriodora</i>	Spotted Gum	190		190	60	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to CPTED			
1449	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	14.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Bushfire Thinning			
1450	<i>Corymbia citriodora</i>	Spotted Gum	410		410	129	18.0	7.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Bushfire Thinning			
1451	<i>Corymbia citriodora</i>	Spotted Gum	270		270	85	13.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)			
1452	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	23.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)			
1453	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	190		190	60	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)			
1454	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	15.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)			
1455	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	75	15.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)			
1456	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	14.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)			
1457	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	9.0	2.0	2.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)			
1458	<i>Corymbia intermedia</i>	Pink Bloodwood	170		170	53	8.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)			
1459	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	20.0	9.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1460	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	18.0	7.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1490	<i>Acacia disparima</i>	Hickory Wattle	140		140	44	8.0	7.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-</								

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1508	<i>Corymbia intermedia</i>	Pink Bloodwood	480	350	594	187	16.0	5.0	7.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1509	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	16.0	5.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1510	<i>Grevillea robusta</i>	Silky Oak	270		270	85	15.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1512	<i>Acacia disarrima</i>	Hickory Wattle	160		160	50	12.0	8.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1513	<i>Acacia disarrima</i>	Hickory Wattle	170		170	53	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1514	<i>Corymbia citriodora</i>	Spotted Gum	450		450	141	27.0	11.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1515	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	23.0	13.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1516	<i>Eucalyptus tereticornis</i>	Forest Red Gum	590		590	185	26.0	20.0	7.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1518	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	26.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1537	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	19.0	10.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1538	<i>Acacia disarrima</i>	Hickory Wattle	350		350	110	17.0	5.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1539	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	18.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1540	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	26.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1541	<i>Acacia disarrima</i>	Hickory Wattle	180		180	57	13.0	6.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1542	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	16.0	9.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1543	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	14.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1544	<i>Corymbia tessellaris</i>	Moreton Bay Ash	200		200	63	13.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1545	<i>Lophostemon suaveolens</i>	Swamp Box	260		260	82	16.0	5.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1546	<i>Allocasuarina littoralis</i>	Black She-oak	210		210	66	14.0	7.0	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1547	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	190		190	60	8.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1548	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	12.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1549	<i>Corymbia torelliana</i>	Cadaghi	200		200	63	14.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1550	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	33.0	23.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1551	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	270		270	85	15.0	7.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1552	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	28.0	15.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1594	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	160		160	50	15.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1595	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	18.0	6.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1596	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	19.0	7.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1597	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	19.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1598	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	14.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1599	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1600	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	17.0	5.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1601	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	230		230	72	16.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1602	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	18.0	9.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1603	<i>Corymbia citriodora</i>	Spotted Gum	220		220	69	16.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1604	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	16.0	4.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1605	<i>Alphitonia excelsa</i>	Soap Tree	220		220	69	8.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1606	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	11.0	2.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1607	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	15.0	3.0	2.8	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1608	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	190		190	60	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1609	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220		220	69	14.0	5.0	2.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1610	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	19.0	10.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1611	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	16.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1612	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	10.0	4.0	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1613	<i>Corymbia citriodora</i>	Spotted Gum	170		170	53	15.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1614	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	14.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1615	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	16.0	7.0	3.6	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1616	<i>Alphitonia excelsa</i>	Soap Tree	270		270	85	14.0	8.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1617	<i>Eucalyptus tereticornis</i>	Forest Red Gum	150		150	47	5.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1618	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	14.0	5.0	2.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1619	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	15.0	7.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1620	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	14.0	6.0	2.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1621	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	4.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1622	<i>Acacia disarrima</i>	Hickory Wattle	200		200	63	11.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1623	<i>Acacia disarrima</i>	Hickory Wattle	120	80, 100	175	55	11.0	6.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Approval no: DEV-2026-FL-000000		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government			
1624	Acacia disparrima	Hickory Wattle	160		160	50	10.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1625	Acacia disparrima	Hickory Wattle	180	240	300	94	12.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1626	Acacia disparrima	Hickory Wattle	210		210	66	12.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1627	Acacia disparrima	Hickory Wattle	200	120	233	73	14.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1628	Acacia disparrima	Hickory Wattle	200		200	63	11.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Arborist - retention TBC			
1629	Acacia disparrima	Hickory Wattle	140		140	44	13.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1630	Acacia disparrima	Hickory Wattle	140		140	44	14.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1631	Acacia disparrima	Hickory Wattle	160		160	50	13.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1632	Acacia disparrima	Hickory Wattle	190		190	60	15.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1633	Alphitonia excelsa	Soap Tree	180		180	57	14.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1635	Eucalyptus tereticornis	Forest Red Gum	360		360	113	18.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1636	Acacia disparrima	Hickory Wattle	180		180	57	12.0	6.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1637	Eucalyptus tereticornis	Forest Red Gum	400		400	126	17.0	8.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1638	Eucalyptus tereticornis	Forest Red Gum	320		320	101	18.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1639	Corymbia intermedia	Pink Bloodwood	260		260	82	16.0	8.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1696	Lophostemon suaveolens	Swamp Box	170		170	53	14.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1705	Allocasuarina littoralis	Black She-oak	160		160	50	14.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1706	Acacia disparrima	Hickory Wattle	160		160	50	12.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1707	Allocasuarina littoralis	Black She-oak	160		160	50	14.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1708	Corymbia intermedia	Pink Bloodwood	400		400	126	19.0	6.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1709	Lophostemon suaveolens	Swamp Box	320		320	101	16.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1710	Lophostemon suaveolens	Swamp Box	240		240	75	16.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1711	Lophostemon suaveolens	Swamp Box	250		250	79	15.0	5.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1712	Corymbia intermedia	Pink Bloodwood	250		250	79	18.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1713	Corymbia intermedia	Pink Bloodwood	270		270	85	17.0	8.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1714	Allocasuarina littoralis	Black She-oak	230		230	72	14.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1715	Lophostemon suaveolens	Swamp Box	160		160	50	14.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1716	Allocasuarina littoralis	Black She-oak	220		220	69	14.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1717	Petalostigma pubescens	Quinine Bush	220		220	69	12.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1718	Eucalyptus tereticornis	Forest Red Gum	350		350	110	18.0	6.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Arborist - retention TBC			
1719	Petalostigma pubescens	Quinine Bush	300		300	94	8.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1720	Acacia disparrima	Hickory Wattle	200		200	63	12.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1721	Lophostemon suaveolens	Swamp Box	170		170	53	10.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1722	Acacia disparrima	Hickory Wattle	170		170	53	12.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Basin)			
1723	Corymbia intermedia	Pink Bloodwood	610		610	192	19.0	11.0	7.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (			

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Approval no. DEV-2026-FLA-0050		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government			
1744	Corymbia intermedia	Pink Bloodwood	250		250	79	16.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove - Bridge app.			
1745	Corymbia intermedia	Pink Bloodwood	220		220	69	16.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove - Bridge app.			
1746	Lophostemon suaveolens	Swamp Box	300		300	94	16.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove - Bridge app.			
1747	Grevillea robusta	Silky Oak	170		170	53	14.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove - Bridge app.			
1748	Alphitonia excelsa	Soap Tree	170		170	53	14.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove - Bridge app.			
1749	Alphitonia excelsa	Soap Tree	220		220	69	12.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove - Bridge app.			
1750	Acacia leiocalyx	Early-flowering Black Wattle	170		170	53	13.0	5.0	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)		
1751	Acacia disparima	Hickory Wattle	180		180	57	14.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)			
1752	Alphitonia excelsa	Soap Tree	170		170	53	14.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (development area)			
1757	Corymbia intermedia	Pink Bloodwood	200		200	63	15.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1758	Eucalyptus tereticornis	Forest Red Gum	340		340	107	18.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1759	Acacia disparima	Hickory Wattle	300		300	94	16.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1760	Eucalyptus tereticornis	Forest Red Gum	270		270	85	17.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1766	Eucalyptus tereticornis	Forest Red Gum	380		380	119	21.0	11.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1795	Lophostemon suaveolens	Swamp Box	240		240	75	14.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1796	Corymbia intermedia	Pink Bloodwood	240		240	75	16.0	5.0	2.9	One-sided	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1797	Eucalyptus tereticornis	Forest Red Gum	440		440	138	19.0	8.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1798	Eucalyptus tereticornis	Forest Red Gum	300		300	94	16.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1799	Corymbia intermedia	Pink Bloodwood	220		220	69	16.0	6.0	2.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1800	Angophora leiocarpa	Smooth-barked Apple	170		170	53	14.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1801	Allocasuarina littoralis	Black She-oak	170	90	192	60	11.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1802	Lophostemon suaveolens	Swamp Box	140		140	44	11.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1803	Lophostemon suaveolens	Swamp Box	200		200	63	12.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1804	Angophora leiocarpa	Smooth-barked Apple	380		380	119	18.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1805	Angophora leiocarpa	Smooth-barked Apple	280		280	88	16.0	6.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1806	Corymbia intermedia	Pink Bloodwood	380		380	119	19.0	8.0	4.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1807	Eucalyptus tereticornis	Forest Red Gum	330		330	104	16.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1808	Corymbia intermedia	Pink Bloodwood	200		200	63	16.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1809	Melaleuca saligna	Willow Bottlebrush	200	140	244	77	16.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1810	Melaleuca saligna	Willow Bottlebrush	230		230	72	13.0	4.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1811	Lophostemon suaveolens	Swamp Box	230		230	72	15.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1812	Lophostemon suaveolens	Swamp Box	150		150	47	14.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1813	Lophostemon suaveolens	Swamp Box	180		180	57	14.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1814	Corymbia intermedia	Pink Bloodwood	300		300	94	18.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1815	Angophora leiocarpa	Smooth-barked Apple	320		320	101	17.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1816	Melaleuca saligna	Willow Bottlebrush	360		360	113	15.0	4.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1817	Eucalyptus propinqua	Small-fruited Grey Gum	200		200	63	16.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1818	Lophostemon suaveolens	Swamp Box	160		160	50	14.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain/subject to future app.			
1819	Lophostemon suaveolens	Swamp Box	220																													

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value										Approval no. DEV-2026-FLA-0050		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government						
2828	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	148	24.0	14.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.							
2829	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	460		460	145	32.0	16.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.							
3415	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	20.0	10.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
3416	<i>Alphitonia excelsa</i>	Soap Tree	120		120	38	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)							
3417	<i>Corymbia intermedia</i>	Pink Bloodwood	150		150	47	10.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)							
3418	<i>Corymbia intermedia</i>	Pink Bloodwood	410		410	129	20.0	10.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)							
3419	<i>Petalostigma pubescens</i>	Quinine Bush	370		370	116	6.0	4.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)							
3499	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	15.0	11.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
3500	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	15.0	9.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
3515	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	16.0	10.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6232	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	17.0	13.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6233	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	17.0	5.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6234	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	15.0	4.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6235	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	15.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6236	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	14.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6237	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6238	<i>Dead/Stag</i>		320		320	101	11.0	3.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6251	<i>Dead/Stag</i>		300		300	94	14.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6252	<i>Dead/Stag</i>		300		300	94	17.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6256	<i>Alphitonia excelsa</i>	Soap Tree	385		385	121	13.0	9.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6257	<i>Eucalyptus tereticornis</i>	Forest Red Gum	355		355	112	17.0	8.0	4.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6258	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	425		425	134	18.0	13.0	5.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6264	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	16.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6265	<i>Dead/Stag</i>		350		350	110	13.0	4.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6266	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6267	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	415		415	130	18.0	11.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6268	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	17.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6269	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	17.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6270	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	20.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6271	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	14.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6272	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	17.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6273	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	15.0	2.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6274	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	18.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6275	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	13.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6276	<i>Dead/Stag</i>		350		350	110	17.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
6277	<i>Dead/Stag</i>		300		300	94	18.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)							
6278	<i>Corymbia citriodora</i>	Spotted Gum	325		325	102	19.0	10.0	3.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6279	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	19.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain/subject to future app.							
6280	<i>Corymbia citriodora</i>																																		

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								Approval no. DEV-2026-FLA-0050		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government				
6297	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	12.0	7.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning					
6298	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6299	<i>Dead/Stag</i>		360		360	113	16.0	9.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6300	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	18.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6301	<i>Eucalyptus tereticornis</i>	Forest Red Gum	395		395	124	18.0	13.0	4.7	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6302	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	17.0	9.0	4.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6303	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	145	16.0	6.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning					
6304	<i>Dead/Stag</i>		370		370	116	8.0	4.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-	Bushfire Thinning					
6305	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	14.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning					
6306	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	17.0	4.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning					
6307	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	17.0	9.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning					
6308	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	22.0	13.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6309	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	18.0	9.0	4.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6310	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	18.0	13.0	4.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6311	<i>Eucalyptus tereticornis</i>	Forest Red Gum	375		375	118	17.0	13.0	4.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6312	<i>Eucalyptus tereticornis</i>	Forest Red Gum	515		515	162	19.0	12.0	6.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6313	<i>Eucalyptus tereticornis</i>	Forest Red Gum	395		395	124	17.0	9.0	4.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6314	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	19.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6315	<i>Dead/Stag</i>		540		540	170	17.0	14.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6316	<i>Corymbia citriodora</i>	Spotted Gum	420		420	132	16.0	9.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6317	<i>Corymbia intermedia</i>	Pink Bloodwood	325		325	102	17.0	9.0	3.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6318	<i>Dead/Stag</i>		460		460	145	17.0	14.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning					
6319	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	18.0	8.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning					
6320	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6321	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6322	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	14.0	5.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6323	<i>Dead/Stag</i>		370		370	116	11.0	6.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6324	<i>Dead/Stag</i>		320		320	101	12.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6325	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	18.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning					
6326	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	15.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning					
6327	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	14.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning					
6328	<i>Angophora leiocarpa</i>	Smooth-barked Apple	305		305	96	17.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6334	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	18.0	8.0	3.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6335	<i>Alphitonia excelsa</i>	Soap Tree	420		420	132	13.0	9.0	5.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6336	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6337	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6338	<i>Corymbia citriodora</i>	Spotted Gum	325		325	102	17.0	9.0	3.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6339	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	320		320	101	14.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6340	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	16.0	9.0	4.1	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6341	<i>Eucalyptus tereticornis</i>	Forest Red Gum	415		415	130	17.0	9.0	5.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain/subject					

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Approval no. DEV-2026-FLA-0050		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government			
6357	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	11.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6358	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	370		370	116	14.0	7.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6359	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	13.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.				
6360	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	18.0	9.0	4.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain/subject to future app.				
6361	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	18.0	11.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Retain/subject to future app.				
6362	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain/subject to future app.				
6363	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	13.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Retain/subject to future app.				
6364	<i>Dead/Stag</i>		300		300	94	18.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.				
6374	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	148	13.0	8.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6375	<i>Petalostigma pubescens</i>	Quinine Bush	420		420	132	7.0	12.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6376	<i>Dead/Stag</i>		330		330	104	12.0	3.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6377	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	17.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6378	<i>Eucalyptus tereticornis</i>	Forest Red Gum	510		510	160	17.0	8.0	6.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6379	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	13.0	13.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6380	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	15.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6381	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	18.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6382	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	17.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6383	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	17.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6384	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	360		360	113	17.0	5.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6385	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	16.0	6.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6386	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	17.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6387	<i>Petalostigma pubescens</i>	Quinine Bush	410		410	129	8.0	12.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6391	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	17.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.				
6394	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	14.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6395	<i>Petalostigma pubescens</i>	Quinine Bush	330		330	104	8.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6396	<i>Alphitonia excelsa</i>	Soap Tree	350		350	110	13.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6397	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	18.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6398	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	370		370	116	18.0	7.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6399	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6400	<i>Petalostigma pubescens</i>	Quinine Bush	400		400	126	7.0	5.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6401	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	14.0	4.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6402	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	14.0	5.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6403	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	17.0	9.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6404	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	16.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6405	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	17.0	8.0	3.8	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)				
6406	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	17.0	11.0	4.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)				
6407	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	18.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6408	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	18.0	9.0	3.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6409	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	18.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6410	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)				
6411	<i>Corymbia citriodora</i>	Spotted Gum	365		365	1																										

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								Approval no. DEV-2026-FLA-0950		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government				
6426	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6427	<i>Eucalyptus tereticornis</i>	Forest Red Gum	550		550	173	23.0	16.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6428	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	17.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6429	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	18.0	9.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6430	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	18.0	9.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6431	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	9.0	5.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6432	<i>Petalostigma pubescens</i>	Quinine Bush	370	310	483	152	8.0	9.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6433	<i>Petalostigma pubescens</i>	Quinine Bush	320		320	101	7.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6434	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	17.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6435	Dead/Stag		380		380	119	9.0	5.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6436	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	17.0	13.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6437	<i>Corymbia intermedia</i>	Pink Bloodwood	375		375	118	16.0	8.0	4.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove (development area)					
6438	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	16.0	10.0	4.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove (development area)					
6439	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	17.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove (development area)					
6440	<i>Eucalyptus tereticornis</i>	Forest Red Gum	445		445	140	17.0	8.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6441	<i>Eucalyptus tereticornis</i>	Forest Red Gum	465		465	146	16.0	9.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6442	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	12.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6443	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	16.0	8.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6444	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	11.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6445	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	16.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6446	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	17.0	8.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6447	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6448	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	16.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6449	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	13.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6450	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6451	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	16.0	8.0	4.3	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)					
6452	<i>Corymbia intermedia</i>	Pink Bloodwood	250	230	340	107	17.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove (development area)					
6453	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	14.0	8.0	4.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6454	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6455	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	14.0	6.0	3.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6456	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	17.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6457	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	19.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6458	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	335		335	105	17.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6459	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	17.0	10.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6460	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	18.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6461	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	18.0	12.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6462	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6463	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6464	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6465	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	15.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6466	<i>Eucalyptus tereticornis</i>	Forest Red Gum	425		425	134	18.0</																										

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6481	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	18.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)
6482	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	17.0	11.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6483	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	375		375	118	19.0	8.0	4.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6484	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	18.0	11.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6485	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6486	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	17.0	11.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6487	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	18.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6488	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	17.0	9.0	4.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)
6489	<i>Eucalyptus tereticornis</i>	Forest Red Gum	355		355	112	17.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6490	<i>Corymbia intermedia</i>	Pink Bloodwood	375		375	118	17.0	11.0	4.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6491	<i>Eucalyptus tereticornis</i>	Forest Red Gum	315		315	99	18.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6492	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	18.0	8.0	4.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6493	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6494	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	17.0	6.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6495	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	17.0	7.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6496	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	23.0	13.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6497	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	19.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6498	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	18.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6499	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	22.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6500	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	17.0	8.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6501	Dead/Stag		350		350	110	17.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6502	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	16.0	12.0	4.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6503	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	17.0	10.0	4.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)
6504	<i>Corymbia intermedia</i>	Pink Bloodwood	375		375	118	17.0	9.0	4.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6505	<i>Corymbia intermedia</i>	Pink Bloodwood	305		305	96	18.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6506	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	17.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6507	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	15.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove (development area)
6508	<i>Eucalyptus tereticornis</i>	Forest Red Gum	395		395	124	19.0	11.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6509	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	15.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6510	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6511	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	18.0	9.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6512	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	18.0	11.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6513	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	18.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6514	<i>Angophora leiocarpa</i>	Smooth-barked Apple	355		355	112	17.0	11.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6515	<i>Eucalyptus tereticornis</i>	Forest Red Gum	550		550	173	18.0	8.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6516	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	17.0	7.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6517	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6518	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	16.0	7.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6519	<i>Corymbia intermedia</i>	Pink Bloodwood	410		410	129	17.0	9.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6520	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	15.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6521	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6522	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	360		360	113	17.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6523	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	15.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6524	<i>Angophora leiocarpa</i>	Smooth-barked Apple	300		300	94	17.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)
6525	<i>Corymbia intermedia</i>	Pink Bloodwood	335		335	105	18.0	10.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6526	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	17.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)
6527	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	18.0	13.0	4.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6528	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	18.0	8.0	3.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6529	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	17.0	7.0	3.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6530	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	18.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)
6531	Dead/Stag		350		350	110	17.0	9.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6532	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	18.0	3.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6533	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	17.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6534	<i>Corymbia intermedia</i>	Pink Bloodwood	490		490	154	14.0	4.0	5.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6535	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	17.0	11.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								Approval no. DEV-2026-FLA-0056		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government				
6536	<i>Eucalyptus tereticornis</i>	Forest Red Gum	308		308	97	16.0	10.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6537	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	18.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6538	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	18.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6539	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	17.0	10.0	4.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)					
6540	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	17.0	10.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6541	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	315		315	99	16.0	6.0	3.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6542	<i>Angophora leiocarpa</i>	Smooth-barked Apple	315		315	99	15.0	7.0	3.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)					
6543	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	19.0	12.0	5.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)					
6544	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	17.0	11.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6545	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	18.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6546	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	17.0	8.0	3.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6547	<i>Eucalyptus tereticornis</i>	Forest Red Gum	415		415	130	17.0	11.0	5.0	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)					
6548	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	17.0	11.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove (development area)					
6549	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	9.0	3.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove (development area)					
6550	<i>Corymbia intermedia</i>	Pink Bloodwood	305		305	96	16.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-		-	Remove (development area)					
6551	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	15.0	7.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6552	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	17.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6553	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	18.0	6.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6554	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	17.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6555	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	17.0	9.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6556	<i>Acacia disparima</i>	Hickory Wattle	300		300	94	8.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6557	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	16.0	5.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6558	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	16.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6559	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	18.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6560	<i>Eucalyptus tereticornis</i>	Forest Red Gum	385		385	121	18.0	11.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6561	<i>Corymbia intermedia</i>	Pink Bloodwood	450		450	141	19.0	13.0	5.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove (development area)					
6562	<i>Eucalyptus tereticornis</i>	Forest Red Gum	435		435	137	17.0	7.0	5.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)					
6563	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	19.0	11.0	6.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)					
6564	<i>Eucalyptus tereticornis</i>	Forest Red Gum	355		355	112	18.0	9.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6565	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6566	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	18.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6567	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	17.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6568	<i>Eucalyptus tereticornis</i>	Forest Red Gum	315		315	99	18.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6569	<i>Eucalyptus tereticornis</i>	Forest Red Gum	565		565	177	21.0	11.0	6.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6570	<i>Alphitonia excelsa</i>	Soap Tree	310		310	97	14.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6571	<i>Alphitonia excelsa</i>	Soap Tree	300		300	94	14.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6572	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	16.0	8.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6573	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	20.0	12.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6574	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	23.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6575	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	13.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6576	<i>Eucalyptus tereticornis</i>	Forest Red Gum	375		375	118	20.0																										

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6591	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	14.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6592	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	16.0	10.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6593	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	17.0	12.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6594	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	13.0	11.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6595	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	15.0	10.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6596	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	9.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6597	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	18.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6598	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	16.0	5.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6599	<i>Lophostemon suaveolens</i>	Swamp Box	600		600	188	16.0	7.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6600	<i>Lophostemon suaveolens</i>	Swamp Box	430		430	135	16.0	7.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6601	<i>Grevillea robusta</i>	Silky Oak	350		350	110	17.0	4.0	4.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6602	<i>Lophostemon suaveolens</i>	Swamp Box	320		320	101	14.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6603	<i>Lophostemon suaveolens</i>	Swamp Box	320	260	412	130	14.0	5.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6604	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	15.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6605	<i>Grevillea robusta</i>	Silky Oak	300		300	94	16.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6606	<i>Lophostemon suaveolens</i>	Swamp Box	540		540	170	16.0	6.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6607	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6608	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	13.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6609	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	12.0	10.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6610	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	12.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6611	<i>Lophostemon suaveolens</i>	Swamp Box	500		500	157	16.0	8.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6612	<i>Grevillea robusta</i>	Silky Oak	350		350	110	18.0	7.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6613	<i>Lophostemon suaveolens</i>	Swamp Box	410		410	129	18.0	8.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6614	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	15.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6615	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	14.0	10.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6616	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	15.0	12.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6617	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	11.0	12.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6618	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	14.0	12.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6619	<i>Casuarina cunninghamiana</i>	River She-oak	300		300	94	17.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6620	<i>Grevillea robusta</i>	Silky Oak	400		400	126	18.0	7.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6621	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	15.0	5.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6622	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	18.0	9.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6623	<i>Petalostigma pubescens</i>	Quinine Bush	350	220	413	130	9.0	8.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6624	<i>Petalostigma pubescens</i>	Quinine Bush	650		650	204	10.0	8.0	7.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6625	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	17.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6626	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	15.0	11.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6627	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	18.0	15.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6628	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	15.0	12.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6629	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	15.0	13.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6630	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	13.0	10.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6631	<i>Corymbia intermedia</i>	Pink Bloodwood	420		420	132	18.0	8.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6632	<i>Lophostemon suaveolens</i>	Swamp Box	420		420	132	20.0	8.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6633	<i>Eucalyptus tereticornis</i>	Forest Red Gum	510		510	160	18.0	7.0	6.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6634	<i>Allocasuarina littoralis</i>	Black She-oak	300		300	94	10.0	5.0	3.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6635	<i>Lophostemon suaveolens</i>	Swamp Box	400		400	126	17.0	7.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6636	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	18.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6637	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	18.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6638	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	18.0	15.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6639	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	15.0	11.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6640	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	14.0	11.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6641	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	18.0	14.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6642	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	11.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6643	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	17.0	15.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6644	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	20.0	8.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6645	<i>Lophostemon suaveolens</i>	Swamp Box	320		320	101	18.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								Approval no. DEV-2026-FLA-0950		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government				
6646	Lophostemon suaveolens	Swamp Box	400		400	126	16.0	6.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6647	Corymbia tessellaris	Moreton Bay Ash	340		340	107	20.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6648	Corymbia intermedia	Pink Bloodwood	500		500	157	22.0	10.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6649	Corymbia intermedia	Pink Bloodwood	410		410	129	18.0	7.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6650	Lophostemon suaveolens	Swamp Box	310		310	97	12.0	4.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6651	Lophostemon suaveolens	Swamp Box	420		420	132	14.0	5.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6652	Lophostemon suaveolens	Swamp Box	310		310	97	10.0	4.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6653	Grevillea robusta	Silky Oak	340		340	107	16.0	4.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6654	Corymbia intermedia	Pink Bloodwood	600		600	188	20.0	9.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6655	Lophostemon suaveolens	Swamp Box	390		390	123	12.0	6.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6656	Corymbia tessellaris	Moreton Bay Ash	350		350	110	24.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6657	Lophostemon suaveolens	Swamp Box	340		340	107	14.0	5.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6658	Corymbia citriodora	Spotted Gum	300		300	94	17.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6659	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	113	15.0	12.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6660	Dead/Stag		450		450	141	18.0	12.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6661	Eucalyptus moluccana	Gum-topped Box	310		310	97	16.0	13.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6662	Corymbia citriodora	Spotted Gum	370		370	116	14.0	6.0	4.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6663	Lophostemon suaveolens	Swamp Box	360		360	113	10.0	5.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6664	Corymbia intermedia	Pink Bloodwood	300		300	94	17.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6665	Corymbia intermedia	Pink Bloodwood	300		300	94	16.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6666	Corymbia tessellaris	Moreton Bay Ash	500		500	157	20.0	8.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6667	Eucalyptus tereticomis	Forest Red Gum	420		420	132	18.0	8.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6668	Lophostemon suaveolens	Swamp Box	310		310	97	16.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
6669	Eucalyptus tereticomis	Forest Red Gum	520		520	163	26.0	12.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6670	Lophostemon suaveolens	Swamp Box	360		360	113	17.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6671	Eucalyptus tereticomis	Forest Red Gum	350		350	110	22.0	10.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6672	Eucalyptus tereticomis	Forest Red Gum	310		310	97	17.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6673	Eucalyptus tereticomis	Forest Red Gum	420		420	132	18.0	6.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6674	Eucalyptus tereticomis	Forest Red Gum	430		430	135	18.0	6.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6675	Eucalyptus tereticomis	Forest Red Gum	450		450	141	20.0	9.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6676	Lophostemon suaveolens	Swamp Box	340	230	410	129	10.0	6.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6677	Eucalyptus tereticomis	Forest Red Gum	310		310	97	14.0	4.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6678	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	20.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6679	Corymbia intermedia	Pink Bloodwood	300		300	94	18.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6680	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	17.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6681	Eucalyptus tereticomis	Forest Red Gum	360		360	113	20.0	9.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6682	Eucalyptus crebra	Narrow-leaved Ironbark	430		430	135	17.0	6.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6683	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	18.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6684	Corymbia intermedia	Pink Bloodwood	390		390	123	20.0	8.0	4.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6685	Eucalyptus tereticomis	Forest Red Gum	390		390	123	18.0	6.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6686	Corymbia intermedia	Pink Bloodwood	350		350	110	17.0	6.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)					
6687	Eucalyptus crebra	Narrow-leaved Ironbark	500																														

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6701	Angophora leiocarpa	Smooth-barked Apple	320		320	101	16.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6702	Corymbia intermedia	Pink Bloodwood	380		380	119	22.0	10.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6703	Corymbia intermedia	Pink Bloodwood	330		330	104	20.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6704	Eucalyptus tereticornis	Forest Red Gum	310		310	97	16.0	4.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6705	Lophostemon suaveolens	Swamp Box	330		330	104	14.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6706	Lophostemon suaveolens	Swamp Box	330		330	104	17.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6707	Angophora leiocarpa	Smooth-barked Apple	330		330	104	12.0	4.0	4.0	Regular	-	-	Die-back	-	-	Typical	Major	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6708	Angophora leiocarpa	Smooth-barked Apple	420		420	132	18.0	9.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6709	Allocasuarina littoralis	Black She-oak	300		300	94	12.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6719	Corymbia citriodora	Spotted Gum	340		340	107	20.0	15.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6720	Lophostemon suaveolens	Swamp Box	300		300	94	9.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6721	Corymbia citriodora	Spotted Gum	330		330	104	20.0	17.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6722	Corymbia citriodora	Spotted Gum	370		370	116	18.0	15.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6723	Corymbia citriodora	Spotted Gum	390		390	123	16.0	15.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6729	Corymbia citriodora	Spotted Gum	380		380	119	18.0	9.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6730	Eucalyptus tereticornis	Forest Red Gum	510		510	160	20.0	9.0	6.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6731	Eucalyptus tereticornis	Forest Red Gum	500		500	157	22.0	10.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6732	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	126	17.0	7.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6733	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	21.0	10.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6734	Eucalyptus tereticornis	Forest Red Gum	340		340	107	20.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6735	Corymbia intermedia	Pink Bloodwood	330		330	104	17.0	6.0	4.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6736	Eucalyptus tereticornis	Forest Red Gum	470		470	148	22.0	12.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6737	Lophostemon suaveolens	Swamp Box	340		340	107	14.0	5.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6738	Eucalyptus tereticornis	Forest Red Gum	330		330	104	20.0	5.0	4.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6739	Corymbia intermedia	Pink Bloodwood	390		390	123	20.0	9.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6740	Eucalyptus tereticornis	Forest Red Gum	340		340	107	22.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6741	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	15.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6742	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	15.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6743	Eucalyptus tereticornis	Forest Red Gum	410		410	129	24.0	8.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6744	Eucalyptus tereticornis	Forest Red Gum	410		410	129	26.0	12.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6745	Dead/Stag		480		480	151	16.0	10.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-	Remove (development area)
6746	Corymbia citriodora	Spotted Gum	330		330	104	19.0	16.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6747	Eucalyptus tereticornis	Forest Red Gum	530		530	167	18.0	8.0	6.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6748	Corymbia intermedia	Pink Bloodwood	420		420	132	24.0	10.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6749	Corymbia intermedia	Pink Bloodwood	360		360	113	22.0	9.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6750	Eucalyptus tereticornis	Forest Red Gum	420		420	132	22.0	9.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6751	Eucalyptus tereticornis	Forest Red Gum	360		360	113	22.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6752	Corymbia intermedia	Pink Bloodwood	330		330	104	22.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6753	Corymbia intermedia	Pink Bloodwood	360		360	113	17.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6754	Eucalyptus tereticornis	Forest Red Gum	350		350	110	20.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6755	Eucalyptus tereticornis	Forest Red Gum	330		330	104	20.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6756	Corymbia citriodora	Spotted Gum	340		340	107	17.0	6.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6757	Eucalyptus tereticornis	Forest Red Gum	380		380	119	22.0	10.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6758	Eucalyptus tereticornis	Forest Red Gum	330		330	104	17.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6759	Eucalyptus tereticornis	Forest Red Gum	310		310	97	20.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6760	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	14.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6761	Lophostemon suaveolens	Swamp Box	390		390	123	12.0	5.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6762	Corymbia intermedia	Pink Bloodwood	430		430	135	22.0	10.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6763	Corymbia intermedia	Pink Bloodwood	430		430	135	22.0	10.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6764	Corymbia citriodora	Spotted Gum	460		460	145	22.0	11.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6765	Eucalyptus tereticornis	Forest Red Gum	380		380	119	21.0	16.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6766	Eucalyptus tereticornis	Forest Red Gum	380		380	119	21.0	16.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6767	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	18.0	15.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6768	Eucalyptus tereticornis	Forest Red Gum	340		340	107	18.0	13.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6769	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	19.0	13.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Approval no: DEV-2026-FL-Additional Details
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6770	Corymbia citriodora	Spotted Gum	370		370	116	15.0	12.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6771	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	113	15.0	10.0	4.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6772	Petalostigma pubescens	Quinine Bush	330		330	104	10.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6773	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	18.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6774	Eucalyptus tereticornis	Forest Red Gum	320		320	101	18.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6775	Corymbia citriodora	Spotted Gum	380		380	119	18.0	8.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6776	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	18.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6777	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	14.0	4.0	4.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6778	Eucalyptus tereticornis	Forest Red Gum	300		300	94	10.0	3.0	3.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6779	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	20.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6780	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	18.0	15.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6781	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	97	18.0	12.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6782	Corymbia citriodora	Spotted Gum	330		330	104	22.0	17.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6783	Angophora leiocarpa	Smooth-barked Apple	460		460	145	20.0	9.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6784	Corymbia citriodora	Spotted Gum	420		420	132	20.0	8.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6785	Corymbia citriodora	Spotted Gum	300		300	94	18.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6786	Eucalyptus tereticornis	Forest Red Gum	330		330	104	18.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6787	Corymbia citriodora	Spotted Gum	390		390	123	18.0	7.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6788	Corymbia citriodora	Spotted Gum	320		320	101	17.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6789	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	20.0	10.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6790	Alphitonia excelsa	Soap Tree	300		300	94	9.0	4.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6791	Corymbia citriodora	Spotted Gum	300		300	94	22.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6792	Corymbia citriodora	Spotted Gum	320		320	101	17.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6793	Corymbia citriodora	Spotted Gum	260	260	368	116	17.0	19.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6794	Corymbia citriodora	Spotted Gum	330		330	104	22.0	18.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6795	Corymbia citriodora	Spotted Gum	330		330	104	22.0	18.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6796	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	21.0	17.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6797	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	16.0	13.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6798	Corymbia citriodora	Spotted Gum	310		310	97	18.0	13.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6799	Eucalyptus tereticornis	Forest Red Gum	330		330	104	20.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6817	Corymbia intermedia	Pink Bloodwood	300		300	94	14.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6818	Eucalyptus crebra	Narrow-leaved Ironbark	520		520	163	20.0	8.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6819	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	20.0	8.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6832	Eucalyptus tereticornis	Forest Red Gum	320		320	101	17.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6833	Eucalyptus tereticornis	Forest Red Gum	330		330	104	16.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7506	Corymbia citriodora	Spotted Gum	300		300	94	17.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7507	Corymbia citriodora	Spotted Gum	315		315	99	17.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7515	Corymbia citriodora	Spotted Gum	310		310	97	17.0	4.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7516	Corymbia citriodora	Spotted Gum	320		320	101	20.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7517	Eucalyptus tereticornis	Forest Red Gum	430		430	135	21.0	9.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7518	Eucalyptus tereticornis	Forest Red Gum	340		340	107	18.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7519	Corymbia citriodora	Spotted Gum	305		305	96	17.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7520	Eucalyptus tereticornis	Forest Red Gum	350		350	110	18.0	9.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7521	Eucalyptus tereticornis	Forest Red Gum	365		365	115	18.0	9.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7522	Corymbia citriodora	Spotted Gum	300		300	94	19.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7523	Eucalyptus crebra	Narrow-leaved Ironbark	365		365	115	18.0	12.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7524	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	113	18.0	9.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7525	Corymbia citriodora	Spotted Gum	345		345	108	19.0	12.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7526	Eucalyptus tereticornis	Forest Red Gum	390		390	123	20.0	8.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7527	Corymbia citriodora	Spotted Gum	400		400	126	12.0	5.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7528	Eucalyptus tereticornis	Forest Red Gum	420		420	132	18.0	11.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7529	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	19.0	10.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7530	Eucalyptus crebra	Narrow-leaved Ironbark	335		335	105	18.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7531	Eucalyptus crebra	Narrow-leaved Ironbark	425		425	134	20.0	11.0	5.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7532	Eucalyptus tereticornis	Forest Red Gum	380		380	119	18.0	6.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								Approval no. DEV-2026-FLA-0050		Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Queensland Government				
7533	Corymbia citriodora	Spotted Gum	300		300	94	17.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
7535	Corymbia citriodora	Spotted Gum	330		330	104	18.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
7536	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	18.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
7537	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	20.0	9.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
7538	Corymbia citriodora	Spotted Gum	320		320	101	18.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
7547	Corymbia citriodora	Spotted Gum	320		320	101	14.0	10.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
7951	Acacia disparima	Hickory Wattle	180		180	57	8.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
7954	Corymbia intermedia	Pink Bloodwood	260		260	82	11.0	6.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
7955	Callistemon salignus	White Bottle Brush	150		150	47	5.0	4.0	2.0	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
7961	Callistemon salignus	White Bottle Brush	160	150	219	69	7.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
7962	Callistemon salignus	White Bottle Brush	160		160	50	6.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
7998	Lophostemon suaveolens	Swamp Box	130		130	41	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
7999	Eucalyptus tereticornis	Forest Red Gum	290		290	91	16.0	7.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
8000	Corymbia intermedia	Pink Bloodwood	200		200	63	7.0	1.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
8001	Lophostemon suaveolens	Swamp Box	120		120	38	4.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
8002	Lophostemon suaveolens	Swamp Box	160		160	50	5.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
8003	Acacia disparima	Hickory Wattle	200		200	63	6.0	2.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
8004	Lophostemon suaveolens	Swamp Box	190		190	60	7.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
8005	Petalostigma quadrioculare		110	110	156	49	5.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
8006	Alphitonia excelsa	Soap Tree	250		250	79	7.0	4.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
8007	Allocasuarina littoralis	Black She-oak	250		250	79	7.0	3.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8008	Corymbia intermedia	Pink Bloodwood	370	300	476	150	18.0	8.0	5.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8009	Dead/Stag		420		420	132	14.0	6.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Retain/subject to future app.					
8010	Corymbia intermedia	Pink Bloodwood	230		230	72	16.0	5.0	2.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8011	Corymbia intermedia	Pink Bloodwood	420		420	132	20.0	12.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8012	Allocasuarina littoralis	Black She-oak	220		220	69	6.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8013	Allocasuarina littoralis	Black She-oak	170		170	53	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
8014	Aphananthe philippinensis	Native Elm	180		180	57	5.0	3.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
8015	Acacia disparima	Hickory Wattle	200		200	63	7.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
8016	Melaleuca viminalis	Weeping Bottlebrush	300		300	94	8.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
8017	Melaleuca viminalis	Weeping Bottlebrush	180		180	57	6.0	3.0	2.2	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
8018	Melaleuca viminalis	Weeping Bottlebrush	250		250	79	7.0	4.0	3.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.					
8022	Aphananthe philippinensis	Native Elm	200	150	250	79	9.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8023	Allocasuarina littoralis	Black She-oak	220		220	69	8.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8024	Allocasuarina littoralis	Black She-oak	240		240	75	10.0	6.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8025	Allocasuarina littoralis	Black She-oak	220		220	69	8.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8026	Petalostigma pubescens	Quinine Bush	360		360	113	7.0	6.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8027	Allocasuarina littoralis	Black She-oak	150		150	47	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8028	Allocasuarina littoralis	Black She-oak	160		160	50	7.0	3.0	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8029	Lophostemon suaveolens	Swamp Box	140		140	44	10.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8030	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	10.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8031	Lophostemon suaveolens	Swamp Box	140		140	44	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.					
8032	Eucalyptus tereticornis	Forest Red Gum	430		430	135	22.0	12.0	5.2	Regular	-	-	Die-back	-	-	Typical	-																

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Additional Details					
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Approval no.	Date:	Additional Details	
8045	Corymbia tessellaris	Moreton Bay Ash	130		130	41	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		Retain/subject to future app.	DEV-2026-FL-000001	11 September 2026	Queensland Government
8046	Eucalyptus siderophloia	Northern Grey Ironbark	240		240	75	18.0	7.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		Retain/subject to future app.			