ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING - EPBC ACT APPROVAL: RESIDENTIAL DEVELOPMENT LOT RP345728, NEW BEITH, QLD (EPBC 2019/8398)

Vegetation Clearing and Management Plan

DWG NO.	DRAWING TITLE	ISSUE	DATE
10941 E 01 Fill_P	COVER SHEET	C	03/09/2026
10941 E 02 Fill_P	VEGETATION CLEARING NOTES	C	03/09/2026
10941 E 03 Fill_P	EPBC APPROVAL CONDITION COMMITMENTS	C	03/09/2026
10941 E 04 Fill_P	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (I)	C	03/09/2026
10941 E 05 Fill_P	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (II)	C	03/09/2026
10941 E 06 Fill_P	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (III)	C	03/09/2026
10941 E 07 Fill_P	EPBC & NESS OVERLAYS	C	03/09/2026
10941 E 08 Fill_P	EPBC FAUNA FENCING AND WILDLIFE SOLUTIONS STRATEGY	C	03/09/2026
10941 E 09 Fill_P	CONTEXT SHEET	C	03/09/2026
10941 E 10-37 Fill_P	DETAIL SHEETS	C	03/09/2026
10941 E 38 Fill_P	VEGETATION CLEARING DIRECTION	C	03/09/2026
10941 E 39-41 Fill_P	WEED MANAGEMENT NOTES	C	03/09/2026
10941 E A01 Fill_P	ATTACHMENT 1: FILL PADS VCMP TREE SCHEDULE	C	03/09/2026



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

PATHWAYS TO SUCCESS

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Process and Management Notes*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

INTRODUCTION

The Environmental Management Division of the Saunders Havill Group (SHG) was engaged by Frasers Property New Beith Pty Ltd to prepare a Vegetation Clearing and Management Plan (VC&MP) for locations required for earthworks fill pads and blasting during the construction of the Round Mountain Project. The vegetation clearing will encompass the locations nominated by the project engineers as suitable and outside the Conservation area to store the temporary fill pads during early stages of construction.

This VC&MP is a requirement of the Economic Development Queensland (EDQ) endorsed Natural Environment Site Strategy (NESS) for the New Beith project. The purpose of this VC&MP is to manage the vegetation removal process and the protection of fauna species within the clearing area. The clearing works will follow general EDQ principles for vegetation clearing documented on this sheet and the *Fauna Management Plan* document. Furthermore, all Federal Environmental Protection & Biodiversity Conservation Act (EPBC) approval conditions must be followed as outlined on Sheets 3-6. The plan is required to be approved prior to clearing works commencing.

This VC&MP has been produced by overlaying the following site datasets to determine impacts and disturbance on existing vegetation in the interface zone between development and Open-space areas:

1. GPS accurate tree data including specimen details & features and site inspection of existing vegetation (SHG, 2024/25). All trees over 100mm DSH were recorded within 20m of the earthworks interface where available with habitat trees (trees over 300mm DSH and/or with hollows) recorded through balance areas.
2. Engineering design (Colliers, 2026)

PROJECT MANAGEMENT

Vegetation clearing and management processes are an integral part of the construction and operational works phases. The site supervisor is responsible for all onsite works including overseeing vegetation clearing, health and safety of fauna and adhering to both EPBC conditions, EDQ's guidelines and Australian Standards - Protection of Trees on Development Sites AS4970-2009 and Pruning of Amenity Trees AS4373-1996.

The site arborist's responsibilities include prior to the commencement of any earthworks on the site, undertake all appropriate arboricultural measures to ensure the survival and long-term health of existing trees to be retained. These measures may include soil decompaction, soil aeration, fertilising, mulching, watering, root or crown reduction and hazard reduction or as otherwise determined by the arborist. The site arborist is also required to direct and supervise all works within TPZs of trees to be retained and perform arboricultural care requirements where necessary.

SITE CONTACTS

Site and consulting contacts for queries relating to vegetation clearing include:

Client Contact:
Frasers Property New Beith Pty Ltd
Belinda Ryan

Environmental Contact:
Saunders Havill Group
Dr Andrew Davies

Site Contractor:
To be advised

Site Arborist:
To be advised

Site Fauna spotter-catcher:
To be advised
(Refer to *Fauna Management Plan* document for responsibilities)

Site Bushfire Consultant:
Rob Jannsen

CLEARING PHASES AND PROCESS

PHASE 1 - Tree Protection Fencing/Flagging to be installed

Tree protection fauna friendly fencing to be installed prior to the commencement of any clearing works on the site (refer top left diagram). Tree protection fencing to be located at or beyond 12 x diameter at breast height (DBH) (AS4970-2009 Protection of trees on development sites)—unless approved by the appointed arborist.

PHASE 2 – Pre-Start Meeting
Fencing/Flagging shall be in place prior to the pre-start meeting for inspection and sign off by the Environmental Coordinator.

PHASE 3 - Fauna Inspections and Management
Undertake necessary fauna management requirements prior to clearing works - as a minimum, this should include the specifications listed in the *Fauna Management Plan* document and acknowledge specific EPBC/EDQ approval requirements.

PHASE 4 - Undertake Bulk Clearing
Undertake wholesale removal of vegetation once approved for removal by a qualified fauna spotter. Clearing will occur in the direction outlined in Sheet 38 of this VC&MP and managed by the appointed fauna spotter to allow all fauna unimpeded movement north and west towards adjoining remaining bushland. Sequential clearing will occur on the site adhering to the limitations of clearing no more than 4 ha set out in *Section 2, Part 3* of the *Nature Conservation (Koala) Conservation Plan 2017*.

Once clearing is finalized, and prior to construction, the fencing will be changed to fauna exclusion style fencing (refer bottom right diagram) immediately surrounding construction areas.

Monitoring and Reporting:

Tree protection fencing is to be inspected daily prior to clearing works and recorded by the Site Supervisor. Any failures in the fencing are to be repaired prior to clearing or construction if adjacent to works or within 24 hours if elsewhere on site. The location of stockpiling and site access localities are be inspected daily and recorded by the Site Supervisor. All works undertaken by the Arborist during clearing and proposed ongoing post-works on retained vegetation are to be reported in an Arborist report for submission to the Environmental Coordinator at the completion of each Stage of clearing. The commitments and outcomes guided by this VC&MP are to be reviewed and reported within Annual Compliance Reports and Independent Audits as per EPBC approval conditions.

Vegetation clearing techniques:

i. By utilising the most appropriate machinery and equipment during vegetation clearing, the probability of injury or death of wildlife during clearing can be significantly reduced or eliminated while still maintaining an efficient vegetation removal process.
ii. Bulldozers will be used to clear vegetation that has been thoroughly inspected by a fauna spotter-catcher and is found to contain no fauna or potential habitat. When a large tree is suspected of containing fauna or potential habitat, other methods of clearing should be used, when safe to do so. These methods include (a) a vertical tree grab attachment on an excavator (30 tonne) can be used to pull entire trees in size up to 30-40 cm diameter at a height measured at 1.3 metres above ground level and lay them down in a steady controlled fashion, allowing inspection by a fauna spotter-catcher (b) where trees are too large for a vertical tree grab, an elevated work platform or cherry picker, where practical, may be used in conjunction with a chainsaw operator and fauna spotter-catcher to carefully remove a hollow section from the habitat tree and gently lower the section for inspection by the fauna spotter-catcher.

NOTE: Dogs are not permitted onsite at any time during construction. Construction works including vegetation clearing must occur between the hours of 6.30am and 6.30pm.

ACCESS AND STOCKPILING


Tree and mulch stockpiling locations are to be designated in an easily accessible area outside of TPZs. Indicative stockpiling locations have been allocated near existing access tracks, allowing for material to be easily delivered and stored. These locations are subject to minor change according to construction staging and movement of fill.

Cleared vegetation free of weeds is to be reused on or off the project site. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and should be professionally mounted on nearby or adjacent suitable trees (see Fauna Management Plan (FMP) for further hollow salvaging details.


MAINTENANCE

After tree clearing works on site, an analysis of the vegetation's health and growth should be undertaken by the project arborist to determine specific maintenance needs. Follow-up maintenance works should be carried out on retained vegetation where required during Precinct A's construction and maintenance periods.

Tree Protection Fencing - Fauna Friendly



Post Clearing Tree Protection Fencing - Fauna Exclusion



Saunders Havill
BOWENHILLS| SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:
AS4970-2009 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT
FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941 E 02 Fill_P VMP C

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *EPBC Conditions of Approval Commitments*

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

DECLARATION OF ACCURACY

In making this declaration, I am aware that section 491 of the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) makes it an offence in certain circumstances to knowingly provide false or misleading information or documents to specified persons who are known to be performing a duty or carrying out a function under the EPBC Act or the *Environment Protection and Biodiversity Conservation Regulations 2000* (Cth). The offence is punishable on conviction by imprisonment or a fine, or both.

Signed	
Full name	Andrew Davies
Position	Manager Environmental Division / Associate Partner
Organisation	**Saunders Havill Pty Ltd**
Date	3 September 2026

EPBC PROTECTED MATTERS

This VC&MP outlines measures to avoid, minimise and manage impacts to matters of national environmental significance and is required to address to address Condition 19 of EPBC Approval 2019/8398 (Residential Development, Lot 4 RP45728, New Beith, Queensland). The protected matters are 'listed threatened species and communities (section 18 and 18A)' including:

- Koala (*Phascolarctos cinereus*) – combined populations of Queensland, New South Wales and the Australian Capital Territory
- Grey-headed Flying-fox (*Pteropus poliocephalus*)
- Greater Glider (*Petauroides volans volans*)
- Swift Parrot (*Lathamus discolor*)
- Regent Honeyeater (*Anthochaera phrygia*)

This VC&MP provides the framework for managing the clearing of vegetation for temporary fill pad locations in the development area and ensure compliance with the EPBC conditions of approval.

CONDITIONS OF APPROVAL

The following commitments are required under Conditions 8 and 9 of EPBC Approval 2019/8398, and have been addressed by this VC&MP in the following locations:

Preliminary Documentation Commitments	Location in VC&MP
Clearly show all trees to be removed and retained	All trees to be removed and retained are clearly shown on Sheets 10-37.
Include details of all civil works likely to impact on existing vegetation	All civil works have been imported to Sheets 10-37.
Temporary and permanent exclusion and protection fencing tor riparian corridors and parklands	Temporary fauna friendly and exclusion fencing is outlined on Sheet 2 EPBC. This will allow fauna to escape during clearing and then exclude them from the construction site once cleared. The endorsed permanent fauna fencing and wildlife solutions are management is depicted on Sheet 8. These will ensure fauna within the specified corridor and conservation areas are protected and safe passage is facilitated. Tree protection fencing during clearing is depicted on Sheets 10-37. This will allow for retained trees to be protected during the clearing process.
Roles and responsibilities for site contractors, developer and the consultant group	Roles and responsibilities for site contractors, the developer and consultant group are set out on Sheet 2.
Stockpiling and site access locations	Stockpiling and site access locations are depicted on Sheet 38 to ensure that stockpiles are appropriately located and site access is safely facilitated.
Links to weed management and revegetation proposals	Refer to accompanying Rehabilitation Management Plan and Sheets 39-41.
The stock piling and reuse of cleared vegetation	Stockpiling and reuse is specifically outlined on Sheet 2 where the mulching and reuse of felled trees and salvage of hollows and habitat values is specified. Further details relevant to the EPBC assessment are outlined on Sheets 4-6 and stockpiling locations and site access are depicted on Sheet 38.
Specific details on the removal of previously identified potential fauna habitat trees	Habitat trees identified under the EPBC assessment as potentially suitable habitat for Greater Glider, Swift Parrot and Regent Honeyeater are identified on Sheets 10-37.
Where trees are shown to be retained occur within disturbance zones they should be accompanied by necessary arborist specifications incorporated into the VC&MP.	Arborist specifications under the relevant Australian Standard are outlined on Sheet 2 and with Arborist managed trees depicted on Sheet 10-37. The Arborist will manage any retained trees that may be impacted by works and will report on all management undertaken.
The VC&MP will designate trees to be protected for the on-going life of the proposal which may require both immediate remedial works (Crown thinning, coppicing) and long term monitoring for the potential of future works.	Trees to be protected and managed by the Arborist are depicted on Sheets 10-37. The arborist will designate management requirements including for retained trees in post-works reporting.

ENVIRONMENTAL MANAGEMENT ROLES AND RESPONSIBILITIES

It is critical for all parties to understand their responsibilities as part of the vegetation clearing 'team'.

Party	Description
Proponent	Ensure all consultants, contractors, sub-contractors or others utilizing the area are aware of the VC&MP. Appoint appropriate consultants and contractors to undertake works as prescribed on the drawings and conditioned by the Assessment Manager. Cover costs of all resources to ensure works are completed as per approved plans.
Consultants	Brief proponent on their requirements in implementing works as per the V&CMP. Attend pre-start meeting prior to clearing works commencing. Undertake monitoring and reporting to the Assessment Manager as per this plan. Be available to respond to technical queries to the approved documentation when on-site conditions require changes. Liaise with the Assessment Manager throughout all stages of approval, initial works and maintenance of works.
Assessment Manager	Provide technical expertise via commentary on the approval of documentation. Attend pre-start meeting prior to clearing works commencing. Reduce and release securities held against works at the completion of successful milestone inspections. Be available to respond to technical queries to the approved documentation when on-site conditions require changes. Accept and review maintenance reports as dictated (if required in this plan.
Contractor	Ensuring all clearing works are implemented in accordance with the VC&MP. Attend pre-start meeting prior to clearing works commencing. Hold relevant licenses in applicable vegetation clearing and fauna spotter/catcher permits, any required insurances for scope of works and an understanding of required Laws, Act, Policies and Guidelines. Recommend changes to the documentation when specific experience or on-site conditions require so.

PLANNED AVOIDANCE AND MITIGATION MEASURES FOR POTENTIAL INDIRECT IMPACTS

Under the VC&MP, planned avoidance and mitigation measures are outlined in association with the indirect impacts to the disturbance footprint and vegetation. Potential indirect impacts associated with the Precinct A and the associated mitigation controls include are as below:

Potential Indirect Impacts	Associated Mitigation Controls	Location in VC&MP
Light and noise disturbance	Construction of the project may result in increased noise and light disturbance. These impacts may disturb fauna or movement behaviours. Standard mitigation measures will restrict potential impacts to the site and impacts to fauna.	Sheet 6
Contamination, weeds and pathogens	Increased vehicle movement during the construction phase has the potential to increase the spread of weeds in the area, particularly during the vegetation clearing phase. With the implementation of standard mitigation measures, such as separating the introduced vegetation stockpiling, the project is likely to result in a negligible impact to ecological values due to the potential introduction/spread of weeds.	Sheets 6
Vehicle Movement	During construction, a large number of vehicles will be required on the subject site potentially causing fauna strike or loss of vegetation and important fauna habitat. With implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to ecological values due to vehicular movements.	Sheets 5 and 6
Waste Disposal	Inappropriate disposal of non-hazardous wastes can attract vermin and other wildlife to site as well as allowing contaminants to enter the site. With implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to ecological values due to waste.	Refer to Construction Environmental Management Plan
Earthworks, Dust and sediment	Construction activities, in particular earthworks, have the potential to generate excessive dust emissions and sediment runoff. Excessive dust can coat vegetation resulting in a reduced quality of habitat for fauna. While sediment runoff can deposit large amounts of earth over retained habitat. Further, excessive dust and sediment runoff can flow into stormwater runoff and therefore into waterbodies and can degrade overall water quality.	Sheets 6
Stockpiling	Stockpiling of construction and landscaping materials and other site debris can be washed into drainage lines and waterbodies during high rain events. Stockpiling of vegetation containing weeds must be separated from vegetation to be reused as mulch to prevent further weed transmission. With implementation of standard mitigation measures, the project is not likely to result in negative impacts from stockpiling with the placement of stockpiles away from watercourses and drains.	Sheets 5, 6 and 38

Saunders Havill
BOWENHILLS| SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:
AS4970-2009 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT
FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941 E 03 Fill_P VMP C

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (I)*

Trigger Table

Trigger	Implication	Management
V&MP not utilised	Heightened risk to retained vegetation during clearing.	This VC&MP is to form part of the pre-clearance environmental package to be reviewed at the prestart and located on site at all times during clearing. Ensure that the VC&MP is part of the package and utilised as required.
Arborist not utilised	Heightened risk to retained vegetation during clearing.	No clearing to commence unless an Arborist has been appointed as mandated.
Sequential Clearing not undertaken	Heightened risk to retained vegetation during clearing.	Sequential clearing is outlined in the VC&MP and mandated. To be utilised at all times.
Temporary Fencing not utilised or fails	Heightened risk to retained vegetation during clearing.	Temporary fencing is mandated as specified on the VC&MP. Daily fence checks to be implemented.
Site inductions not completed	Site personnel unaware of vegetation management procedures	This VC&MP is to form part of the pre-clearance environmental package to be reviewed at the prestart and located on site at all times during clearing. Ensure that the VC&MP is part of the package and reviewed as required.
Stockpiling not undertaken appropriately	Unmanaged stockpiles can risk fauna and habitat values are not salvaged	Stockpiling and habitat salvage is outlined in the VC&MP and mandated. To be utilised at all times.
Trees designated for retention are cleared	Trees that should be retained have been cleared	Arborist to review and report corrections to Environmental Coordinator to update the VC&MP accordingly.

ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES

The following risks relating to achieving the environmental outcomes and risk management strategies and/or mitigation measures that will be applied to address identified risks are:

- **Construction Impacts and Risks**
  - Loss of habitat
  - Fragmentation of habitat
  - Disturbance to retained and surrounding habitat
- **Operational Impacts and Risks**
  - Creation of barriers to dispersal/ Fragmentation of Habitat
  - Disturbance to retained and surrounding habitat

Impact avoidance, mitigation, repair measures, and the timing of those measures, consistent with the measures and timing proposed in the Preliminary Documentation are as follows:

Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Loss of habitat	Impacts have been avoided and minimised through the development design, incorporating open space and conservation areas within areas identified as providing greater environmental values (i.e. Round Mountain, Flagstone Creek and biodiversity corridors within the GFPDA Development Scheme).	Ecological surveys and habitat assessments conducted across the referral area led to the precise spatial analysis of vegetation and habitat qualities.	59.7 ha of vegetation, comprising of Round Mountain, Greater Flagstone Creek and a central corridor connecting these areas, will be retained and rehabilitated as habitat and biodiversity corridors.	At each Stage of development	The field survey applied has accurately mapped environmental values and features.	Mitigation measures (vegetation management) effectively applied.	Loss of habitat

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV-2026-FLA-5383
Date: 26 October 2026
Queensland Government

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (II)*

Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Risk of injury or mortality to MNES from vegetation clearing and construction	Vegetation will be cleared sequentially. Clearing will be conducted so that fauna are flushed into safe, vegetated areas and it will avoid pushing fauna into fragmented areas.	Risk of injury or mortality to MNES from vegetation clearing and construction	Vegetation will be cleared sequentially. Clearing will be conducted so that fauna are flushed into safe, vegetated areas and it will avoid pushing fauna into fragmented areas.	Risk of injury or mortality to MNES from vegetation clearing and construction	Vegetation will be cleared sequentially. Clearing will be conducted so that fauna are flushed into safe, vegetated areas and it will avoid pushing fauna into fragmented areas.	Risk of injury or mortality to MNES from vegetation clearing and construction	Vegetation will be cleared sequentially. Clearing will be conducted so that fauna are flushed into safe, vegetated areas and it will avoid pushing fauna into fragmented areas.
Fragmentation of habitat	Vegetation clearing has the risk of fragmenting habitat areas during the construction phase. To avoid this impact, vegetation will be undertaken sequentially to allow fauna to disperse from construction areas. Clearing procedures that avoid the fragmentation of vegetation will be adopted within the FMPs and informed by the Fauna Spotter Cather reports. Clearing will be undertaken in a way that flushes fauna into the vegetation retention and rehabilitation zone and/or connected areas of habitat and will avoid flushing fauna into fragmented or hostile areas.	Habitat isolation and fragmentation is a primary concern due to its impacts on fauna. The listed fauna are able to disperse through a variety of environs, including bushland and cleared areas. The direction of clearing of vegetation in accordance with the VC&MPs will ensure that clearing does not create fragmented habitat islands that could trap fauna. Rather, procedures will be in place to ensure clearing flushes fauna away from construction areas into the vegetation retention zone and/or surrounding habitat areas that are connected to the wider landscape.	Fauna not fragmented from adjoining habitat during clearing Temporary fauna fencing Stockpiling of cleared vegetation ensures safe fauna movement Safe fauna dispersal locations during construction Low vehicle speeds	Fauna are not fragmented from habitat during clearing. Sequential clearing is undertaken at all times during clearing. At all times during construction At all times during clearing At all times during construction At all times during construction	Fauna are fragmented by clearing Temporary fences are not applied Stockpiling creates a barrier to fauna Fauna strike occurs Speed limits are breached resulting in fauna strike	Clearing completed without fauna being fragmented Temporary fencing utilised at all times during construction Stockpiling is undertaken as guided by VC&MP and FMP No fauna strikes during construction No speed limit breaches during construction	Sequential clearing is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts No residual impact Temporary fauna fencing is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts. No residual impact Safe stockpiling is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts No residual impact Fauna go slow and fencing measures are applied as per the VC&MPs, FMPs, pre-clearance checklists and pre-starts No residual impact Speed limits are mandated and guided by FMPs, pre-clearance checklists and pre-starts No residual impact

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill
BOWENHILLS| SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:
AS4970-2009 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT
FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941 E 05 Fill_P VMP C

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL
Approval no: DEV-2026-FLA-5383
Date: 28 October 2026
Queensland Government

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (III)*

Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Disturbance to retained and surrounding habitat	The VC&MP will include controls to avoid, minimise and mitigate risk of disturbance to retained and surrounding habitat critical to the survival of the listed species during construction, specifically: Light and noise disturbance Construction of the project will result in increased noise and light disturbance. These impacts may disturb fauna and disrupt foraging, reproduction or movement behaviours. Restricted construction hours (e.g. 6am-6pm) will limit disruption from light and noise impacts, as well as allow a 12 hour period for fauna to disperse and forage. Earthworks – dust and sediment generation Construction activities have the potential to generate dust emissions. Dust emissions during construction will be temporary. The main sources of dust will be generated via: • earthworks, including construction of the embankments, and moving, dumping and shaping material; and • wheel/wind generated dust from exposed surfaces, ie. the haul roads created for the construction phase; • vegetation and soil clearing of the land. • Rain/water generated sediment runoff from exposed surfaces Excessive deposition of dust on leaves of plants can suppress the growth and photosynthesis, resulting in reduced habitat quality for fauna. High levels of airborne dust can irritate the respiratory systems of fauna and potentially result in ingestion of dust-coated seeds and other foods. Excessive deposition of dust on open water bodies may also degrade water quality and overall habitat quality for fauna. Sediment runoff during rain events can deposit large amounts of sediment into adjacent vegetation areas and waterways causing significant degraded water and habitat quality. With the implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to any MNES utilising the local area due to the generation of dust and sediment. Contamination, weeds and pathogens Construction activities increase the risk of weeds, pathogens and contamination into the referral area. To manage these impacts, a Weed and Pathogen Management Plan will be prepared to identify potential weed species, and include appropriate controls for weed and pathogen management, disposal and monitoring. Weeds will be actively managed within the construction footprint and disposed of appropriately. No companion animals (e.g. dogs) will be allowed within construction areas. Vehicle disturbance Reduced vehicle speeds will be implemented throughout the construction area to minimise vehicle disturbances. Further, proposed construction roads will be subject to design treatments to ensure safe fauna crossing opportunities are maintained to vegetated areas and impose low vehicle speeds within construction areas. Barriers to dispersal Vegetation will be cleared sequentially. Clearing will be conducted so that fauna are flushed into safe, vegetated areas and it will avoid pushing fauna into fragmented areas. Temporary fauna friendly fencing will allow fauna to safely disperse into vegetated areas while clearing. Temporary fauna exclusion fencing will then be erected to prevent fauna dispersing into construction areas. Contractor management All construction personnel shall attend environmental training as part of the referral area induction process prior to entering the work site. As part of this training, all personnel will be instructed on their obligations in regard to vegetation clearing protocols and to protect native fauna. Additional controls for listed species will be presented in a toolbox talk.	Construction management and clearing controls are considered to be able to effectively avoid, minimise and mitigate risk of disturbance to listed species activities during construction, and allow for adaptive management where required. Limiting hours of construction and clearing to daylight hours, allows a 12 hour period for safe dispersal. With appropriate monitoring, pre, during and post construction by the Fauna Spotter Catcher, no residual impacts area expected to occur.	Minimise light and noise disturbance	At all times during construction	Light and noise impacts on fauna	Light and noise disturbance is limited to daylight hours	Light and noise restrictions mandate works between 6am and 6pm in the SBMP. **No residual impact**
			The risk of dust emissions and sediment runoff	At all times during construction	Dust and sediment impacts on retained vegetation and fauna	Erosion and sediment control plan ESC plans implemented for all vegetation clearing phases	ESC plans will mitigate the risk of dust and sediment impacts **No residual impact**
			The risk of contamination and exacerbating weeds and pathogens is minimised	At all times during construction	Contamination, weed and pathogen incursion	Contamination and weed and pathogen incursions do not occur	The VC&MP will mitigate the risk of contamination and weed and pathogen incursion **No residual impact**
			Vehicle disturbance minimised- reduce number of access tracks and/or haul roads	At all times during construction	Fauna disturbance, Injury or mortality from vehicles	Fauna disturbance, Injury or mortality from vehicles is mitigated	The VC&MP will mitigate the risk of vehicle disturbance **No residual impact**
			Barriers to dispersal are not created	At all times during construction	Vegetation clearing and stockpiling creates a barrier to fauna	Vegetation clearing and stockpiling is undertaken as guided by VC&MP and FMP	The VC&MP will mitigate the risk of dispersal barriers **No residual impact**
			Temporary fauna fencing	At all times during construction	Temporary fences are not applied	Temporary fencing utilised at all times during construction	The VC&MP will guide temporary fencing **No residual impact**
			Inductions and training	At all times during construction	Inductions avoided	All inductions are completed and records maintained	Site Inductions are mandatory **No residual impact**
			Adaptive management	At all times during construction	Adaptive management not applied	Adaptive management utilised if required	The VC&MP will include adaptive management strategies to avoid recurrence of adverse incidents should they occur **No residual impact**

Saunders Havill
BOWENHILLS| SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:
AS4970-2009 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT
FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941 E 06 Fill_P VMP C

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING


Vegetation Clearing and Management Plan - *EPBC and EDQ Overlays*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government



LEGEND

- Project boundary
- Fill pads and blasting work extent
- EPBC Approval Conservation Area
- NESS Low Order Remnant
- Primary Site Fauna Corridor
- Unconnected Supporting Habitat Area

Saunders Havill
BOWENHILLS| SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:9,750

References:
AS4970-2009 Protection of trees on development sites

0 50 100 200 300 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW BEITH PTY LTD


PROJECT
FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941 E 07 Fill_P VMP C

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *DCCEEW Endorsed Fauna Fencing and Wildlife Solutions Strategy*



LEGEND

- Project boundary
- Master Plan
  - Development area
  - Open space
  - Conservation area
- Fauna Friendly Crossing Solution
- Fauna Exclusion Directional Fence
- Fauna Protection Measures (Safety Signage, Fencing, Open Space Buffers and Topolographical Boundaries to be Utilised According to Adjacent Fauna Risk Factors)

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill
BOWENHILLS| SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:10,000

References:
AS4970-2009 Protection of trees on development sites

0 100 200 400 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW BEITH PTY LTD


PROJECT
FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941 E 08 Fill_P VMP C

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Context Detail Sheet*



LEGEND

- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours

Master Plan

- Development area
- Open space
- Conservation area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:6,200

References:

AS4970-2009 Protection of trees on development sites

0 50 100 200 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE

VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 09 Fill_P VMP C

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING


Vegetation Clearing and Management Plan - *Detail Sheet 10*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

Saunders Havill
BOWENHILLS| SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:450

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS					
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT
FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941 E 10 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING


Vegetation Clearing and Management Plan - *Detail Sheet 11*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

Saunders Havill
BOWENHILLS| SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:450

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW BEITH PTY LTD


PROJECT
FILL PADS AND BLASTING,
ROUND MOUNTAIN PROJECT,
NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941 E 11 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 12*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 12 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 13*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS					
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 13 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 14*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS					
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED	
C	3/09/2026	EDQ RFI	TC	AD	

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 14 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 15*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 15 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 16*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 16 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 17*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:450

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW BEITH PTY LTD


PROJECT
FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941 E 17 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 18*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 18 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 19*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 19 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 20*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS					
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 20 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 21*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 21 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 22*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 22 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 23*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 23 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 24*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 24 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 25*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 25 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 26*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 26 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 27*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 27 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 28*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 28 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 29*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 29 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 30*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 30 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 31*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS					
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 31 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 32*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS					
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 32 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 33*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 33 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 34*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 34 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 35*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE

VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 35 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 36*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 36 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Detail Sheet 37*



LEGEND

Tree plot (incl. survey data w/TPZ)

- Tree outside of Fill pads and blasting area - retention subject to future applications
- Habitat tree outside of fill pad and blasting area - retention subject to future works
- Tree to remove in fill pad and blasting area
- Habitat tree to remove in fill pad and blasting area
- Tree retention subject to Precinct A application (refer to Precinct A VCFMP)
- Habitat tree retention subject to Precinct A application (refer to Precinct A VCMP)
- Tree retention subject to Precinct B application (refer to Precinct B VCMP)
- Habitat tree retention subject to Precinct B application (refer to Precinct B VCMP)
- EPBC identified habitat tree
- Project boundary
- Fill pads and blasting work extent
- Fill pads design contours
- Tree protection fencing
- EPBC Approval Conservation Area
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:450

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 37 Fill_P VMP B

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Vegetation Clearing Direction*



LEGEND

- Project boundary
- Fill pads and blasting work extent
- Existing access tracks to be utilised outside of EPBC Approval Conservation Area
- Vegetation clearing direction
- Temporary Vegetation stockpile locations during clearing phases
- EPBC Approval Conservation Area

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill

BOWENHILLS| SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)

1:6,000

References:

AS4970-2009 Protection of trees on development sites

0 50 100 200 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT

FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT

FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE

VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 38 Fill_P VMP C

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Weed Management Notes (i)*

Weed management to follow these general guidelines. All weed management works on site must be undertaken in accordance with the *Queensland Biosecurity Act 2014*.

Queensland Herbarium Invasive Naturalised Plants In South East Queensland

Rk	Family	Scientific and common names	Sr	R	S	LFS	Non-Chemical Control	Chemical Control
1	Mimosaceae	Acacia boliviana (Bolivian wattle)	1	1	4	T/O	Mechanical or chain removal.	Herbicides must be applied by appropriately qualified / supervised persons in accordance with the Agricultural Chemicals and Distribution Control Act 1966 at rates identified on registered product labels, or on an Australian Pesticides and Veterinary Medicines Authority (APVMA) issued off-label permit where applicable. Refer to South East Queensland Ecological Restoration Framework for additional guidance.
2	Mimosaceae	Acacia farnesiana (mimosa bush)	6	15	3	T/A	Mechanical removal of small plants.	
3	Mimosaceae	Acacia nilotica subsp. indica (prickly acacia)	3	3	4.4	T/A	Mechanical or chain removal.	
4	Cactaceae	Acanthocereus tetragonus (sword pear)	1	1	3	S/O	Biological controls available: cactoblastis cactorum successful. Mechanical control difficult. Fire can be used.	
5	Polygonaceae	Acetosa sagittata (rambling dock)	4	18	4	V/U	Tubers: Dig up, bag and remove.	
6	Agavaceae	Agave americana (century plant)	4	9	4	S/OA	Dig out by hand or machine	
7	Agavaceae	Agave sisalana (sisal)	2	4	4	S/OA	Dig out by hand or machine	
8	Agavaceae	Agave vivipara var. vivipara (sisal)	2	3	4	S/OA	Dig out by hand or machine	
9	Asteraceae	Ageratina adenophora (crofton weed)	6	38	5	H/O	Hand pull and hang to dry.	
10	Asteraceae	Ageratina riparia (mistflower)	5	38	5	H/O	Hand pull and hang to dry.	
11	Asteraceae	Ageratum houstonianum (blue billygoat weed)	8	81	4	H/UO	N/A	
12	Simaroubaceae	Ailanthus altissima (tree of heaven)	1	3	4	T/O	Seedlings: Hand pull	
13	Amaranthaceae	Alternanthera philoxeroides (alligator weed)	1	3	5	Ha/U	Physical removal of plant should not be attempted	
14	Poaceae	Andropogon virginicus (whisky grass)	6	14	4	H/A	Hand pull or dig out small infestations.	
15	Basellaceae	Anredera cordifolia (madeira vine)	8	16	5	V/O	Small Vines & Tubers: Hand pull. Bag and dispose.	
16	Asclepiadaceae	Araujia sericifera (mothvine)	9	38	4	V/O	Seedlings & Vines: Hand pull. Bag and remove fruit.	
17	Aristolochiaceae	Aristolochia elegans (Dutchman's pipe)	8	30	4	V/O	Stems: Hand pull; Fruit: Bag and remove.	
18	Poaceae	Arundo donax (giant reed)	1	4	4	H/O	Physical removal of small infestations.	
19	Asclepiadaceae	Asclepias curassavica (red cotton bush)	9	43	3	S/O	Hand pull; Slash	
20	Asparagaceae	Asparagus aethiopicus cv. Sprengeri (asparagus ground fern)	5	35	5	H/O	Dig out unwanted plants and dispose of at the appropriate council landfill. Remove the entire crown of underground stem of plant to prevent regrowth	
21	Asparagaceae	Asparagus africanus (ornamental asparagus, asparagus fern)	7	26	5	V/O	Dig out roots and dispose of at local council landfill site. Remove entire crown and underground stem to prevent regrowth	
22	Asparagaceae	Asparagus plumosus (asparagus fern)	4	8	4	V/O	Rhizomes: crown and hang to dry.	
23	Poaceae	Axonopus compressus (broad leaved carpet grass)	5	23	4	H/AO	Cut stems from roos.	
24	Asteraceae	Baccharis halimifolia (groundsel bush)	10	168	5	S/O	Seedlings: Hand pull	
25	Asteraceae	Bidens pilosa (cobbler's pegs)	10	110	4	H/U	Hand pull or cultivation.	
26	Poaceae	Brachiaria decumbens (signal grass)	4	14	4	H/A	Grazing	
27	Poaceae	Brachiaria mutica (para grass)	6	18	4	Ha/A	Grazing	
28	Crassulaceae	Bryophyllum daigremontianum x B. delagoense (hybrid mother-of millions)	6	15	5	H/O	Hand pull and dispose	
29	Crassulaceae	Bryophyllum delagoense (mother of millions)	8	38	5	H/O	Hand pull and dispose	
30	Crassulaceae	Bryophyllum pinnatum (resurrection plant)	6	17	4	H/O	Hand pull and dispose	
31	Buddlejaceae	Buddleja madagascariensis (buddleja)	5	6	3	S,V/O	N/A	
32	Cabombaceae	Cabomba caroliniana (cabomba, fanwort)	4	12	5	Ha/F	Mechanical removal of small infestations	
33	Caesalpiniaceae	Caesalpinia decapetala (thorny poinciana)	4	20	4	S,V/O	Seed-heads: Bag and remove.	
34	Brassicaceae	Cakile edentula (American sea rocket)	4	24	4	H/U	Manually grub and destroy.	
35	Commelinaceae	Callisia fragrans (purple succulent)	3	9	4	H/O	N/A	
36	Cannaceae	Canna indica (canna lily)	3	9	3	H/O	Dig out entire plant	
37	Sapindaceae	Cardiospermum grandiflorum (balloon vine)	7	31	4	V/O	Seedlings & Small Vines: Hand Pull	
38	Apocynaceae	Cascabela thevetia (syn. Thevetia peruviana) (yellow oleander)	5	9	3	ST/O	Hand pull small infesttions. Slashing can be used but should be followed up by herbicide application.	
39	Apocynaceae	Catharanthus roseus (pink periwinkle)	5	22	4	S/O	Hand pull	
40	Ulmaceae	Celtis sinensis (Chinese celtis)	8	19	5	T/O	Remove when small. Hand pull or dig out small seedlings. Combine dozing, burning and controlled grazing for large infestations	
41	Poaceae	Cenchrus ciliaris (buffel grass)	4	15	4	H/A	Hand or mechanical removal of young plants	
42	Poaceae	Cenchrus echinatus (Mossman river grass)	8	43	3	H/A	Hand or mechanical removal of young plants	
43	Solanaceae	Cestrum parqui (green cestrum)	6	36	4	S/O	Seedlings: Hand pull	
44	Caesalpiniaceae	Chamaecrista rotundifolia (round-leaf cassia)	6	14	3	ST/A	Seedlings: Hand pull	
45	Poaceae	Chloris gayana (Rhodes grass)	9	55	4	H/A	Hand pulling and removal and digging of larger clumps	
46	Asteraceae	Chrysanthemoides monilifera subsp. rotundata (bitou bush)	3	23	5	S/OA	N/A	
47	Lauraceae	Cinnamomum camphora (camphor laurel)	7	25	5	T/O	Seedlings: Hand pull	
48	Rubiaceae	Coffea arabica (coffee)	3	7	3	ST/A	Saplings: Hand pull	
49	Arecaceae	Colocasia esculenta (taro)	3	4	3	H/AO	Hand pull.	
50	Commelinaceae	Commelina benghalensis (hairy wandering jew)	4	7	4	H/O	Collect and Bag	
51	Asteraceae	Conyza bonariensis (flax-leaf fleabane)	7	38	3	H/U	Hand or mechanical removal of small infestations	
54	Poaceae	Cortaderia selloana (pampas grass)	2	1	4	H/O	Small Plants: dig out by hand or machine	
55	Asclepiadaceae	Cryptostegia grandiflora (rubber vine)	6	19	4	V/O	Scattered or medium-density infestations: Where possible, repeated slashing close to ground level is recommended.	
56	Poaceae	Cynodon dactylon (couch, Bahama grass introduced cultivars)	10	45	4	H/OA	Hand pull small infestations, removing all roots or smother with mulch.	
57	Cyperaceae	Cyperus brevifolius (Mullumbimby couch)	8	53	3	H/O	Each has to be dug out with a spade and the entire plant turned over, exposing the root system while making sure all aerial parts of the plant are completely covered.	
58	Cyperaceae	Cyperus involucratus (African sedge)	6	15	4	Ha/OF	Each has to be dug out with a spade and the entire plant turned over, exposing the root system while making sure all aerial parts of the plant are completely covered.	
59	Fabaceae	Desmodium intortum (greenleaf desmodium)	4	11	3	H/A	Hand pull or crown and dispose	
60	Fabaceae	Desmodium uncinatum (silverleaf desmodium)	5	14	4	H/A	Hand pull or crown and dispose	
61	Poaceae	Digitaria didactyla (Queensland blue couch)	9	70	4	H/A	Hand pull or cultivation	
62	Poaceae	Digitaria eriantha (pangola grass)	5	20	3	H/A	Hand pull or cultivation	
63	Verbenaceae	Duranta erecta (duranta)	6	14	4	ST/O	Shrubs: CS&P (1:1.5)	
64	Poaceae	Echinochloa colona (awnless barnyard grass)	9	44	3	H/A	Hand or mechanical removal of small infestations	
65	Poaceae	Echinochloa crus-galli (barnyard grass)	6	34	4	H/A	Hand pull or dig out small infestations.	
66	Hydrocharitaceae	Egeria densa (egeria waterweed)	2	7	4	Ha/F	Hand pulling, cutting and digging with machines effective	
67	Pontederiaceae	Eichhornia crassipes (water hyacinth)	4	8	5	Ha/OF	Mechanical removal of small infestations	
68	Poaceae	Eleusine indica (crowsfoot grass)	8	55	4	H/A	Pull and chip. Replant with native couch.	
69	Poaceae	Eragrostis curvula (African lovegrass)	7	29	4	H/U	Chipped out before they flower. When chipping out the plant ensure that the tussock crowns are removed, as this will prevent regrowth. If in seed, the stems must be cut and bagged first.	
70	Rosaceae	Eriobotrya japonica (loquat)	3	5	3	T/O	Seedlings: Hand pull	
71	Fabaceae	Erythrina crista-galli (cockspur coral tree)	2	4	4	T/O	N/A	
72	Myrtaceae	Eugenia uniflora (Brazilian cherry)	4	19	4	ST/O	N/A	
73	Euphorbiaceae	Euphorbia cyathophora (painted spuge)	8	20	3	H/O	Hand pull	
74	Euphorbiaceae	Euphorbia heterophylla (milk weed)	5	12	3	H/O?	Hand pull	
75	Agavaceae	Furcraea foetida (Cuban hemp)	3	4	4.3	S/OA	Dig out by hand or machine	
76	Agavaceae	Furcraea selloa (hemp)	1	2	4	S/OA	Dig out by hand or machine	
77	Caesalpiniaceae	Gleditsia triacanthos (honey locust)	7	12	4	T/O	For the control of dense infestations on grazing land, burning followed by spot spraying is an economical control method.	
78	Colchicaceae	Gloriosa superba (glory lily)	3	26	4	V/O	N/A	
79	Asclepiadaceae	Gomphocarpus physocarpus (balloon cotton bush)	10	132	4	S/OU	Slash in winter and spray regrowth. Wanderer Butterfly can also be used as biological control.	

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:

South East Queensland Ecological Restoration Framework (2012)

AS4970-2009 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT
FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941 E 39 Fill_P VMP C

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Weed Management Notes (ii)*

Weed management to follow these general guidelines. All weed management works on site must be undertaken in accordance with the *Queensland Biosecurity Act 2014*.

Queensland Herbarium Invasive Naturalised Plants In South East Queensland

Rk	Family	Scientific and common names	Sr	R	S	LFS	Non-Chemical Control	Chemical Control
80	Asteraceae	Gymnocoronis spilanthoides (Senegal tea)	3	4	5	Ha/F	Place plant material in a sealed plastic bag, leave in sunlight to rot then burn or dispose of at a council-approved land fill tip	Herbicides must be applied by appropriately qualified / supervised persons in accordance with the Agricultural Chemicals and Distribution Control Act 1966 at rates identified on registered product labels, or on an Australian Pesticides and Veterinary Medicines Authority (APVMA) issued off-label permit where applicable. Refer to South East Queensland Ecological Restoration Framework for additional guidance.
81	Cactaceae	Harrisia martinii (harrisia cactus)	2	4	4	S/O	The use of the biological mealy-bug agent is recommended	
82	Zingiberaceae	Hedychium coronarium (wild ginger)	2	2	4	H/O	Small Plants: Hand pull and dispose	
83	Zingiberaceae	Hedychium gardnerianum (ginger lily)	1	3	4	H/O	Small Plants: Hand pull and dispose	
84	Malpighiaceae	Hiptage benghalensis (hiptage)	3	5	4	S,V/O	Hand pull small infestations.	
85	Acanthaceae	Hygrophila costata (Glush weed)	3	7	5	Ha/F	Hand pull smal infestations. Can be controlled by planting competitive native species.	
86	Poaceae	Hymenachne amplexicaulis cv. Olive (hymenachne)	1	1	4	Ha/A	A combined approach of different control methods including mechanical, chemical and biological with land management practices is most effective	
87	Acanthaceae	Hypoestes phyllostachya (polka-dot plant	3	5	4	H/O	Hand pull or crown and dispose	
88	Balsaminaceae	Impatiens walleriana (balsam)	2	6	4	H/O	N/A	
89	Convolvulaceae	Ipomoea cairica (mile-a-minute)	7	56	4	V/O	Vines & Runners: hand pull, roll up and hand up to dry.	
90	Convolvulaceae	Ipomoea indica (blue morning glory)	5	24	4	V/O	Vines and Runners: hand pull, roll up and hang to dry.	
91	Bignoniaceae	Jacaranda mimosifolia (jacaranda)	4	12	3	T/O	Seedlings: Hand pull	
92	Euphorbiaceae	Jatropha gossypiifolia (cotton-leaf physic nut, bellyache bush)	1	1	4	S/O	Hand pull	
93	Juncaceae	Juncus articulatus (jointed rush)	1	2	4	Ha/FO	Hand pull.	
94	Acanthaceae	Justicia betonica (squirreltail)	2	4	4	S/O	Hand pull smal infestations. Can be controlled by planting competitive native species.	
95	Sapindaceae	Koelreuteria elegans (Chinese rain tree)	1	1	3.6	T/O	Seedlings: Hand pull	
96	Verbenaceae	Lantana camara var. camara (lantana)	10	455	5	S/O	Seedlings: Hand pull	
97	Verbenaceae	Lantana montevidensis (creeping lantana)	8	62	5	S/O	Fire and/or mechanical control	
98	Mimosaceae	Leucaena leucocephala (leucaena)	6	14	4	ST/A	Small plants: Hand pull or mechanical removal	
99	Oleaceae	Ligustrum lucidum (tree privet)	5	9	5	T/O	Seedlings: Hand pull	
100	Oleaceae	Ligustrum sinense (Chinese privet)	4	11	5	T/O	Seedlings: Hand pull	
101	Liliaceae	Lilium formosanum (Taiwan lily)	5	10	4	H/O	Hand pull or crown and dispose	
102	Caprifoliaceae	Lonicera japonica (Japanese honeysuckle)	3	6	4	V/O	Vines and Runners: hand pull, roll up and hang to dry.	
103	Solanaceae	Lycium ferocissimum (African boxthorn)	1	5	4.4	S/O	N/A	
104	Bignoniaceae	Macfadyena unguis-cati (cat's claw creeper)	5	36	5	V/O	Tubers: crown or dig up, bag and remove.	
105	Fabaceae	Macroptilium atropurpureum (siratro)	8	39	4	V/A	N/A	
106	Fabaceae	Macrotyloma axillare (perennial horse gram)	4	12	3	V,H/A	N/A	
107	Poaceae	Melinis minutiflora (molasses grass)	5	17	5	H/A	Grazing or mowing	
108	Poaceae	Melinis repens (red Natal grass)	10	134	4	H/A	Grazing or mowing	
109	Mimosaceae	Mimosa pudica (common sensitive plant)	4	12	4	S/A	N/A	
110	Moraceae	Morus alba (white mulberry)	3	10	3	T/O	N/A	
111	Rutaceae	Murraya paniculata cv. Exotica (murraya)	6	26	4	S/O	Seedlings: Hand pull	
112	Haloragaceae	Myriophyllum aquaticum (parrot's feather)	3	15	4	Ha/F	N/A	
113	Brassicaceae	Nasturtium officinale (Qld use Rorippa nasturtium-aquaticum) (watercress)	7	19	4	Ha/FU	Manually grub and destroy.	
114	Fabaceae	Neonotonia wightii (glycine)	5	16	5	H/A	N/A	
115	Nymphaeaceae	Nymphaea caerulea subsp. zanzibarensis (blue lotus)	4	17	4	Ha/OF	Hand pull small infestations.	
116	Nymphaeaceae	Nymphaea mexicana (yellow waterlily)	2	4	4	Ha/OF	Hand pull small infestations.	
117	Ochnaceae	Ochna serrulata (ochna)	7	33	5	S/O	N/A	
118	Onagraceae	Oenothera drummondii subsp. drummondii (beach evening primrose)	3	17	4	H/O	Hand pull	
119	Oleaceae	Olea europaea (olive)	2	6	4	T/A	Seedlings: Hand pull	
120	Cactaceae	Opuntia aurantiaca (tiger pear)	1	2	4	S/O	Biological controls available: cactoblastis cactorum successful. Mechanical control difficult. Fire can be used.	
121	Cactaceae	Opuntia imbricata (rope pear)	1	1	4	H/O	Biological controls available: cactoblastis cactorum successful. Mechanical control difficult. Fire can be used.	
122	Cactaceae	Opuntia monacantha (drooping tree pear, syn. O. vulgaris)	2	3	4	S/O	Biological controls available: cactoblastis cactorum successful. Mechanical control difficult. Fire can be used.	
123	Cactaceae	Opuntia stricta (common prickly pear)	7	67	4	S/O	Biological controls available: cactoblastis cactorum successful. Mechanical control difficult. Fire can be used.	
124	Cactaceae	Opuntia tomentosa (velvet tree pear)	8	46	4	S/O	Biological controls available: cactoblastis cactorum successful. Mechanical control difficult. Fire can be used.	
125	Poaceae	Panicum maximum (green panic and guinea grass)	8	78	5	H/A	Hand or mechanical removal of small infestations	
126	Asteraceae	Parthenium hysterophorus (parthenium weed)	6	14	4	H/U	Hand pulling of small areas is not recommended	
127	Poaceae	Paspalum conjugatum (paspalum grass)	7	38	4	H/A	Cut below crown.	
128	Poaceae	Paspalum dilatatum (paspalum grass)	10	30	4	H/A	Hand pull or dig up	
129	Poaceae	Paspalum mandiocanum (broad leaf paspalum)	3	6	4	H/A	N/A	
130	Poaceae	Paspalum notatum (bahia grass)	4	10	4	H/A	Hand pull or dig up	
131	Passifloraceae	Passiflora edulis (passion fruit)	6	12	3	V/AO	Hand Pull	
132	Passifloraceae	Passiflora foetida (stinking passion flower)	7	50	4	V/O	Hand Pull	
133	Passifloraceae	Passiflora suberosa (cork passionflower)	8	166	4	V/O	N/A	
134	Passifloraceae	Passiflora subpeltata (white passion flower)	10	60	4	V/O	Stems: Hand pull	
135	Scrophulariaceae	Paulownia tomentosa (paulownia)	3	5	4	T/AO	Seedlings: Hand pull	
136	Poaceae	Pennisetum alopecuroides (swamp foxtail)	7	29	4	H/O	Hand Pull	
137	Poaceae	Pennisetum clandestinum (kikuyu grass)	4	12	4	H/A	Hand Pull	
138	Poaceae	Pennisetum purpureum (elephant grass)	2	9	4	H/O	Grazing or mechanical removal	
139	Poaceae	Pennisetum setaceum (fountain grass)	3	11	3	H/O	Hand Pull	
140	Verbenaceae	Phyla canescens (lippia, Condamine couch)	3	4	4	Ha/O	A combined approach of different control methods including chemical and mechanical with land management practices is most effective	
141	Poaceae	Phyllostachys aurea (fishpole bamboo)	1	2	4	S/O	N/A	
142	Phytolaccaceae	Phytolacca octandra (inkweed)	10	50	3	H/O	Hand pull or crown	
143	Pinaceae	Pinus elliottii (slash pine)	4	22	4	T/A	Seedlings: Hand pull; Saplings and Trees: cut close to ground or ring-bark	
144	Araceae	Pistia stratiotes (water lettuce)	3	8	4	Ha/OF	Mechanical removal of small infestations	
145	Mimosaceae	Prosopis pallida (algaroba)	2	2	4	ST/O	When using mechanical control methods, it is important to remove the bud zone of the root system (about 30 cm below the ground surface). If this is not removed, re-shooting can occur.	
146	Rosaceae	Prunus munsoniana (wild goose plum)	7	31	4	ST/A	Seedlings: Hand pull	
147	Myrtaceae	Psidium guajava and P. guineense (yellow guava and West Indes guava)	4	7	4	ST/AO	N/A	
148	Fabaceae	Pueraria lobata (kudzu)	3	4	4	V,S/O	Slash; Diminish by shading site	
149	Bignoniaceae	Pyrostegia venusta (flame vine)	1	1	4	V/O	N/A	
150	Rosaceae	Rhaphiolepis indica (indian hawthorn)	3	10	4	ST/O	Seedlings: Hand pull	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV-2026-FLA-5383
Date: 26 October 2026
Queensland Government

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:
South East Queensland Ecological Restoration Framework (2012)
AS4970-2009 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT
FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941 E 40 Fill_P VMP C

ROUND MOUNTAIN PROJECT - FILL PADS AND BLASTING

Vegetation Clearing and Management Plan - *Weed Management Notes (iii)*

Weed management to follow these general guidelines. All weed management works on site must be undertaken in accordance with the *Queensland Biosecurity Act 2014*.

Queensland Herbarium Invasive Naturalised Plants In South East Queensland

Rk	Family	Scientific and common names	Sr	R	S	LFS	Non-Chemical Control	Chemical Control
150	Rosaceae	Rhaphiolepis indica (Indian hawthorn)	3	10	4	ST/O	Seedlings: Hand pull	Herbicides must be applied by appropriately qualified / supervised persons in accordance with the Agricultural Chemicals and Distribution Control Act 1966 at rates identified on registered product labels, or on an Australian Pesticides and Veterinary Medicines Authority (APVMA) issued off-label permit where applicable. Refer to South East Queensland Ecological Restoration Framework for additional guidance
151	Euphorbiaceae	Ricinus communis (castor oil plant)	7	20	4	S/O	Seedlings: Hand pull	
152	Phytolaccaceae	Rivina humilis (baby pepper)	8	61	4	H/O	Hand pull and hang to dry.	
153	Rosaceae	Rubus bellobatus (kittatinny blackberry)	5	22	4	S/O	Slashing hinders growth, giving some control if plants are slashed before they seed	
154	Rosaceae	Rubus discolor (R. fruticosus complex, a blakberry)	4	10	4	S/OA	Slashing hinders growth, giving some control if plants are slashed before they seed	
155	Rosaceae	Rubus ellipticus (yellowberry)	4	26	4	S/O	Slashing hinders growth, giving some control if plants are slashed before they seed	
156	Acanthaceae	Ruellia malacosperma (ruellia)	5	16	4	H/O	N/A	
157	Ruppiaceae	Ruppia maritima (sea tassel)	2	8	4	Ha/F	Hand pull or dig up	
158	Alismataceae	Sagittaria graminea var. platyphylla (sagittaria arrowhead)	3	7	4	Ha/FO	Physical removal of small infestations.	
159	Lamiaceae	Salvia coccinea (red salvia)	9	46	4	H/O	remove small areas by hand or machine	
160	Salviniaceae	Salvinia molesta (salvinia)	8	57	5	Ha/F	Mechanical removal of small infestations; Salvinia weevil (Biological control)	
161	Caprifoliaceae	Sambucus canadensis (American elder)	3	7	3	ST/O	Vines and Runners: hand pull, roll up and hang to dry.	
162	Dracaenaceae	Sansevieria trifasciata (sansevieria)	2	7	3	H/O	Hand pull or dig up	
163	Anacardiaceae	Schinus terebinthifolius (broad-leaf pepper tree)	6	49	5	T/O	Seedlings: Hand pull	
164	Asteraceae	Senecio madagascariensis (fire weed)	6	28	4	H/U	Vines: Hand pull and remove; Runners: Roll up and hang to dry.	
165	Asteraceae	Senecio tamoides (Canary creeper)	3	8	4	V/O	Vines: Hand pull and remove; Runners: Roll up and hang to dry.	
166	Caesalpiniaceae	Senna pendula var. glabrata (Easter cassia)	7	33	4	ST/O	Seedlings: Hand pull	
167	Caesalpiniaceae	Senna septemtrionalis (arsenic bush, was S. floribunda)	6	25	4	S/O	Seedlings: Hand pull	
168	Poaceae	Setaria palmifolia (palm leaf setaria)	5	13	3	H/O	Hand pull or dig up	
169	Poaceae	Setaria sphacelata (South African pigeon grass)	9	41	4	H/A	Hand pull or dig up	
170	Malvaceae	Sida rhombifolia (Paddy`s lucerne)	9	69	4	S/U	Hand pull or dig out.	
171	Asteraceae	Sigesbeckia orientalis (Indian weed)	10	148	4	H/U	Hand pull or cultivation.	
172	Solanaceae	Solanum erianthum (a tobacco bush)	7	19	3	S/O	Hand pull	
173	Solanaceae	Solanum hispidum (giant devil's fig)	5	23	4	S/O	Hand pull	
174	Solanaceae	Solanum mauritianum (wild tobacco tree)	8	30	4	S/O	Seedlings: Hand pull	
175	Solanaceae	Solanum seaforthianum (Brazilian nightshade)	8	78	4	V/O	Hand pull	
176	Solanaceae	Solanum torvum (devil's fig)	6	39	4	S/O	Seedlings: Hand pull	
177	Asteraceae	Solidago canadensis var. scabra (Canadian goldenrod)	7	15	4	H/O	Hand pull and hang to dry.	
178	Bignoniaceae	Spathodea campanulata (African tulip tree)	1	1	3	T/O	N/A	
179	Asteraceae	Sphagneticola trilobata (Singapore daisy)	6	34	5	H/O	Hand pull	
180	Poaceae	Sporobolus africanus (Parramatta grass)	8	48	5	H/U	Hand or mechanical removal of small infestations	
181	Poaceae	Sporobolus fertilis (giant Parramatta grass)	9	27	5	H/U	Hand or mechanical removal of small infestations	
182	Poaceae	Sporobolus pyramidalis and S. natalensis (giant rat's tail grasses)	8	72	5	H/U?	Hand or mechanical removal of small infestations	
183	Poaceae	Stenotaphrum secundatum (buffalo grass)	3	23	3	H/AO	Hand or mechanical removal of small infestations	
184	Fabaceae	Stylosanthes scabra (shrubby stylo)	4	4	4.3	H/A	N/A	
185	Arecaceae	Syagrus romanzoffiana (queen palm)	4	10	4	T/O	Seedlings: Hand pull or crown; Trees: cut below growing point	
186	Asteraceae	Tagetes minuta (stinking roger)	8	32	3	H/U	Hand pull and hang to dry.	
187	Bignoniaceae	Tecoma capensis (Cape honeysuckle)	3	8	4	ST/O	N/A	
188	Bignoniaceae	Tecoma stans (yellow bells)	4	16	4	ST/O	N/A	
189	Poaceae	Themeda quadrivalvis (grader grass)	8	25	4	H/A	Hand pull or dig out small infestations.	
190	Acanthaceae	Thunbergia alata (black eyed susan)	5	22	4	H/O	N/A	
191	Acanthaceae	Thunbergia grandiflora (thunbergia, blue thunbergia)	2	3	5	V/O	N/A	
192	Acanthaceae	Thunbergia laurifolia (laurel clock vine)	1	1	4	V/O	N/A	
193	Fabaceae	Tipuana tipu (tipuana)	2	5	3	T/O	Seedlings: Hand pull	
194	Asteraceae	Tithonia diversifolia (Mexican sunflower)	5	11	4	H/O	N/A	
195	Commelinaceae	Tradescantia fluminensis (Qld use T. albiflora) (wandering jew)	5	9	4	H/O	N/A	
196	Commelinaceae	Tradescantia zebrina (zebrina)	3	12	4	H/O	N/A	
197	Tiliaceae	Triumfetta rhomboidea (Chinese burr)	7	44	4	H/U	Hand pull	
198	Asteraceae	Verbesina encelioides (crownbeard)	7	34	4	H/U	Vines: Hand pull and remove; Runners: Roll up and hang to dry.	
199	Iridaceae	Watsonia meriana var. bulbillifera (bulbil watsonia)	2	3	3	H/O	Dig up, bag and remove	
200	Asteraceae	Zinnia peruviana (wild zinnia)	6	33	3	H/O	Seedlings: Hand pull	

Weed Management - Herbicide Application

Herbicides must be applied by appropriately qualified/ supervised persons in accordance with the *Agricultural Chemicals and Distribution Control Act 1966* at rates as identified on registered product labels, or on an *Australian Pesticides and Veterinary Medicines Authority (APVMA)* issued off-label permit where applicable.

Explanatory notes.

Sub-region (Sr): Number of the ten sub-regions of the Southeast Queensland bioregion (Young and Dillewaard 1999) within which species recorded (Queensland Herbarium data).
Rec no. (R): Total number of records for species within study area, Queensland Herbarium CORVEG and HERBRECS data.
Scores (S): Based on panel data of invasiveness, 5 (highest) to 3 (moderate). ? indicate doubtful scores.

Life forms (LFS): T-tree (woody plant >5m), ST-small tree (2-5m), S-shrub (woody <2m), H-herb (grasses & forbes), Ha-aquatic herbs.
Source: A-agriculture, O-ornamental and landscaping, F-fish aquarium, U-unintentional introduction and/or contaminant.

Abbreviations: Control Methods

CS&P = cut scrape and paint

S&P = scrape and paint

C&P = cut and paint

F/I = frill or inject stem

Abbreviations: Herbicides

G = Glyphosate, eg. Roundup Biactive, Weedmaster Duo

MM = Metsulfuron methyl, eg, Brushoff

F = Fluroxypyr, eg. Starane

Abbreviations: Herbicide Dilution Rates for High Concentration Applications

GU = Glyphosate undiluted

G1 = 1 part water to 1 part glyhphosate

G1.5 = 1.5 parts water to 1 part glyphosate

G4 = 4 parts water to 1 part glyphosate

Abbreviations: Herbicide Spray Concentrations

G100 = 100mL glyphosate per 10L of water + surfuctant, eg 20mL LI 700 per 10L
G200 = 200mL glyphosate per 10L of water + surfuctant, eg 50mL LI 700 per 10L

G100 + MM = 100mL glyphosate + 1.5g metsulfuron methyl per 10L of water + wetting agent, eg. 2mL Agral per 10L water
G200 + MM = 200mL glyphosate + 1.5g metsulfuron methyl per 10L of water + wetting agent, eg. 2mL Agral per 10L water

MM = 1.5g metsulfuron methyl per 10L water + wetting agent, eg. 2mL Agral per 10L water

F100 = 100mL fluroxypyr per 10L water

F150 = 150mL fluroxypyr per 10L water

Other Abbreviations

= Locally non-indigenous native species

Ref. 1. Big Scrub Rainforest Landcare Group (2008), 'Common Weeds of Subtropical Rainforests of Eastern Australia: A practical manual on their identification and control'

Ref. 2. Department of Primary Industries and Fisheries (QLD), 'Weeds and pest animals and ants'.

Ref. 3. Holland et al. (1996), 'Suburban Weeds', DPI QLD.

Ref 4. Port Stephens Council (NSW), 'Weed Busters'.
Ref 5. Depertment of Primary Industries (NSW), 'Noxious and Environmental Weed Handbook, 3rd Edition'.
Ref 6. Department of Environment and Conservation, 'Florabase', (DEC- WA)

Ref 7. Vitelli, J.S. and Madigan, B.A. and Van Haaren, P.E. and Setter, S. and Logan, P. (2009) Control of the invasive liana, Hiptage benghalensis. Weed Biology and Management, 9 (1), pp. 54-62.

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-5383

Date: 26 October 2026

Queensland Government

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:

South East Queensland Ecological Restoration Framework (2012)

AS4970-2009 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
C	3/09/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW BEITH PTY LTD

PROJECT
FILL PADS AND BLASTING, ROUND MOUNTAIN PROJECT, NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941 E 41 Fill_P VMP C

Attachment 1: Tree Schedule Fill Pads and Blasting - VCMP C Extract) - 10941
Round Mountain Project (Frasers Property New Beith Pty Ltd)
Date: 03/09/2026

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
87	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
88	*Lophostemon suaveolens*	Swamp Box	240		240	75	9.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
89	*Acacia disparrima*	Hickory Wattle	240		240	75	9.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
90	*Dead/Stag*		540		540	170	10.0	5.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in P-A
91	*Acacia disparrima*	Hickory Wattle	260	160	305	96	12.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
92	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	13.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
93	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
94	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
95	*Lophostemon suaveolens*	Swamp Box	230		230	72	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
96	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
97	*Eucalyptus tereticornis*	Forest Red Gum	500		500	157	19.0	7.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
98	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
468	*Lophostemon suaveolens*	Swamp Box	225		225	71	10.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
469	*Lophostemon suaveolens*	Swamp Box	245		245	77	8.0	6.0	2.9	1.8	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
470	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	20.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
471	*Lophostemon suaveolens*	Swamp Box	290		290	91	10.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain in P-A
472	*Corymbia intermedia*	Pink Bloodwood	265		265	83	18.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention subject to BMP
473	*Eucalyptus tereticornis*	Forest Red Gum	335		335	105	21.0	14.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
474	*Corymbia citriodora*	Spotted Gum	295		295	93	18.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
475	*Eucalyptus crebra*	Narrow-leaved Ironbark	275		275	86	18.0	12.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Subject to Precinct B
476	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
477	*Eucalyptus crebra*	Narrow-leaved Ironbark	205		205	64	16.0	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Subject to Precinct B
478	*Eucalyptus tereticornis*	Forest Red Gum	375		375	118	19.0	15.0	4.5	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Subject to Precinct B
479	*Petalostigma pubescens*	Quinine Bush	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
863	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
864	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
867	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
868	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	19.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
869	*Alphitonia excelsa*	Soap Tree	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
870	*Corymbia intermedia*	Pink Bloodwood	250		250	79	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
871	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	24.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
872	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
873	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	116	25.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
874	*Alphitonia excelsa*	Soap Tree	390		390	123	15.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
875	*Corymbia intermedia*	Pink Bloodwood	250		250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
876	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	14.0	1.0	2.3	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
877	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	24.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
878	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
879	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
880	*Alphitonia excelsa*	Soap Tree	240		240	75	14.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Subject to Precinct B
881	*Alphitonia excelsa*	Soap Tree	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
882	*Alphitonia excelsa*	Soap Tree	240		240	75	15.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
883	*Corymbia citriodora*	Spotted Gum	390		390	123	24.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
884	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
885	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	26.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
886	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	20.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
887	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
888	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
889	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
890	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
891	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	27.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
892	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
893	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
894	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1014	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	18.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application

SaundersHavill

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV-2026-FLA-5383
Date: 26 October 2026
Queensland Government

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1015	*Eucalyptus tereticornis*	Forest Red Gum	510		510	160	25.0	16.0	6.1	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1016	*Corymbia intermedia*	Pink Bloodwood	360		360	113	18.0	13.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1050	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1051	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	19.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1052	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1053	*Corymbia citriodora*	Spotted Gum	270		270	85	17.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1054	*Corymbia intermedia*	Pink Bloodwood	270		270	85	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1055	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1056	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	19.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1057	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1058	*Lophostemon suaveolens*	Swamp Box	220		220	69	6.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1059	*Corymbia intermedia*	Pink Bloodwood	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1060	*Corymbia citriodora*	Spotted Gum	410		410	129	18.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1061	*Corymbia citriodora*	Spotted Gum	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1062	*Corymbia citriodora*	Spotted Gum	470		470	148	23.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1063	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1064	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	9.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1065	*Corymbia citriodora*	Spotted Gum	440		440	138	23.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1066	*Corymbia intermedia*	Pink Bloodwood	260	240	354	111	10.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1067	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	15.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1068	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1069	*Lophostemon suaveolens*	Swamp Box	200		200	63	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1070	*Corymbia citriodora*	Spotted Gum	390		390	123	27.0	15.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1071	*Corymbia citriodora*	Spotted Gum	480		480	151	27.0	16.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1072	*Corymbia citriodora*	Spotted Gum	340		340	107	23.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1073	*Dead/Stag*		340		340	107	27.0	13.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1074	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1075	*Corymbia citriodora*	Spotted Gum	440		440	138	26.0	16.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1076	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	16.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1077	*Corymbia citriodora*	Spotted Gum	520		520	163	27.0	17.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1078	*Corymbia citriodora*	Spotted Gum	490		490	154	25.0	14.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1079	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1080	*Corymbia citriodora*	Spotted Gum	380		380	119	23.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1081	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1082	*Corymbia citriodora*	Spotted Gum	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1083	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1084	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1085	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1103	*Dead/Stag*		560		560	176	16.0	6.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Subject to Precinct B
1104	*Dead/Stag*		620		620	195	16.0	6.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1105	*Eucalyptus crebra*	Narrow-leaved Ironbark	580		580	182	19.0	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1106	*Eucalyptus tereticornis*	Forest Red Gum	580		580	182	19.0	8.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1107	*Dead/Stag*		330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1108	*Dead/Stag*		620		620	195	18.0	8.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove - Spoil Piles 1
1109	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	16.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in P-A
1111	*Dead/Stag*		600		600	188	17.0	6.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	Small	-	-	-	Remove in P-A
1112	*Eucalyptus tereticornis*	Forest Red Gum	550		550	173	18.0	9.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in P-A
1153	*Eucalyptus crebra*	Narrow-leaved Ironbark	590		590	185	26.0	16.0	7.1	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1154	*Corymbia citriodora*	Spotted Gum	340	240	416	131	19.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1155	*Dead/Stag*		500		500	157	20.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove - Spoil Piles 1
1156	*Dead/Stag*		410		410	129	6.0	1.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in P-A
1157	*Dead/Stag*		420		420	132	7.0	3.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove - Spoil Piles 1
1158	*Dead/Stag*		635	270	690	217	27.0	16.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1159	*Dead/Stag*		560		560	176	21.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1211	*Dead/Stag*		500		500	157	8.0	2.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove - Spoil Piles 1
1212	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	22.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1213	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	22.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1214	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	20.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1215	*Eucalyptus tereticornis*	Forest Red Gum	520		520	163	22.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1216	*Corymbia citriodora*	Spotted Gum	820		820	258	20.0	8.0	9.8	3.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1217	*Eucalyptus crebra*	Narrow-leaved Ironbark	460		460	145	22.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1218	*Eucalyptus tereticornis*	Forest Red Gum	530		530	167	16.0	8.0	6.4	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1225	*Dead/Stag*		400		400	126	10.0	3.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove - Spoil Piles 1
1226	*Eucalyptus crebra*	Narrow-leaved Ironbark	510		510	160	20.0	8.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1227	*Corymbia citriodora*	Spotted Gum	450		450	141	22.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1228	*Corymbia citriodora*	Spotted Gum	440		440	138	22.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1229	*Corymbia citriodora*	Spotted Gum	430		430	135	22.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1230	*Eucalyptus tereticornis*	Forest Red Gum	470		470	148	22.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1249	*Dead/Stag*		390		390	123	14.0	4.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Subject to future application
1250	*Eucalyptus crebra*	Narrow-leaved Ironbark	630		630	198	19.0	10.0	7.6	2.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1333	*Dead/Stag*		270		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1334	*Dead/Stag*		300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1335	*Dead/Stag*		350		350	110	17.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1336	*Eucalyptus tereticornis*	Forest Red Gum	680		680	214	18.0	9.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1337	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1338	*Dead/Stag*		450		450	141	16.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Subject to Precinct B
1361	*Dead/Stag*		720		720	226	17.0	8.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Subject to future application
1362	*Dead/Stag*		650		650	204	16.0	7.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small & Large	-	-	-	Retain in P-A
1363	*Eucalyptus crebra*	Narrow-leaved Ironbark	590		590	185	15.0	8.0	7.1	2.7	Regular	Spreading	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in P-A
1432	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1433	*Corymbia citriodora*	Spotted Gum	390		390	123	22.0	9.0	4.7	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1434	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1435	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1436	*Acacia disparrima*	Hickory Wattle	220		220	69	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1437	*Corymbia citriodora*	Spotted Gum	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1438	*Alphitonia excelsa*	Soap Tree	140		140	44	8.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1439	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1440	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1441	*Eucalyptus tereticornis*	Forest Red Gum	550		550	173	18.0	8.0	6.6	2.6	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1442	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1443	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	17.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1444	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1445	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	9.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1446	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1447	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1448	*Corymbia citriodora*	Spotted Gum	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1449	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	14.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1450	*Corymbia citriodora*	Spotted Gum	410		410	129	18.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1451	*Corymbia citriodora*	Spotted Gum	270		270	85	13.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1452	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1453	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1454	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1455	*Corymbia intermedia*	Pink Bloodwood	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1456	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	14.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1596	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1597	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1598	*Lophostemon suaveolens*	Swamp Box	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1599	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1600	*Corymbia citriodora*	Spotted Gum	290		290	91	17.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1602	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1607	*Corymbia citriodora*	Spotted Gum	230		230	72	15.0	3.0	2.8	1.8	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1608	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1609	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	14.0	5.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1610	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	19.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1611	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1612	*Corymbia citriodora*	Spotted Gum	160		160	50	10.0	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1613	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1614	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1615	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1616	*Alphitonia excelsa*	Soap Tree	270		270	85	14.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1617	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1618	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	14.0	5.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1619	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	15.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to Precinct B
1827	*Corymbia citriodora*	Spotted Gum	310		310	97	15.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1828	*Petalostigma pubescens*	Quinine Bush	200	100	224	70	4.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1829	*Corymbia citriodora*	Spotted Gum	100	85	131	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1830	*Acacia disparrima*	Hickory Wattle	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1831	*Corymbia citriodora*	Spotted Gum	175		175	55	15.0	7.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1832	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1833	*Corymbia citriodora*	Spotted Gum	115		115	36	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1834	*Corymbia citriodora*	Spotted Gum	125		125	39	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1835	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1836	*Corymbia citriodora*	Spotted Gum	145		145	46	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1837	*Acacia disparrima*	Hickory Wattle	155		155	49	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1838	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1839	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1840	*Acacia leiocalyx*	Early-flowering Black Wattle	115		115	36	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1841	*Eucalyptus crebra*	Narrow-leaved Ironbark	100	90	135	42	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1842	*Corymbia citriodora*	Spotted Gum	185		185	58	13.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1843	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1844	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1845	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1846	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1847	*Corymbia citriodora*	Spotted Gum	105		105	33	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1848	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1849	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1850	*Corymbia citriodora*	Spotted Gum	110		110	35	15.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1851	*Acacia leiocalyx*	Early-flowering Black Wattle	115		115	36	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1852	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1853	*Corymbia citriodora*	Spotted Gum	185		185	58	17.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1854	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1855	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1856	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1857	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1858	*Corymbia citriodora*	Spotted Gum	145		145	46	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1859	*Corymbia citriodora*	Spotted Gum	145		145	46	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1860	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1861	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1862	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1863	*Corymbia citriodora*	Spotted Gum	130		130	41	15.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1864	*Eucalyptus tereticornis*	Forest Red Gum	275		275	86	16.0	10.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1865	*Eucalyptus tereticornis*	Forest Red Gum	115		115	36	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1866	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1867	*Corymbia citriodora*	Spotted Gum	230		230	72	16.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1868	*Acacia disparrima*	Hickory Wattle	180		180	57	9.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1869	*Alphitonia excelsa*	Soap Tree	110		110	35	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1870	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	19.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1871	*Corymbia citriodora*	Spotted Gum	115		115	36	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1872	*Corymbia citriodora*	Spotted Gum	130	120	177	56	12.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1873	*Alphitonia excelsa*	Soap Tree	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1874	*Acacia disparrima*	Hickory Wattle	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1875	*Acacia disparrima*	Hickory Wattle	235		235	74	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1876	*Alphitonia excelsa*	Soap Tree	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1877	*Acacia concurrens*	Black Wattle	165		165	52	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1878	*Acacia disparrima*	Hickory Wattle	105		105	33	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1879	*Alphitonia excelsa*	Soap Tree	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1880	*Acacia disparrima*	Hickory Wattle	160	110	194	61	8.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1881	*Acacia disparrima*	Hickory Wattle	190		190	60	10.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1882	*Acacia disparrima*	Hickory Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1883	*Corymbia intermedia*	Pink Bloodwood	270		270	85	17.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1884	*Corymbia citriodora*	Spotted Gum	125		125	39	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1885	*Corymbia citriodora*	Spotted Gum	115		115	36	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1886	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1887	*Acacia leiocalyx*	Early-flowering Black Wattle	115	110	159	50	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1888	*Lophostemon suaveolens*	Swamp Box	135	125	184	58	13.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1889	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1890	*Eucalyptus tereticornis*	Forest Red Gum	215		215	68	15.0	7.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1891	*Lophostemon suaveolens*	Swamp Box	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1892	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1893	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1894	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1895	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1896	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1897	*Lophostemon suaveolens*	Swamp Box	115		115	36	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1898	*Corymbia citriodora*	Spotted Gum	340		340	107	17.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1899	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	17.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1900	*Lophostemon suaveolens*	Swamp Box	310		310	97	12.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1901	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	16.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1902	*Lophostemon suaveolens*	Swamp Box	275		275	86	16.0	10.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1903	*Lophostemon suaveolens*	Swamp Box	255		255	80	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1904	*Lophostemon suaveolens*	Swamp Box	190		190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1905	*Corymbia citriodora*	Spotted Gum	135		135	42	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1906	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1907	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1908	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1909	*Acacia disparrima*	Hickory Wattle	135		135	42	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1910	*Alphitonia excelsa*	Soap Tree	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1911	*Alphitonia excelsa*	Soap Tree	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1912	*Acacia disparrima*	Hickory Wattle	125		125	39	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1913	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	19.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1914	*Alphitonia excelsa*	Soap Tree	270		270	85	10.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1915	*Alphitonia excelsa*	Soap Tree	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1916	*Acacia disparrima*	Hickory Wattle	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1917	*Acacia disparrima*	Hickory Wattle	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1918	*Acacia disparrima*	Hickory Wattle	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1919	*Acacia disparrima*	Hickory Wattle	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1920	*Acacia disparrima*	Hickory Wattle	125		125	39	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1921	*Acacia disparrima*	Hickory Wattle	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1922	*Lophostemon suaveolens*	Swamp Box	105		105	33	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1923	*Acacia disparrima*	Hickory Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1924	*Corymbia citriodora*	Spotted Gum	115		115	36	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1925	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1926	*Acacia disparrima*	Hickory Wattle	125		125	39	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1927	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1928	*Acacia disparrima*	Hickory Wattle	250		250	79	9.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1929	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1930	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1931	*Corymbia citriodora*	Spotted Gum	400		400	126	19.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1932	*Corymbia intermedia*	Pink Bloodwood	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1933	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1934	*Corymbia citriodora*	Spotted Gum	115		115	36	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1935	*Corymbia citriodora*	Spotted Gum	330	105	346	109	18.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1936	*Corymbia citriodora*	Spotted Gum	295		295	93	16.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1937	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1938	*Corymbia citriodora*	Spotted Gum	165		165	52	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1939	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1940	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1941	*Corymbia citriodora*	Spotted Gum	135		135	42	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1942	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1943	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1944	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1945	*Corymbia citriodora*	Spotted Gum	110	75	133	42	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1946	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1947	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1948	*Corymbia citriodora*	Spotted Gum	125		125	39	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1949	*Eucalyptus crebra*	Narrow-leaved Ironbark	255		255	80	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1950	*Corymbia citriodora*	Spotted Gum	155		155	49	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1951	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1952	*Corymbia citriodora*	Spotted Gum	165		165	52	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1953	*Eucalyptus crebra*	Narrow-leaved Ironbark	255		255	80	17.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1954	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1955	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1956	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1957	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1958	*Corymbia citriodora*	Spotted Gum	150	65	163	51	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1959	*Corymbia citriodora*	Spotted Gum	105		105	33	11.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1960	*Acacia leiocalyx*	Early-flowering Black Wattle	100	50, 80, 90	164	52	5.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1961	*Corymbia citriodora*	Spotted Gum	105		105	33	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1962	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1963	*Corymbia citriodora*	Spotted Gum	145		145	46	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1964	*Corymbia citriodora*	Spotted Gum	105		105	33	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1965	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1966	*Acacia leiocalyx*	Early-flowering Black Wattle	105		105	33	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1967	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1968	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1969	*Corymbia citriodora*	Spotted Gum	120		120	38	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1970	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1971	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1972	*Corymbia citriodora*	Spotted Gum	115		115	36	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
1973	*Corymbia citriodora*	Spotted Gum	135	120, 90	202	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1974	*Corymbia citriodora*	Spotted Gum	130	80	153	48	16.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1975	*Corymbia citriodora*	Spotted Gum	100	50	112	35	16.0	8.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1976	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1977	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1978	*Corymbia citriodora*	Spotted Gum	115		115	36	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1979	*Corymbia citriodora*	Spotted Gum	125		125	39	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1980	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in P-A
1981	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1982	*Petalostigma pubescens*	Quinine Bush	125		125	39	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1983	*Corymbia citriodora*	Spotted Gum	165	135, 90, 50	237	74	16.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1984	*Corymbia citriodora*	Spotted Gum	105		105	33	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1985	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1986	*Petalostigma pubescens*	Quinine Bush	200	160	256	80	8.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
1987	*Corymbia citriodora*	Spotted Gum	160	120	200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1988	*Eucalyptus crebra*	Narrow-leaved Ironbark	155		155	49	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1989	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1990	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1991	*Corymbia citriodora*	Spotted Gum	105		105	33	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1992	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1993	*Corymbia citriodora*	Spotted Gum	135		135	42	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1994	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1995	*Corymbia citriodora*	Spotted Gum	115		115	36	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1996	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1997	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
1998	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1999	*Corymbia citriodora*	Spotted Gum	105		105	33	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2000	*Alphitonia excelsa*	Soap Tree	155		155	49	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove - Spoil Piles 1
2001	*Corymbia citriodora*	Spotted Gum	215		215	68	14.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2002	*Alphitonia excelsa*	Soap Tree	245		245	77	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2003	*Alphitonia excelsa*	Soap Tree	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2004	*Alphitonia excelsa*	Soap Tree	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2005	*Acacia disparrima*	Hickory Wattle	135		135	42	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2006	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2007	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2008	*Alphitonia excelsa*	Soap Tree	135		135	42	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2009	*Alphitonia excelsa*	Soap Tree	175		175	55	14.0	7.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2010	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	31	9.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2011	*Alphitonia excelsa*	Soap Tree	150		150	47	14.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2012	*Alphitonia excelsa*	Soap Tree	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2013	*Acacia disparrima*	Hickory Wattle	250	250	354	111	14.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2014	*Corymbia citriodora*	Spotted Gum	130		130	41	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2015	*Lophostemon suaveolens*	Swamp Box	210		210	66	15.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Spoil Piles 1
2016	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	17.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2017	*Lophostemon suaveolens*	Swamp Box	145		145	46	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2018	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2019	*Petalostigma pubescens*	Quinine Bush	250		250	79	14.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2020	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	21.0	16.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2021	*Acacia disparrima*	Hickory Wattle	220		220	69	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2022	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2023	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2024	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2025	*Alphitonia excelsa*	Soap Tree	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2026	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2027	*Corymbia citriodora*	Spotted Gum	190		190	60	15.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2028	*Corymbia citriodora*	Spotted Gum	165		165	52	16.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2029	*Corymbia intermedia*	Pink Bloodwood	120	100	156	49	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2030	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2031	*Corymbia citriodora*	Spotted Gum	125		125	39	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2032	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2033	*Corymbia citriodora*	Spotted Gum	110		110	35	14.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2034	*Eucalyptus crebra*	Narrow-leaved Ironbark	410		410	129	18.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2035	*Corymbia citriodora*	Spotted Gum	145		145	46	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2036	*Corymbia citriodora*	Spotted Gum	370		370	116	18.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2037	*Acacia leiocalyx*	Early-flowering Black Wattle	115		115	36	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2038	*Corymbia citriodora*	Spotted Gum	115		115	36	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2039	*Corymbia citriodora*	Spotted Gum	260		260	82	15.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2040	*Petalostigma pubescens*	Quinine Bush	140		140	44	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2041	*Corymbia intermedia*	Pink Bloodwood	125		125	39	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2042	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2043	*Corymbia intermedia*	Pink Bloodwood	170	75	186	58	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2044	*Acacia concurrens*	Black Wattle	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2045	*Corymbia citriodora*	Spotted Gum	360		360	113	17.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2046	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2047	*Corymbia citriodora*	Spotted Gum	120	80	144	45	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2048	*Corymbia citriodora*	Spotted Gum	105	95	142	44	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2049	*Corymbia citriodora*	Spotted Gum	260		260	82	16.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2050	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2051	*Acacia leiocalyx*	Early-flowering Black Wattle	115		115	36	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2052	*Corymbia citriodora*	Spotted Gum	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2053	*Corymbia citriodora*	Spotted Gum	120	65	136	43	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2054	*Corymbia citriodora*	Spotted Gum	125		125	39	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2055	*Corymbia citriodora*	Spotted Gum	215	155	265	83	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2056	*Corymbia citriodora*	Spotted Gum	135		135	42	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2057	*Corymbia citriodora*	Spotted Gum	115		115	36	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2058	*Corymbia citriodora*	Spotted Gum	125		125	39	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2059	*Acacia concurrens*	Black Wattle	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2060	*Corymbia citriodora*	Spotted Gum	100	70, 40	128	40	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2061	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2062	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	17.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2063	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2064	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2065	*Alphitonia excelsa*	Soap Tree	135		135	42	9.0	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2066	*Corymbia citriodora*	Spotted Gum	285		285	90	19.0	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2067	*Alphitonia excelsa*	Soap Tree	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2068	*Corymbia citriodora*	Spotted Gum	115		115	36	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2069	*Corymbia citriodora*	Spotted Gum	105		105	33	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2070	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2071	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2072	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2073	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2074	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2075	*Corymbia citriodora*	Spotted Gum	130		130	41	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2076	*Petalostigma pubescens*	Quinine Bush	260		260	82	11.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2077	*Acacia concurrens*	Black Wattle	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2078	*Acacia concurrens*	Black Wattle	105		105	33	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2079	*Alphitonia excelsa*	Soap Tree	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2080	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2081	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2082	*Corymbia citriodora*	Spotted Gum	145		145	46	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2083	*Lophostemon suaveolens*	Swamp Box	105		105	33	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2084	*Corymbia torelliana*	Cadaghi	175		175	55	9.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2085	*Lophostemon suaveolens*	Swamp Box	255		255	80	10.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2086	*Eucalyptus tereticornis*	Forest Red Gum	315		315	99	19.0	11.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2087	*Lophostemon suaveolens*	Swamp Box	115		115	36	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2088	*Acacia disparrima*	Hickory Wattle	145		145	46	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2089	*Alphitonia excelsa*	Soap Tree	115		115	36	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2090	*Acacia disparrima*	Hickory Wattle	110	90	142	45	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2091	*Alphitonia excelsa*	Soap Tree	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2092	*Alphitonia excelsa*	Soap Tree	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2093	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2094	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2095	*Corymbia citriodora*	Spotted Gum	315		315	99	18.0	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2096	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2097	*Alphitonia excelsa*	Soap Tree	270		270	85	15.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2098	*Alphitonia excelsa*	Soap Tree	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2099	*Lophostemon suaveolens*	Swamp Box	115	130, 90, 110	224	70	8.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2100	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2101	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2102	*Eucalyptus crebra*	Narrow-leaved Ironbark	245		245	77	16.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2103	*Corymbia citriodora*	Spotted Gum	255		255	80	16.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2104	*Acacia leiocalyx*	Early-flowering Black Wattle	135		135	42	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2105	*Corymbia henryi*	Large-leaved Spotted Gum	135		135	42	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2106	*Alphitonia excelsa*	Soap Tree	280		280	88	13.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2107	*Allocasuarina littoralis*	Black She-oak	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2108	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2109	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2110	*Acacia disparrima*	Hickory Wattle	220	150	266	84	9.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2111	*Acacia disparrima*	Hickory Wattle	165		165	52	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2112	*Acacia disparrima*	Hickory Wattle	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2113	*Acacia concurrens*	Black Wattle	165		165	52	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2114	*Acacia disparrima*	Hickory Wattle	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2115	*Acacia disparrima*	Hickory Wattle	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2116	*Acacia disparrima*	Hickory Wattle	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2117	*Acacia disparrima*	Hickory Wattle	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2118	*Alphitonia excelsa*	Soap Tree	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2119	*Acacia disparrima*	Hickory Wattle	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2120	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2121	*Acacia disparrima*	Hickory Wattle	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2122	*Acacia disparrima*	Hickory Wattle	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2123	*Alphitonia excelsa*	Soap Tree	280		280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2124	*Corymbia citriodora*	Spotted Gum	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2125	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2126	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	16.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2127	*Petalostigma pubescens*	Quinine Bush	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2128	*Petalostigma pubescens*	Quinine Bush	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2129	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2130	*Eucalyptus tereticornis*	Forest Red Gum	100	80	128	40	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2131	*Corymbia citriodora*	Spotted Gum	260		260	82	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2132	*Petalostigma pubescens*	Quinine Bush	100		100	31	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2133	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2134	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2135	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2136	*Corymbia tessellaris*	Moreton Bay Ash	105	85	135	42	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2137	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	17.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2138	*Eucalyptus crebra*	Narrow-leaved Ironbark	225		225	71	17.0	9.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2139	*Corymbia citriodora*	Spotted Gum	135		135	42	16.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2140	*Corymbia citriodora*	Spotted Gum	125		125	39	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2141	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2142	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2143	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2144	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2145	*Corymbia citriodora*	Spotted Gum	105		105	33	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2146	*Corymbia citriodora*	Spotted Gum	115		115	36	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2147	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2148	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2149	*Corymbia citriodora*	Spotted Gum	160	100	189	59	13.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2150	*Acacia disparrima*	Hickory Wattle	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2151	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2152	*Corymbia citriodora*	Spotted Gum	125		125	39	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2153	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2154	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	17.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2155	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2156	*Acacia leiocalyx*	Early-flowering Black Wattle	120	100	156	49	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2157	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2158	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2159	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2160	*Alphitonia excelsa*	Soap Tree	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2161	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2162	*Eucalyptus tereticornis*	Forest Red Gum	115	90	146	46	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2163	*Alphitonia excelsa*	Soap Tree	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2164	*Corymbia citriodora*	Spotted Gum	155		155	49	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2165	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2166	*Corymbia citriodora*	Spotted Gum	215		215	68	14.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2167	*Corymbia citriodora*	Spotted Gum	115		115	36	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2168	*Corymbia citriodora*	Spotted Gum	125		125	39	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2169	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2170	*Corymbia citriodora*	Spotted Gum	115		115	36	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2171	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2172	*Corymbia citriodora*	Spotted Gum	130	95	161	51	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2173	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2174	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2175	*Eucalyptus tereticornis*	Forest Red Gum	115		115	36	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2176	*Corymbia citriodora*	Spotted Gum	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2177	*Corymbia citriodora*	Spotted Gum	115		115	36	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2178	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2180	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2182	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2183	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	16.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2195	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2196	*Corymbia citriodora*	Spotted Gum	145		145	46	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2197	*Dead/Stag*		430		430	135	17.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Subject to future application
2198	*Corymbia citriodora*	Spotted Gum	275		275	86	16.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2199	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2200	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2201	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	17.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2202	*Corymbia citriodora*	Spotted Gum	190		190	60	7.0	1.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2203	*Corymbia citriodora*	Spotted Gum	220		220	69	10.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2204	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2205	*Corymbia citriodora*	Spotted Gum	235		235	74	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2206	*Acacia leiocalyx*	Early-flowering Black Wattle	105		105	33	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2207	*Corymbia citriodora*	Spotted Gum	360		360	113	17.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2208	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	17.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2209	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2210	*Acacia concurrens*	Black Wattle	145	120	188	59	7.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2211	*Acacia concurrens*	Black Wattle	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2212	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2213	*Alphitonia excelsa*	Soap Tree	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2214	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2215	*Alphitonia excelsa*	Soap Tree	135		135	42	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2216	*Acacia concurrens*	Black Wattle	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2217	*Acacia concurrens*	Black Wattle	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2218	*Alphitonia excelsa*	Soap Tree	180		180	57	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2219	*Eucalyptus tereticornis*	Forest Red Gum	285		285	90	16.0	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2220	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2221	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	17.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2222	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2223	*Eucalyptus moluccana*	Gum-topped Box	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2224	*Eucalyptus moluccana*	Gum-topped Box	190		190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2225	*Dead/Stag*		400		400	126	15.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove - Spoil Piles 1
2226	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2227	*Dead/Stag*		480		480	151	17.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2228	*Alphitonia excelsa*	Soap Tree	115		115	36	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2229	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2230	*Acacia disparrima*	Hickory Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2231	*Eucalyptus moluccana*	Gum-topped Box	230		230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Spoil Piles 1
2232	*Eucalyptus moluccana*	Gum-topped Box	105		105	33	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2233	*Alphitonia excelsa*	Soap Tree	170		170	53	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2234	*Acacia disparrima*	Hickory Wattle	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2235	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2236	*Corymbia citriodora*	Spotted Gum	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2237	*Alphitonia excelsa*	Soap Tree	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2238	*Acacia concurrens*	Black Wattle	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2239	*Corymbia intermedia*	Pink Bloodwood	330		330	104	16.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2240	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	16.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2241	*Corymbia citriodora*	Spotted Gum	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2242	*Eucalyptus tereticornis*	Forest Red Gum	185		185	58	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2243	*Acacia concurrens*	Black Wattle	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2244	*Acacia concurrens*	Black Wattle	125		125	39	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2245	*Eucalyptus moluccana*	Gum-topped Box	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2246	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2247	*Eucalyptus moluccana*	Gum-topped Box	245		245	77	16.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2248	*Alphitonia excelsa*	Soap Tree	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2249	*Eucalyptus moluccana*	Gum-topped Box	105		105	33	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2250	*Eucalyptus tereticornis*	Forest Red Gum	235		235	74	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2251	*Eucalyptus moluccana*	Gum-topped Box	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2252	*Eucalyptus moluccana*	Gum-topped Box	210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2253	*Eucalyptus moluccana*	Gum-topped Box	340		340	107	18.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2254	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2255	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	16.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2256	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	17.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2257	*Alphitonia excelsa*	Soap Tree	280		280	88	15.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2258	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Subject to future application
2259	*Corymbia tessellaris*	Moreton Bay Ash	115		115	36	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2260	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	16.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2261	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2262	*Acacia leiocalyx*	Early-flowering Black Wattle	145		145	46	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2263	*Corymbia citriodora*	Spotted Gum	235		235	74	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2264	*Corymbia citriodora*	Spotted Gum	235		235	74	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2265	*Corymbia citriodora*	Spotted Gum	260		260	82	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2266	*Corymbia citriodora*	Spotted Gum	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2267	*Corymbia citriodora*	Spotted Gum	220		220	69	15.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2268	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2269	*Corymbia citriodora*	Spotted Gum	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2270	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	47	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2271	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2272	*Corymbia citriodora*	Spotted Gum	245		245	77	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2273	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Subject to future application
2274	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2275	*Corymbia citriodora*	Spotted Gum	275		275	86	16.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2280	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2281	*Eucalyptus crebra*	Narrow-leaved Ironbark	450		450	141	16.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2282	*Alphitonia excelsa*	Soap Tree	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2283	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2284	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2285	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2286	*Acacia concurrens*	Black Wattle	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2287	*Alphitonia excelsa*	Soap Tree	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2288	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2289	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2290	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2291	*Alphitonia excelsa*	Soap Tree	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2292	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2293	*Corymbia citriodora*	Spotted Gum	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2294	*Corymbia citriodora*	Spotted Gum	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2295	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2296	*Acacia disparrima*	Hickory Wattle	160		160	50	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2297	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2298	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2299	*Corymbia citriodora*	Spotted Gum	590	170, 170	637	200	23.0	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2300	*Corymbia citriodora*	Spotted Gum	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2301	*Corymbia citriodora*	Spotted Gum	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2302	*Acacia concurrens*	Black Wattle	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2303	*Dead/Stag*		710		710	223	18.0	8.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove - Spoil Piles 1
2304	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2305	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2306	*Alphitonia excelsa*	Soap Tree	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2307	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2308	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2309	*Acacia concurrens*	Black Wattle	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2310	*Acacia disparrima*	Hickory Wattle	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2311	*Alphitonia excelsa*	Soap Tree	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2312	*Acacia disparrima*	Hickory Wattle	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2313	*Acacia concurrens*	Black Wattle	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2314	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2315	*Acacia concurrens*	Black Wattle	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2316	*Corymbia citriodora*	Spotted Gum	250		250	79	9.0	1.0	3.0	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2317	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2318	*Acacia disparrima*	Hickory Wattle	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2319	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	12.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2320	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2321	*Alphitonia excelsa*	Soap Tree	210		210	66	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2322	*Acacia disparrima*	Hickory Wattle	130	120	177	56	8.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2323	*Acacia concurrens*	Black Wattle	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2324	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2325	*Eucalyptus tereticornis*	Forest Red Gum	510		510	160	24.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2326	*Acacia disparrima*	Hickory Wattle	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2327	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2328	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2329	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	12.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2330	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2331	*Eucalyptus moluccana*	Gum-topped Box	240		240	75	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2332	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2333	*Dead/Stag*		340		340	107	17.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove - Spoil Piles 1
2334	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2335	*Corymbia citriodora*	Spotted Gum	510		510	160	17.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2336	*Eucalyptus moluccana*	Gum-topped Box	110	90	142	45	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2337	*Eucalyptus moluccana*	Gum-topped Box	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2338	*Eucalyptus moluccana*	Gum-topped Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2339	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2340	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	16.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2341	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2342	*Eucalyptus tereticornis*	Forest Red Gum	480		480	151	18.0	5.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2343	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2344	*Acacia disparrima*	Hickory Wattle	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2345	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	14.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2346	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2347	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2348	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2349	*Eucalyptus moluccana*	Gum-topped Box	290		290	91	15.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2350	*Corymbia citriodora*	Spotted Gum	220		220	69	15.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2351	*Corymbia tessellaris*	Moreton Bay Ash	220		220	69	12.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2352	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2353	*Corymbia citriodora*	Spotted Gum	240		240	75	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2354	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2355	*Corymbia citriodora*	Spotted Gum	190		190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2356	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2357	*Dead/Stag*		230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	Remove - Spoil Piles 1
2358	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Spoil Piles 1
2359	*Corymbia citriodora*	Spotted Gum	440		440	138	19.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2360	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2361	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2362	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2363	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2364	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	17.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2365	*Corymbia citriodora*	Spotted Gum	270		270	85	17.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Subject to future application
2370	*Eucalyptus crebra*	Narrow-leaved Ironbark	130	130	184	58	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2371	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	14.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2372	*Acacia disparrima*	Hickory Wattle	160		160	50	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2373	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2374	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2375	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2376	*Alphitonia excelsa*	Soap Tree	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2377	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2378	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2379	*Corymbia citriodora*	Spotted Gum	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2380	*Corymbia citriodora*	Spotted Gum	170		170	53	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2381	*Corymbia citriodora*	Spotted Gum	260		260	82	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2382	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2383	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2384	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2385	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2386	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2387	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2388	*Alphitonia excelsa*	Soap Tree	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2389	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2390	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2391	*Corymbia citriodora*	Spotted Gum	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2392	*Corymbia citriodora*	Spotted Gum	260		260	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2393	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2394	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2395	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2396	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2397	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2398	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2399	*Corymbia citriodora*	Spotted Gum	160	140, 100	235	74	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2400	*Acacia disparrima*	Hickory Wattle	190		190	60	9.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2401	*Alphitonia excelsa*	Soap Tree	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2402	*Acacia disparrima*	Hickory Wattle	170	120	208	65	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2403	*Alphitonia excelsa*	Soap Tree	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2404	*Acacia disparrima*	Hickory Wattle	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2405	*Acacia disparrima*	Hickory Wattle	190	130	230	72	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2406	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	19.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2407	*Alphitonia excelsa*	Soap Tree	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2408	*Acacia disparrima*	Hickory Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2409	*Acacia disparrima*	Hickory Wattle	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2410	*Acacia disparrima*	Hickory Wattle	250		250	79	11.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2411	*Acacia disparrima*	Hickory Wattle	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2412	*Acacia disparrima*	Hickory Wattle	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2413	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2414	*Acacia disparrima*	Hickory Wattle	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2415	*Acacia disparrima*	Hickory Wattle	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2416	*Dead/Stag*		650		650	204	14.0	9.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
2417	*Alphitonia excelsa*	Soap Tree	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2418	*Acacia disparrima*	Hickory Wattle	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2419	*Acacia concurrens*	Black Wattle	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2420	*Acacia concurrens*	Black Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2421	*Acacia concurrens*	Black Wattle	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2422	*Acacia concurrens*	Black Wattle	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2423	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2424	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2425	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2426	*Lophostemon suaveolens*	Swamp Box	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2427	*Lophostemon suaveolens*	Swamp Box	350		350	110	14.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2428	*Alphitonia excelsa*	Soap Tree	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2429	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2430	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2431	*Dead/Stag*		480		480	151	17.0	6.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
2432	*Acacia disparrima*	Hickory Wattle	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2433	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2434	*Corymbia citriodora*	Spotted Gum	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2435	*Lophostemon suaveolens*	Swamp Box	190	150	242	76	7.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2436	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2437	*Acacia concurrens*	Black Wattle	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2438	*Alphitonia excelsa*	Soap Tree	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2439	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	17.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2440	*Corymbia citriodora*	Spotted Gum	350		350	110	19.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2441	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2442	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2443	*Corymbia citriodora*	Spotted Gum	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2444	*Corymbia citriodora*	Spotted Gum	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2445	*Acacia disparrima*	Hickory Wattle	260		260	82	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2446	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2447	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2448	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2449	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2450	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2451	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2452	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2453	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2454	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2455	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2456	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2457	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2458	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2459	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2460	*Corymbia citriodora*	Spotted Gum	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2461	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2462	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2463	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2464	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2465	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2466	*Acacia disparrima*	Hickory Wattle	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2467	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2468	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	11.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2469	*Acacia concurrens*	Black Wattle	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2470	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2471	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2472	*Corymbia citriodora*	Spotted Gum	310		310	97	13.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2473	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2474	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2475	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2476	*Corymbia citriodora*	Spotted Gum	410		410	129	23.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2477	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	13.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2478	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2479	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2480	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2481	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2482	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2483	*Corymbia citriodora*	Spotted Gum	400		400	126	16.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2484	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2485	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2486	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2487	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2488	*Petalostigma pubescens*	Quinine Bush	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2489	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2490	*Acacia disparrima*	Hickory Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2491	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2492	*Corymbia citriodora*	Spotted Gum	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2493	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2494	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2495	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2496	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2497	*Corymbia citriodora*	Spotted Gum	360		360	113	21.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2498	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	17.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2499	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2500	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2501	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2502	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2503	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2504	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2505	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2506	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2507	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2508	*Eucalyptus crebra*	Narrow-leaved Ironbark	760		760	239	24.0	9.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
2509	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2510	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2511	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2512	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2513	*Corymbia intermedia*	Pink Bloodwood	330		330	104	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2514	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2515	*Corymbia intermedia*	Pink Bloodwood	370		370	116	24.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2516	*Alphitonia excelsa*	Soap Tree	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2517	*Corymbia intermedia*	Pink Bloodwood	290		290	91	14.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2518	*Acacia disparrima*	Hickory Wattle	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2519	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2520	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2521	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2522	*Eucalyptus tereticornis*	Forest Red Gum	550		550	173	25.0	11.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2523	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2524	*Acacia concurrens*	Black Wattle	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2525	*Corymbia citriodora*	Spotted Gum	210		210	66	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2526	*Corymbia citriodora*	Spotted Gum	260		260	82	13.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2527	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2528	*Alphitonia excelsa*	Soap Tree	250		250	79	11.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2529	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2530	*Alphitonia excelsa*	Soap Tree	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2531	*Alphitonia excelsa*	Soap Tree	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2532	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2533	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2534	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	17.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2535	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2536	*Alphitonia excelsa*	Soap Tree	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2537	*Corymbia citriodora*	Spotted Gum	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2538	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2539	*Corymbia citriodora*	Spotted Gum	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2540	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2541	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2542	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2543	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2544	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2545	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2546	*Corymbia tessellaris*	Moreton Bay Ash	110	100	149	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2547	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2548	*Corymbia citriodora*	Spotted Gum	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2549	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	13.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2550	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2551	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2552	*Corymbia citriodora*	Spotted Gum	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2553	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2554	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2555	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	18.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2556	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2557	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2558	*Corymbia citriodora*	Spotted Gum	130	110	170	53	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2559	*Corymbia citriodora*	Spotted Gum	260		260	82	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2560	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2561	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2562	*Corymbia citriodora*	Spotted Gum	100	90	135	42	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2563	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2564	*Corymbia citriodora*	Spotted Gum	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2565	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2566	*Corymbia citriodora*	Spotted Gum	270		270	85	11.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2567	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2568	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2569	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2570	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2571	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2572	*Acacia concurrens*	Black Wattle	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2573	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2574	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2575	*Corymbia citriodora*	Spotted Gum	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2576	*Acacia concurrens*	Black Wattle	130		130	41	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2577	*Corymbia citriodora*	Spotted Gum	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2578	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2579	*Acacia concurrens*	Black Wattle	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2580	*Eucalyptus tereticornis*	Forest Red Gum	590		590	185	16.0	7.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2581	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2582	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2583	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2584	*Acacia disparrima*	Hickory Wattle	120		120	38	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2585	*Acacia disparrima*	Hickory Wattle	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2586	*Acacia disparrima*	Hickory Wattle	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2587	*Acacia disparrima*	Hickory Wattle	170		170	53	8.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2588	*Acacia disparrima*	Hickory Wattle	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2589	*Acacia disparrima*	Hickory Wattle	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2590	*Acacia disparrima*	Hickory Wattle	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2591	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	16.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2592	*Acacia concurrens*	Black Wattle	150		150	47	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2593	*Acacia disparrima*	Hickory Wattle	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2594	*Acacia concurrens*	Black Wattle	190		190	60	8.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2595	*Corymbia citriodora*	Spotted Gum	330		330	104	19.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2596	*Acacia disparrima*	Hickory Wattle	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2597	*Acacia concurrens*	Black Wattle	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2598	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2599	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2600	*Corymbia citriodora*	Spotted Gum	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2601	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2602	*Eucalyptus tereticornis*	Forest Red Gum	550		550	173	20.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2603	*Lophostemon suaveolens*	Swamp Box	210	100	233	73	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2604	*Lophostemon suaveolens*	Swamp Box	100	80, 80	151	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2605	*Corymbia citriodora*	Spotted Gum	580		580	182	22.0	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2606	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2607	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2608	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	20.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2609	*Alphitonia excelsa*	Soap Tree	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2610	*Corymbia citriodora*	Spotted Gum	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2611	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2612	*Acacia disparrima*	Hickory Wattle	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2613	*Corymbia citriodora*	Spotted Gum	290		290	91	16.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2614	*Acacia disparrima*	Hickory Wattle	280		280	88	7.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2615	*Alphitonia excelsa*	Soap Tree	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2616	*Corymbia citriodora*	Spotted Gum	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2617	*Corymbia citriodora*	Spotted Gum	390		390	123	14.0	6.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2618	*Acacia disparrima*	Hickory Wattle	120		120	38	2.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2619	*Alphitonia excelsa*	Soap Tree	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2620	*Corymbia citriodora*	Spotted Gum	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2621	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2622	*Acacia concurrens*	Black Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2623	*Corymbia citriodora*	Spotted Gum	190		190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2624	*Corymbia citriodora*	Spotted Gum	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2625	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	18.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2626	*Alphitonia excelsa*	Soap Tree	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2627	*Corymbia citriodora*	Spotted Gum	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2628	*Alphitonia excelsa*	Soap Tree	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2629	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2630	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2631	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2632	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2633	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2634	*Corymbia citriodora*	Spotted Gum	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2635	*Corymbia citriodora*	Spotted Gum	430		430	135	24.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2636	*Alphitonia excelsa*	Soap Tree	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2637	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2638	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2639	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2640	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2641	*Acacia concurrens*	Black Wattle	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2642	*Corymbia citriodora*	Spotted Gum	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2643	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2644	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2645	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2646	*Acacia disparrima*	Hickory Wattle	130		130	41	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2647	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2648	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2649	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2650	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2651	*Acacia concurrens*	Black Wattle	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2652	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2653	*Eucalyptus moluccana*	Gum-topped Box	250		250	79	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2654	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2655	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	23.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2656	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2657	*Corymbia citriodora*	Spotted Gum	230		230	72	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2658	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2659	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2660	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2661	*Corymbia citriodora*	Spotted Gum	490		490	154	23.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2662	*Eucalyptus crebra*	Narrow-leaved Ironbark	500		500	157	24.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2663	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	14.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2665	*Dead/Stag*		670		670	210	22.0	9.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Subject to future application
2667	*Corymbia citriodora*	Spotted Gum	130		130	41	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2668	*Corymbia citriodora*	Spotted Gum	130		130	41	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2669	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2670	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2671	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2672	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2673	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2674	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2675	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2676	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2677	*Acacia concurrens*	Black Wattle	120	60	134	42	5.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2678	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2679	*Corymbia citriodora*	Spotted Gum	110	110	156	49	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2680	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2681	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2682	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2683	*Corymbia citriodora*	Spotted Gum	350		350	110	13.0	3.0	4.2	2.1	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2684	*Corymbia citriodora*	Spotted Gum	180		180	57	14.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2685	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2690	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2691	*Acacia disparrima*	Hickory Wattle	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2692	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2693	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2694	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2695	*Acacia concurrens*	Black Wattle	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2696	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2697	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2698	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	91	16.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2699	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	17.0	4.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2700	*Corymbia intermedia*	Pink Bloodwood	130	130, 80	200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2701	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2702	*Alphitonia excelsa*	Soap Tree	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2703	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	12.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2704	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2705	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2706	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2707	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	17.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2708	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	14.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2709	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2710	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2711	*Eucalyptus moluccana*	Gum-topped Box	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2712	*Eucalyptus moluccana*	Gum-topped Box	170		170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2713	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2714	*Eucalyptus moluccana*	Gum-topped Box	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2715	*Corymbia citriodora*	Spotted Gum	160		160	50	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2716	*Eucalyptus moluccana*	Gum-topped Box	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2717	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	16.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2718	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2719	*Acacia disparrima*	Hickory Wattle	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2720	*Alphitonia excelsa*	Soap Tree	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2721	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2722	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
2723	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	14.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2724	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2725	*Eucalyptus moluccana*	Gum-topped Box	330		330	104	20.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2726	*Dead/Stag*		270		270	85	9.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
2727	*Corymbia citriodora*	Spotted Gum	140		140	44	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2728	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2729	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	22.0	4.0	3.4	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2730	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	22.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2731	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2732	*Corymbia citriodora*	Spotted Gum	180		180	57	9.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2733	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2799	*Dead/Stag*		540		540	170	18.0	7.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Subject to future application
2810	*Eucalyptus moluccana*	Gum-topped Box	420		420	132	24.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2813	*Dead/Stag*		630		630	198	26.0	13.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Subject to future application
2816	*Dead/Stag*		700		700	220	18.0	4.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Subject to future application
2817	*Corymbia intermedia*	Pink Bloodwood	530		530	167	24.0	18.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
2818	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	18.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2820	*Dead/Stag*		470		470	148	9.0	1.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
2821	*Eucalyptus tereticornis*	Forest Red Gum	600		600	188	23.0	16.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2822	*Eucalyptus tereticornis*	Forest Red Gum	470		470	148	28.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
2823	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	25.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2827	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	26.0	17.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2834	*Dead/Stag*		530		530	167	19.0	15.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2932	*Corymbia citriodora*	Spotted Gum	450		450	141	25.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
2961	*Corymbia citriodora*	Spotted Gum	570		570	179	23.0	10.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2962	*Corymbia citriodora*	Spotted Gum	420		420	132	22.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
2964	*Corymbia citriodora*	Spotted Gum	430		430	135	21.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3028	*Dead/Stag*		260		260	82	15.0	2.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Subject to future application
3033	*Dead/Stag*		430		430	135	23.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3034	*Corymbia citriodora*	Spotted Gum	610		610	192	30.0	15.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3035	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	29.0	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3036	*Dead/Stag*		320		320	101	6.0	1.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
3037	*Dead/Stag*		240		240	75	8.0	1.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
3038	*Dead/Stag*		530		530	167	20.0	16.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove in P-A
3039	*Eucalyptus crebra*	Narrow-leaved Ironbark	670		670	210	21.0	17.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove in P-A
3043	*Dead/Stag*		450		450	141	23.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Retention subject to BMP
3044	*Corymbia citriodora*	Spotted Gum	810		810	254	22.0	12.0	9.7	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3045	*Dead/Stag*		420		420	132	16.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
3117	*Dead/Stag*		290		290	91	9.0	1.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
3118	*Dead/Stag*		360		360	113	14.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
3119	*Corymbia citriodora*	Spotted Gum	480		480	151	24.0	13.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3120	*Dead/Stag*		390		390	123	12.0	3.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
3121	*Dead/Stag*		380		380	119	19.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
3122	*Corymbia intermedia*	Pink Bloodwood	420		420	132	17.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3123	*Corymbia citriodora*	Spotted Gum	430		430	135	23.0	16.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
3124	*Eucalyptus crebra*	Narrow-leaved Ironbark	560		560	176	30.0	15.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
3125	*Angophora leiocarpa*	Smooth-barked Apple	420		420	132	24.0	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
3126	*Corymbia citriodora*	Spotted Gum	430		430	135	25.0	13.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
3370	*Corymbia citriodora*	Spotted Gum	420		420	132	18.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
3371	*Corymbia citriodora*	Spotted Gum	430		430	135	15.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Subject to future application
3372	*Corymbia citriodora*	Spotted Gum	420		420	132	15.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
3373	*Corymbia citriodora*	Spotted Gum	460		460	145	18.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
3489	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	16.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove in P-A
3490	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	16.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove in P-A
3491	*Corymbia citriodora*	Spotted Gum	430		430	135	17.0	11.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove in P-A
3492	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	16.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3493	*Eucalyptus crebra*	Narrow-leaved Ironbark	440		440	138	16.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3494	*Corymbia citriodora*	Spotted Gum	360		360	113	17.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3495	*Corymbia citriodora*	Spotted Gum	390		390	123	17.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3496	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	15.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3497	*Eucalyptus crebra*	Narrow-leaved Ironbark	430		430	135	17.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3498	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3499	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	15.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove in P-A
3500	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	15.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove in P-A
3501	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	15.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3502	*Eucalyptus siderophloia*	Northern Grey Ironbark	335		335	105	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3503	*Corymbia citriodora*	Spotted Gum	310		310	97	15.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3504	*Corymbia citriodora*	Spotted Gum	315		315	99	15.0	9.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3505	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3506	*Corymbia citriodora*	Spotted Gum	370		370	116	17.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3507	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3508	*Angophora leiocarpa*	Smooth-barked Apple	380		380	119	14.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3509	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	15.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3510	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3511	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	15.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3512	*Corymbia citriodora*	Spotted Gum	345		345	108	16.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3513	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	15.0	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3514	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	15.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3515	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	16.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3516	*Corymbia citriodora*	Spotted Gum	500		500	157	18.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3517	*Corymbia citriodora*	Spotted Gum	380		380	119	16.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3518	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3519	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	16.0	11.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
3520	*Corymbia citriodora*	Spotted Gum	320		320	101	16.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3521	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	16.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3522	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3523	*Petalostigma pubescens*	Quinine Bush	310		310	97	8.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3524	*Corymbia citriodora*	Spotted Gum	330		330	104	17.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3525	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	8.0	2.0	0.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3526	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	113	17.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3527	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	16.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3528	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	14.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3529	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	16.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3531	*Corymbia citriodora*	Spotted Gum	300		300	94	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3533	*Corymbia citriodora*	Spotted Gum	320		320	101	15.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3534	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3535	*Corymbia citriodora*	Spotted Gum	305		305	96	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3536	*Corymbia citriodora*	Spotted Gum	380		380	119	16.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3537	*Corymbia citriodora*	Spotted Gum	380		380	119	16.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3538	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	16.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3539	*Eucalyptus crebra*	Narrow-leaved Ironbark	440		440	138	16.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3540	*Eucalyptus crebra*	Narrow-leaved Ironbark	630		630	198	18.0	11.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3541	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	14.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove in P-A
3545	*Eucalyptus crebra*	Narrow-leaved Ironbark	760		760	239	16.0	9.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove in P-A
3546	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	14.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove in P-A
3601	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	13.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3602	*Corymbia citriodora*	Spotted Gum	350	290	455	143	12.0	7.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3603	*Corymbia citriodora*	Spotted Gum	310		310	97	12.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3604	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	11.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3605	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	12.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3606	*Corymbia citriodora*	Spotted Gum	370		370	116	13.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3607	*Corymbia citriodora*	Spotted Gum	370		370	116	15.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3608	*Corymbia citriodora*	Spotted Gum	300		300	94	13.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3609	*Corymbia citriodora*	Spotted Gum	320		320	101	15.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3612	*Corymbia citriodora*	Spotted Gum	300		300	94	9.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3613	*Corymbia citriodora*	Spotted Gum	320		320	101	12.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3614	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
3615	*Corymbia citriodora*	Spotted Gum	330		330	104	14.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3616	*Corymbia citriodora*	Spotted Gum	310		310	97	14.0	3.0	3.7	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3617	*Corymbia citriodora*	Spotted Gum	390		390	123	14.0	4.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3618	*Corymbia citriodora*	Spotted Gum	330		330	104	13.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3619	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	16.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3620	*Corymbia citriodora*	Spotted Gum	340		340	107	17.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3621	*Eucalyptus crebra*	Narrow-leaved Ironbark	480		480	151	23.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3622	*Dead/Stag*		290		290	91	14.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
3623	*Dead/Stag*		350		350	110	4.0	1.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
3624	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	14.0	4.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3625	*Corymbia citriodora*	Spotted Gum	310		310	97	14.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3626	*Petalostigma pubescens*	Quinine Bush	360		360	113	6.0	3.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3627	*Corymbia citriodora*	Spotted Gum	340		340	107	17.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3628	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	23.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3629	*Corymbia citriodora*	Spotted Gum	340		340	107	14.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3630	*Corymbia citriodora*	Spotted Gum	340		340	107	13.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3631	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3632	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3633	*Corymbia intermedia*	Pink Bloodwood	310		310	97	13.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3634	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	23.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3635	*Corymbia citriodora*	Spotted Gum	310		310	97	11.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3636	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	16.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3637	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	16.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3638	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	23.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3639	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	14.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3640	*Corymbia citriodora*	Spotted Gum	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3641	*Dead/Stag*		330		330	104	11.0	1.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove - Spoil Piles 1
3642	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	13.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3643	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	24.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
3644	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	16.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
3645	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	14.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
3646	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
3647	*Dead/Stag*		510		510	160	17.0	3.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Retention subject to BMP
3648	*Corymbia citriodora*	Spotted Gum	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
3649	*Corymbia citriodora*	Spotted Gum	390		390	123	14.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
3650	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
3651	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
3652	*Corymbia citriodora*	Spotted Gum	300		300	94	12.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
3653	*Dead/Stag*		370		370	116	9.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
3654	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
3655	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
3656	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
3657	*Dead/Stag*		320		320	101	7.0	1.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Retention subject to BMP
3658	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
3661	*Eucalyptus crebra*	Narrow-leaved Ironbark	620		620	195	18.0	16.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Remove in P-A
3662	*Corymbia citriodora*	Spotted Gum	330		330	104	14.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
4998	*Corymbia citriodora*	Spotted Gum	380		380	119	18.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
4999	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
5470	*Eucalyptus crebra*	Narrow-leaved Ironbark	345		345	108	17.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
5483	*Eucalyptus tereticornis*	Forest Red Gum	315		315	99	16.0	8.0	3.8	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
5484	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
5490	*Dead/Stag*		310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-	Remove - Spoil Piles 1
5491	*Dead/Stag*		300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-	Remove - Spoil Piles 1
5492	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
5800	*Corymbia citriodora*	Spotted Gum	305		305	96	17.0	8.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
5801	*Dead/Stag*		320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
5803	*Corymbia citriodora*	Spotted Gum	350		350	110	17.0	7.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
5824	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
5825	*Eucalyptus tereticornis*	Forest Red Gum	485		485	152	18.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
5826	*Corymbia citriodora*	Spotted Gum	330		330	104	17.0	7.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
5827	*Eucalyptus moluccana*	Gum-topped Box	530		530	167	18.0	10.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
5828	*Eucalyptus tereticornis*	Forest Red Gum	395		395	124	17.0	7.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Subject to future application
5839	*Angophora leiocarpa*	Smooth-barked Apple	375		375	118	15.0	9.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
5840	*Lophostemon suaveolens*	Swamp Box	300		300	94	9.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
5841	*Eucalyptus tereticornis*	Forest Red Gum	425		425	134	20.0	11.0	5.1	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
5842	*Corymbia intermedia*	Pink Bloodwood	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
5843	*Corymbia citriodora*	Spotted Gum	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
5844	*Corymbia intermedia*	Pink Bloodwood	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-		-	Subject to future application
6159	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6160	*Eucalyptus tereticornis*	Forest Red Gum	405		405	127	18.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Subject to future application
6161	*Eucalyptus crebra*	Narrow-leaved Ironbark	400		400	126	17.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Subject to future application

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6162	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6163	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6164	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6171	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6172	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6173	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6174	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6176	*Dead/Stag*		485		485	152	17.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	Present	-		-	Retain in P-A
6177	*Corymbia citriodora*	Spotted Gum	445		445	140	18.0	9.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain in P-A
6178	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
6273	*Corymbia intermedia*	Pink Bloodwood	330		330	104	15.0	2.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
6277	*Dead/Stag*		300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6289	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	15.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6290	*Corymbia citriodora*	Spotted Gum	400		400	126	16.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove in P-A
6293	*Corymbia intermedia*	Pink Bloodwood	310		310	97	12.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6294	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	12.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6295	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6296	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6297	*Corymbia citriodora*	Spotted Gum	340		340	107	12.0	7.0	2.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6298	*Corymbia citriodora*	Spotted Gum	320		320	101	16.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6303	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	16.0	6.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6304	*Dead/Stag*		370		370	116	8.0	4.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-	Remove - Spoil Piles 1
6305	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	14.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6306	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	17.0	4.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6307	*Corymbia citriodora*	Spotted Gum	360		360	113	17.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6308	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	22.0	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6318	*Dead/Stag*		460		460	145	17.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6319	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	18.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6320	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6321	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6322	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	14.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6323	*Dead/Stag*		370		370	116	11.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6324	*Dead/Stag*		320		320	101	12.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6325	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6326	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	15.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6327	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	14.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6342	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6343	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6344	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6345	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	12.0	3.0	4.2	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6346	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	18.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6347	*Alphitonia excelsa*	Soap Tree	330		330	104	9.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6348	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6349	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6350	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	12.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6351	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6352	*Corymbia citriodora*	Spotted Gum	340		340	107	16.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retention subject to BMP
6354	*Corymbia intermedia*	Pink Bloodwood	310		310	97	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6355	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	17.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6356	*Corymbia citriodora*	Spotted Gum	370		370	116	17.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6357	*Corymbia intermedia*	Pink Bloodwood	310		310	97	11.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6358	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	116	14.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6374	*Eucalyptus tereticornis*	Forest Red Gum	470		470	148	13.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6375	*Petalostigma pubescens*	Quinine Bush	420		420	132	7.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6376	*Dead/Stag*		330		330	104	12.0	3.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6377	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	17.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6604	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	15.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6610	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	12.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6617	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	11.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6618	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	14.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6626	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6627	*Corymbia citriodora*	Spotted Gum	380		380	119	18.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6628	*Corymbia citriodora*	Spotted Gum	320		320	101	15.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6629	*Corymbia citriodora*	Spotted Gum	320		320	101	15.0	13.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6630	*Corymbia citriodora*	Spotted Gum	310		310	97	13.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6638	*Corymbia citriodora*	Spotted Gum	380		380	119	18.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6639	*Corymbia citriodora*	Spotted Gum	340		340	107	15.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6640	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	14.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6641	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	18.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6642	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	11.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6643	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	17.0	15.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6724	*Eucalyptus tereticornis*	Forest Red Gum	328		328	103	19.0	16.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6746	*Corymbia citriodora*	Spotted Gum	330		330	104	19.0	16.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6765	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	21.0	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6766	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	21.0	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6767	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	18.0	15.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6768	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	18.0	13.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6769	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	19.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6770	*Corymbia citriodora*	Spotted Gum	370		370	116	15.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6771	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	113	15.0	10.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6772	*Petalostigma pubescens*	Quinine Bush	330		330	104	10.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6773	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6774	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6775	*Corymbia citriodora*	Spotted Gum	380		380	119	18.0	8.0	2.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6776	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6777	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	14.0	4.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6778	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	10.0	3.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6779	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6780	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	18.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6781	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	18.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6782	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	17.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6783	*Angophora leiocarpa*	Smooth-barked Apple	460		460	145	20.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6784	*Corymbia citriodora*	Spotted Gum	420		420	132	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6785	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6786	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	18.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6787	*Corymbia citriodora*	Spotted Gum	390		390	123	18.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6788	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6789	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	20.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6790	*Alphitonia excelsa*	Soap Tree	300		300	94	9.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6791	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to Precinct B
6792	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6793	*Corymbia citriodora*	Spotted Gum	260	260	368	116	17.0	19.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6794	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	18.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6795	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	18.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6796	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	21.0	17.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6797	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	16.0	13.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6798	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	13.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6799	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	20.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6800	*Eucalyptus crebra*	Narrow-leaved Ironbark	308		308	97	9.0	5.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6801	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6802	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	14.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6803	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	14.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Subject to future application
6804	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6805	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6806	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	13.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6807	*Corymbia citriodora*	Spotted Gum	445		445	140	16.0	10.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6808	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	13.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6809	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	15.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6810	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	15.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6811	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6812	*Corymbia citriodora*	Spotted Gum	330		330	104	16.0	15.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6813	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6814	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	14.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6815	*Corymbia intermedia*	Pink Bloodwood	360		360	113	16.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6816	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6817	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6818	*Eucalyptus crebra*	Narrow-leaved Ironbark	520		520	163	20.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6819	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6820	*Eucalyptus crebra*	Narrow-leaved Ironbark	415		415	130	16.0	10.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6821	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	14.0	8.0	4.7	2.2	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-		-	Subject to future application
6822	*Corymbia citriodora*	Spotted Gum	420		420	132	17.0	11.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6823	*Corymbia citriodora*	Spotted Gum	360		360	113	16.0	9.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6824	*Corymbia citriodora*	Spotted Gum	510		510	160	18.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6825	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6826	*Corymbia citriodora*	Spotted Gum	415		415	130	21.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6827	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6828	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	116	19.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6829	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6830	*Corymbia citriodora*	Spotted Gum	325		325	102	16.0	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6831	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	15.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6832	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6833	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6834	*Eucalyptus tereticornis*	Forest Red Gum	510		510	160	16.0	7.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6835	*Eucalyptus tereticornis*	Forest Red Gum	510		510	160	16.0	7.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6836	*Eucalyptus tereticornis*	Forest Red Gum	510		510	160	16.0	7.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Subject to future application
6837	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6838	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6839	*Lophostemon suaveolens*	Swamp Box	350		350	110	10.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6840	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	19.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6841	*Dead/Stag*		440		440	138	18.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-	Subject to future application
6842	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6843	*Corymbia citriodora*	Spotted Gum	350		350	110	15.0	15.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6844	*Corymbia citriodora*	Spotted Gum	310		310	97	14.0	13.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6845	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	18.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6846	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6847	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	17.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6848	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6849	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	19.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6850	*Corymbia intermedia*	Pink Bloodwood	305		305	96	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6851	*Eucalyptus tereticornis*	Forest Red Gum	420	320	528	166	15.0	9.0	6.3	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6852	*Corymbia intermedia*	Pink Bloodwood	310		310	97	14.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6853	*Lophostemon suaveolens*	Swamp Box	480		480	151	12.0	6.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6854	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6855	*Corymbia citriodora*	Spotted Gum	325		325	102	17.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6856	*Corymbia citriodora*	Spotted Gum	365		365	115	17.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6857	*Corymbia citriodora*	Spotted Gum	430		430	135	17.0	10.0	5.2	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6858	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6859	*Lophostemon suaveolens*	Swamp Box	300		300	94	11.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6860	*Corymbia citriodora*	Spotted Gum	425		425	134	18.0	11.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6861	*Corymbia citriodora*	Spotted Gum	305		305	96	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6862	*Corymbia citriodora*	Spotted Gum	340		340	107	16.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6863	*Corymbia citriodora*	Spotted Gum	410		410	129	18.0	17.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6864	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	18.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6865	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	19.0	13.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6866	*Corymbia citriodora*	Spotted Gum	370		370	116	18.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6867	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	20.0	19.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6868	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	13.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6869	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6870	*Angophora leiocarpa*	Smooth-barked Apple	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6871	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	22.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6872	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	20.0	7.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6873	*Corymbia intermedia*	Pink Bloodwood	410		410	129	18.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6874	*Lophostemon suaveolens*	Swamp Box	370		370	116	12.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6875	*Allocasuarina littoralis*	Black She-oak	460		460	145	12.0	4.0	5.5	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6876	*Lophostemon suaveolens*	Swamp Box	300	180	350	110	10.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6877	*Corymbia intermedia*	Pink Bloodwood	390		390	123	18.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6878	*Corymbia citriodora*	Spotted Gum	310		310	97	21.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6879	*Dead/Stag*		320		320	101	10.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-	Subject to future application
6880	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	16.0	13.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6881	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6882	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6883	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	15.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6884	*Corymbia citriodora*	Spotted Gum	305		305	96	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Present	-		-	Remove - Spoil Piles 1
6885	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6886	*Dead/Stag*		390		390	123	10.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-	Remove - Spoil Piles 1
6887	*Eucalyptus crebra*	Narrow-leaved Ironbark	385		385	121	20.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6888	*Corymbia citriodora*	Spotted Gum	400		400	126	18.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6889	*Corymbia citriodora*	Spotted Gum	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6890	*Corymbia citriodora*	Spotted Gum	320		320	101	16.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6891	*Corymbia citriodora*	Spotted Gum	310		310	97	15.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6892	*Angophora leiocarpa*	Smooth-barked Apple	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-		-	Subject to future application
6893	*Eucalyptus tereticornis*	Forest Red Gum	305		305	96	17.0	8.0	3.7	2.0	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6892	*Angophora leiocarpa*	Smooth-barked Apple	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-		-	Subject to future application
6893	*Eucalyptus tereticornis*	Forest Red Gum	305		305	96	17.0	8.0	3.7	2.0	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6894	*Eucalyptus crebra*	Narrow-leaved Ironbark	355		355	112	17.0	9.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6895	*Eucalyptus crebra*	Narrow-leaved Ironbark	435		435	137	23.0	15.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6896	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	13.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6897	*Eucalyptus crebra*	Narrow-leaved Ironbark	400		400	126	18.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6898	*Corymbia citriodora*	Spotted Gum	335		335	105	18.0	10.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6899	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	16.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6900	*Corymbia citriodora*	Spotted Gum	320		320	101	14.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6901	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6902	*Corymbia citriodora*	Spotted Gum	440		440	138	18.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6903	*Corymbia citriodora*	Spotted Gum	390		390	123	18.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6904	*Corymbia citriodora*	Spotted Gum	350		350	110	15.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6905	*Corymbia citriodora*	Spotted Gum	420		420	132	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6906	*Corymbia citriodora*	Spotted Gum	360		360	113	21.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6907	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6908	*Eucalyptus crebra*	Narrow-leaved Ironbark	420		420	132	19.0	15.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6909	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	17.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6910	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	18.0	11.0	5.2	2.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6911	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	15.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6912	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6913	*Dead/Stag*		300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6916	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6917	*Eucalyptus crebra*	Narrow-leaved Ironbark	400		400	126	21.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6918	*Corymbia citriodora*	Spotted Gum	355		355	112	18.0	10.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6919	*Corymbia tessellaris*	Moreton Bay Ash	390		390	123	14.0	4.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6920	*Eucalyptus crebra*	Narrow-leaved Ironbark	420		420	132	21.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6921	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	12.0	4.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6922	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6923	*Corymbia citriodora*	Spotted Gum	345		345	108	17.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6930	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	15.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6931	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	14.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6932	*Eucalyptus tereticornis*	Forest Red Gum	415		415	130	18.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6933	*Corymbia citriodora*	Spotted Gum	410		410	129	21.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6934	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6935	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6936	*Dead/Stag*		330		330	104	20.0	13.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6937	*Corymbia citriodora*	Spotted Gum	340		340	107	18.0	9.0	4.1	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6938	*Corymbia citriodora*	Spotted Gum	415		415	130	19.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6939	*Corymbia citriodora*	Spotted Gum	395		395	124	19.0	13.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6940	*Corymbia citriodora*	Spotted Gum	370		370	116	19.0	13.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6941	*Eucalyptus moluccana*	Gum-topped Box	420		420	132	18.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6942	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	18.0	4.0	4.6	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6943	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6944	*Corymbia citriodora*	Spotted Gum	330		330	104	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6945	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6946	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	17.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6947	*Corymbia citriodora*	Spotted Gum	390		390	123	20.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6948	*Lophostemon suaveolens*	Swamp Box	330		330	104	15.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6949	*Corymbia intermedia*	Pink Bloodwood	400		400	126	21.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6950	*Corymbia citriodora*	Spotted Gum	420		420	132	18.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6951	*Lophostemon suaveolens*	Swamp Box	300	270 150	431	135	12.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6952	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6953	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	22.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6954	*Corymbia intermedia*	Pink Bloodwood	420		420	132	17.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6955	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	14.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6956	*Corymbia citriodora*	Spotted Gum	380		380	119	18.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6957	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6958	*Corymbia citriodora*	Spotted Gum	370		370	116	20.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6959	*Corymbia citriodora*	Spotted Gum	620		620	195	22.0	8.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6960	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6961	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6962	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	11.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6963	*Corymbia citriodora*	Spotted Gum	395		395	124	20.0	13.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6964	*Corymbia citriodora*	Spotted Gum	420		420	132	22.0	16.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6965	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6966	*Corymbia citriodora*	Spotted Gum	360		360	113	19.0	13.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6967	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	15.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6968	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	18.0	14.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6969	*Corymbia citriodora*	Spotted Gum	350		350	110	20.0	16.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6970	*Corymbia citriodora*	Spotted Gum	360		360	113	19.0	19.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6971	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6972	*Corymbia citriodora*	Spotted Gum	360		360	113	21.0	15.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6973	*Eucalyptus moluccana*	Gum-topped Box	320		320	101	16.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6974	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	19.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6975	*Eucalyptus moluccana*	Gum-topped Box	420		420	132	22.0	18.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6976	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	18.0	13.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6977	*Corymbia citriodora*	Spotted Gum	380		380	119	16.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6978	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	18.0	15.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6979	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6980	*Corymbia citriodora*	Spotted Gum	300		300	94	11.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6981	*Corymbia citriodora*	Spotted Gum	455		455	143	20.0	15.0	5.5	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6982	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	13.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6983	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6984	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6985	*Corymbia citriodora*	Spotted Gum	365		365	115	18.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6986	*Corymbia citriodora*	Spotted Gum	340		340	107	18.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6987	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6988	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
6993	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6994	*Corymbia citriodora*	Spotted Gum	335		335	105	10.0	5.0	4.0	2.1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6995	*Corymbia citriodora*	Spotted Gum	345		345	108	18.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6996	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6997	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	19.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
6998	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6999	*Corymbia citriodora*	Spotted Gum	395		395	124	18.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7000	*Corymbia citriodora*	Spotted Gum	385		385	121	18.0	10.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7001	*Corymbia citriodora*	Spotted Gum	320		320	101	16.0	16.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7002	*Corymbia citriodora*	Spotted Gum	330		330	104	15.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7003	*Corymbia citriodora*	Spotted Gum	340		340	107	21.0	16.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7004	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	18.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7007	*Corymbia citriodora*	Spotted Gum	380		380	119	16.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7008	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	16.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7010	*Corymbia citriodora*	Spotted Gum	355		355	112	19.0	11.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7011	*Corymbia citriodora*	Spotted Gum	305		305	96	16.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7012	*Corymbia citriodora*	Spotted Gum	405		405	127	17.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7013	*Corymbia citriodora*	Spotted Gum	405		405	127	21.0	13.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7014	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7018	*Corymbia citriodora*	Spotted Gum	380		380	119	21.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7019	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7020	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	113	20.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7023	*Corymbia citriodora*	Spotted Gum	390		390	123	21.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7024	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	18.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7037	*Corymbia citriodora*	Spotted Gum	345		345	108	21.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7038	*Corymbia citriodora*	Spotted Gum	315		315	99	19.0	11.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7039	*Eucalyptus tereticornis*	Forest Red Gum	335		335	105	17.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7040	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	18.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7041	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7042	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7044	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	17.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7045	*Eucalyptus tereticornis*	Forest Red Gum	650		650	204	22.0	10.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7046	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7047	*Corymbia citriodora*	Spotted Gum	400		400	126	22.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7048	*Corymbia citriodora*	Spotted Gum	355		355	112	18.0	9.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7049	*Dead/Stag*		325		325	102	15.0	7.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7050	*Dead/Stag*		330		330	104	13.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7051	*Dead/Stag*		350		350	110	14.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-	Remove - Spoil Piles 1
7052	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7053	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7054	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	16.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7060	*Corymbia citriodora*	Spotted Gum	370		370	116	18.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7061	*Corymbia citriodora*	Spotted Gum	350		350	110	13.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7062	*Corymbia citriodora*	Spotted Gum	305		305	96	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7063	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7064	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7065	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7066	*Corymbia citriodora*	Spotted Gum	360		360	113	17.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7067	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	21.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Subject to future application
7068	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	17.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7069	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	20.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7070	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7071	*Acacia disparrima*	Hickory Wattle	400		400	126	10.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7072	*Acacia disparrima*	Hickory Wattle	300		300	94	12.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Subject to future application
7073	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	21.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7074	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7075	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	16.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7076	*Alphitonia excelsa*	Soap Tree	300		300	94	10.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7077	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7078	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7079	*Corymbia citriodora*	Spotted Gum	315		315	99	18.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7080	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7081	*Eucalyptus tereticornis*	Forest Red Gum	355		355	112	18.0	8.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7082	*Corymbia citriodora*	Spotted Gum	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7083	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	19.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7084	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	21.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7085	*Corymbia citriodora*	Spotted Gum	335		335	105	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7092	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	20.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7093	*Eucalyptus crebra*	Narrow-leaved Ironbark	420		420	132	20.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7094	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	22.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7096	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	19.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7097	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7098	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7099	*Corymbia citriodora*	Spotted Gum	325		325	102	18.0	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7100	*Corymbia citriodora*	Spotted Gum	325		325	102	19.0	14.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7101	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	18.0	11.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7102	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	20.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7103	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7104	*Dead/Stag*		330		330	104	19.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7105	*Corymbia citriodora*	Spotted Gum	345		345	108	20.0	11.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7112	*Corymbia citriodora*	Spotted Gum	315		315	99	19.0	13.0	3.8	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7113	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	18.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7114	*Corymbia citriodora*	Spotted Gum	305		305	96	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7115	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7116	*Corymbia citriodora*	Spotted Gum	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7117	*Corymbia intermedia*	Pink Bloodwood	340		340	107	20.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7118	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	20.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7119	*Corymbia intermedia*	Pink Bloodwood	360		360	113	14.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7120	*Corymbia intermedia*	Pink Bloodwood	400		400	126	18.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7121	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7122	*Corymbia intermedia*	Pink Bloodwood	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7123	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7124	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	18.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7125	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7126	*Corymbia citriodora*	Spotted Gum	360		360	113	20.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7127	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	20.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7128	*Corymbia intermedia*	Pink Bloodwood	310		310	97	12.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7129	*Corymbia citriodora*	Spotted Gum	400		400	126	18.0	6.0	4.8	2.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7130	*Eucalyptus moluccana*	Gum-topped Box	510		510	160	20.0	16.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7131	*Dead/Stag*		395		395	124	17.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-	Remove - Spoil Piles 1
7132	*Dead/Stag*		300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-	Remove - Spoil Piles 1
7133	*Corymbia intermedia*	Pink Bloodwood	370		370	116	16.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7134	*Corymbia citriodora*	Spotted Gum	390		390	123	18.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7135	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7136	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7137	*Eucalyptus crebra*	Narrow-leaved Ironbark	315		315	99	18.0	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7138	*Eucalyptus crebra*	Narrow-leaved Ironbark	345		345	108	21.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7139	*Eucalyptus crebra*	Narrow-leaved Ironbark	315		315	99	18.0	12.0	3.8	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7153	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7154	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7155	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	18.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7156	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	19.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7157	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	16.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7158	*Corymbia citriodora*	Spotted Gum	370		370	116	17.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Present	-		-	Remove - Spoil Piles 1
7159	*Corymbia citriodora*	Spotted Gum	350		350	110	19.0	11.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7160	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	18.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7161	*Corymbia citriodora*	Spotted Gum	325		325	102	18.0	9.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large		-	Remove - Spoil Piles 1
7162	*Corymbia citriodora*	Spotted Gum	460		460	145	19.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7163	*Corymbia citriodora*	Spotted Gum	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7164	*Eucalyptus crebra*	Narrow-leaved Ironbark	450		450	141	15.0	5.0	5.4	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7165	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7166	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	9.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7167	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7168	*Corymbia citriodora*	Spotted Gum	380		380	119	18.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7169	*Eucalyptus crebra*	Narrow-leaved Ironbark	375		375	118	21.0	16.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7170	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	20.0	14.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Subject to future application
7171	*Eucalyptus crebra*	Narrow-leaved Ironbark	355		355	112	20.0	10.0	4.3	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7172	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	18.0	20.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7173	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	20.0	16.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7174	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	18.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7175	*Corymbia intermedia*	Pink Bloodwood	320		320	101	19.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7176	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	19.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7177	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	22.0	18.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7178	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7179	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	17.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7180	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	15.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7181	*Corymbia citriodora*	Spotted Gum	460		460	145	19.0	16.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7183	*Corymbia citriodora*	Spotted Gum	400		400	126	20.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7184	*Corymbia citriodora*	Spotted Gum	450		450	141	22.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7185	*Corymbia citriodora*	Spotted Gum	310		310	97	14.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Subject to future application
7186	*Corymbia citriodora*	Spotted Gum	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7187	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	113	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7188	*Corymbia citriodora*	Spotted Gum	400		400	126	22.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7189	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	14.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7190	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	20.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7191	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	20.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7192	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7193	*Corymbia citriodora*	Spotted Gum	400		400	126	18.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7194	*Corymbia citriodora*	Spotted Gum	315		315	99	17.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7195	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7196	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7197	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	3.0	3.6	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7198	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	22.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7199	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	14.0	3.0	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7200	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7201	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7208	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7218	*Corymbia citriodora*	Spotted Gum	390		390	123	20.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7219	*Corymbia citriodora*	Spotted Gum	430		430	135	16.0	4.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7220	*Corymbia citriodora*	Spotted Gum	460		460	145	22.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7221	*Corymbia citriodora*	Spotted Gum	460		460	145	16.0	4.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7222	*Corymbia citriodora*	Spotted Gum	340		340	107	16.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7223	*Corymbia citriodora*	Spotted Gum	330		330	104	21.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7224	*Corymbia citriodora*	Spotted Gum	360		360	113	20.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7506	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7507	*Corymbia citriodora*	Spotted Gum	315		315	99	17.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7515	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7516	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7517	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	21.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7518	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7519	*Corymbia citriodora*	Spotted Gum	305		305	96	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7520	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7521	*Eucalyptus tereticornis*	Forest Red Gum	365		365	115	18.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7522	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7523	*Eucalyptus crebra*	Narrow-leaved Ironbark	365		365	115	18.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7524	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	113	18.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7525	*Corymbia citriodora*	Spotted Gum	345		345	108	19.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7526	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	20.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7527	*Corymbia citriodora*	Spotted Gum	400		400	126	12.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7528	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	18.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7529	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	19.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7530	*Eucalyptus crebra*	Narrow-leaved Ironbark	335		335	105	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7531	*Eucalyptus crebra*	Narrow-leaved Ironbark	425		425	134	20.0	11.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7532	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	18.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7533	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Spoil Piles 1
7534	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7535	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7536	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7537	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	20.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7538	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
7539	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
7541	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	17.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application
7544	*Dead/Stag*		300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
7545	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	12.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
7546	*Corymbia citriodora*	Spotted Gum	320		320	101	13.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
7547	*Corymbia citriodora*	Spotted Gum	320		320	101	14.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain in P-A
8040	*Corymbia intermedia*	Pink Bloodwood	250		250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Subject to future application